

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #: 36670

NAME: Sodium metasilicate nonahydrate

SYNONYMS:

24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)  
352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**  
**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**

CORROSIVE TO METALS (CATEGORY 1), H290  
SKIN CORROSION (CATEGORY 1B), H314  
SERIOUS EYE DAMAGE (CATEGORY 1), H318

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),  
RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE  
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H290 MAY BE CORROSIVE TO METALS.  
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H335 MAY CAUSE RESPIRATORY IRRITATION.

**PRECAUTIONARY STATEMENT(S)**

P234 KEEP ONLY IN ORIGINAL CONTAINER.  
P260 DO NOT BREATHE DUST OR MIST.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/  
EYE PROTECTION/ FACE PROTECTION.  
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE  
VOMITING.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF  
IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE  
SKIN WITH WATER/ SHOWER.  
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND  
KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY  
CALL A POISON CENTER/DOCTOR.  
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR  
SEVERAL MINUTES. REMOVE CONTACT LENSES, IF  
PRESENT AND EASY TO DO. CONTINUE RINSING.  
IMMEDIATELY CALL A POISON CENTER/DOCTOR.  
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.  
P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.  
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP  
CONTAINER TIGHTLY CLOSED.  
P405 STORE LOCKED UP.  
P406 STORE IN CORROSIVE RESISTANT CONTAINER WITH A  
RESISTANT INNER LINER.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED  
WASTE DISPOSAL PLANT.

**HAZARDS NOT  
OTHERWISE  
CLASSIFIED (HNOC) OR  
NOT COVERED BY GHS**

LACHRYMATOR.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF:	Na <sub>2</sub> O <sub>3</sub> Si·9H <sub>2</sub> O
MW:	284.2
CAS-NO.	13517-24-3
PURITY:	≥ 98% (Assay by titration)

**HAZARDOUS COMPONENTS**

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>Sodium metasilicate nonahydrate</b>		
	MET. CORR. 1; SKIN CORR. 1B; EYE DAM. 1; STOT SE 3; H290, H314, H318, H335	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

**SECTION 4. FIRST-AID MEASURES**

---

**DESCRIPTION OF FIRST AID MEASURES**

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**EFFECTS, BOTH ACUTE  
AND DELAYED**

**INDICATION OF ANY  
IMMEDIATE MEDICAL  
ATTENTION AND  
SPECIAL TREATMENT  
NEEDED**

NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA  
SUITABLE  
EXTINGUISHING MEDIA**

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY  
CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE**

SODIUM OXIDES, SILICON OXIDES NOT  
COMBUSTIBLE.

**ADVICE FOR  
FIREFIGHTERS**

WEAR SELF CONTAINED BREATHING APPARATUS FOR  
FIRE FIGHTING IF NECESSARY.

**FURTHER INFORMATION**

NO DATA AVAILABLE

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES**

WEAR RESPIRATORY PROTECTION. AVOID DUST  
FORMATION. AVOID BREATHING VAPOURS, MIST OR  
GAS. ENSURE ADEQUATE VENTILATION. EVACUATE  
PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

PICK UP AND ARRANGE DISPOSAL WITHOUT  
CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN  
SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER  
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.  HYGROSCOPIC.  Store at RT
<b>SPECIFIC END USE(S)</b>	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

### **EXPOSURE CONTROLS**

#### **APPROPRIATE ENGINEERING CONTROLS**

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

### **PERSONAL PROTECTIVE EQUIPMENT**

#### **EYE/FACE PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**FULL CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

**SPLASH CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

DO NOT LET PRODUCT ENTER DRAINS.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White solid
ODOUR	ODOURLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	12.4 AT 10 G/L
MELTING POINT/FREEZING POINT	
BOILING POINT	
FLASH POINT	
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	210 G/L AT 20 C SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: -5.65 - (ANHYDROUS SUBSTANCE), (LIT.), BIOACCUMULATION IS NOT EXPECTED.
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	AVOID MOISTURE.
<b>INCOMPATIBLE MATERIALS</b>	STRONG ACIDS, LEAD, TIN/TIN OXIDES, ZINC, ALUMINUM, STRONG OXIDIZING AGENTS

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED  
UNDER FIRE CONDITIONS. - SODIUM OXIDES, SILICON  
OXIDES  
OTHER DECOMPOSITION PRODUCTS - NO DATA  
AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY**

LD50 ORAL - RAT - MALE AND FEMALE - 1,152 - 1,349  
MG/KG  
REMARKS: GASTROINTESTINAL: ULCERATION OR  
BLEEDING FROM STOMACH.

LC50 INHALATION - RAT - MALE AND FEMALE - 4 H - >  
2.06 MG/L  
(US-EPA)  
INHALATION: IRRITATING TO RESPIRATORY SYSTEM.

LD50 DERMAL - RAT - MALE AND FEMALE - > 5,000  
MG/KG  
(US-EPA)

NO DATA AVAILABLE

**SKIN  
CORROSION/IRRITATION**

SKIN - RABBIT RESULT: CORROSIVE - 4 H

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

CAUSES SERIOUS EYE DAMAGE.

**RESPIRATORY OR SKIN  
SENSITISATION**

LOCAL LYMPH NODE ASSAY (LLNA) MOUSE  
RESULT: NEGATIVE

**GERM CELL  
MUTAGENICITY**

AMES TEST  
ESCHERICHIA COLI/SALMONELLA TYPHIMURIUM  
RESULT: NEGATIVE  
MUTAGENICITY (MAMMAL CELL TEST):  
CHROMOSOME ABERRATION.  
CHINESE HAMSTER LUNG CELLS  
RESULT: NEGATIVE  
IN VITRO MAMMALIAN CELL GENE MUTATION TEST  
CHINESE HAMSTER LUNG CELLS  
RESULT: NEGATIVE  
MOUSE - MALE - BONE MARROW  
RESULT: NEGATIVE

**CARCINOGENICITY**



IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE** INHALATION - MAY CAUSE RESPIRATORY IRRITATION. - RESPIRATORY SYSTEM ACUTE INHALATION TOXICITY - MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES:, DAMAGE OF RESPIRATORY TRACT

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE** NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

**ADDITIONAL INFORMATION** REPEATED DOSE TOXICITY - RAT - MALE AND FEMALE - ORAL - 3 MONTHS - NO OBSERVED ADVERSE EFFECT LEVEL - 227 - 237 MG/KG

RTECS: NOT AVAILABLE

COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING  
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. OTHER DANGEROUS PROPERTIES CAN NOT BE EXCLUDED.  
HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**TOXICITY**

TOXICITY TO FISH	SEMI-STATIC TEST LC50 - DANIO RERIO (ZEBRA FISH) - 210 MG/L - 96 H (ISO 7346/1) REMARKS: (ANHYDROUS SUBSTANCE)
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - 1,700 MG/L - 48 H REMARKS: (ANHYDROUS SUBSTANCE)
TOXICITY TO ALGAE	EC50 - DESMODESMUS SUBSPICATUS (GREEN ALGAE) - 207 MG/L - 72 H (DIN 38412) REMARKS: (ANHYDROUS SUBSTANCE)
TOXICITY TO BACTERIA	EC50 - ACTIVATED SLUDGE - > 100 MG/L - 3 H REMARKS: (ANHYDROUS SUBSTANCE)
<b>PERSISTENCE AND DEGRADABILITY</b>	THE METHODS FOR DETERMINING BIODEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

---

#### WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

**CONTAMINATED PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

### SECTION 14. TRANSPORT INFORMATION

---

**DOT (US)**

PROPER SHIPPING NAME: DISODIUM TRIOXOSILICATE  
UN NUMBER: 3253  
CLASS: 8  
PACKING GROUP: III  
REPORTABLE QUANTITY  
(RQ):  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: DISODIUM TRIOXOSILICATE  
UN NUMBER: 3253  
CLASS: 8  
PACKING GROUP: III  
EMS-NO: F-A, S-B

**IATA**

PROPER SHIPPING NAME: DISODIUM TRIOXOSILICATE  
UN NUMBER: 3253  
CLASS: 8  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H290 MAY BE CORROSIVE TO METALS.  
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H335 MAY CAUSE RESPIRATORY IRRITATION.

**MSDS LEGEND**

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL  
HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1

REVISION DATE: 01/27/2017