# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	36834
NAME:	Trimethylphenylammonium hydroxide solution, ~25% in $H_2O$ (1.68 M)
SYNONYMS:	Phenyltrimethylammonium hydroxide TMAH
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

## SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)

H314	CAUSE	S SEVERE	SKIN BU	URNS AND	EYE DAMAGE.

## PRECAUTIONARY STATEMENT(S)

P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE
	VOMITING.
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/
	SHOWER.
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A
	POISON CENTER/ DOCTOR.
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A
	POISON CENTER/ DOCTOR.
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

NONE

MF:	C <sub>9</sub> H <sub>15</sub> NO
MW:	153.22
CAS-NO.	1899-02-1
PURITY:	ca. 8.5% in Methanol

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Trimethylphenylammonium hydroxide solution, ~25% in H <sub>2</sub> O (1.68 M)		
	SKIN CORR. 1B; EYE DAM. 1;	>= 30 - < 50 %
	H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	FIRST AIDERS NEED TO PROTECT THEMSELVES. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST), AVOID VOMITING (RISK OF PERFORATION). CALL A PHYSICIAN IMMEDIATELY. DO NOT ATTEMPT TO NEUTRALISE.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER
	UNSUITABLE EXTINGUISHING MEDIA FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES NITROGEN OXIDES (NOX) MIXTURE WITH COMBUSTIBLE INGREDIENTS. DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR VAPOURS POSSIBLE IN THE EVENT OF FIRE.
ADVICE FOR FIREFIGHTERS	STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.
FURTHER INFORMATION	SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS WITH A WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES ENVIRONMENTAL PRECAUTIONS	ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES, CONSULT AN EXPERT. FOR PERSONAL PROTECTION SEE SECTION 8. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP REFERENCE TO OTHER	METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP WITH LIQUID-ABSORBENT MATERIAL. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA. FOR DISPOSAL SEE SECTION 13.
SECTIONS	FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE** FOR PRECAUTIONS SEE SECTION 2.2. **HANDLING** 

CONDITIONS FOR SAFEKEEP CONTAINER TIGHTLY CLOSED IN A DRY ANDSTORAGE, INCLUDINGWELL-VENTILATED PLACE. CONTAINERS WHICH AREANY INCOMPATIBILITIESOPENED MUST BE CAREFULLY RESEALED AND KEPT<br/>UPRIGHT TO PREVENT LEAKAGE.

STORE UNDER INERT GAS. AIR SENSITIVE.

Store at RT, under inert gas

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

INGREDIENTS WITH	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL
WORKPLACE CONTROL	EXPOSURE LIMIT VALUES.
PARAMETERS	

**EXPOSURE CONTROLS** 

APPROPRIATE	IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
ENGINEERING	APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS
CONTROLS	AND FACE AFTER WORKING WITH SUBSTANCE.

#### PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTIONTIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-<br/>INCH MINIMUM). USE EQUIPMENT FOR EYE<br/>PROTECTION TESTED AND APPROVED UNDER<br/>APPROPRIATE GOVERNMENT STANDARDS SUCH AS<br/>NIOSH (US) OR EN 166(EU).

SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY<br/>HANDS.

BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS,
	THE TYPE OF PROTECTIVE EQUIPMENT MUST BE
	SELECTED ACCORDING TO THE CONCENTRATION AND
	AMOUNT OF THE DANGEROUS SUBSTANCE AT THE
	SPECIFIC WORKPLACE.

RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYINGPROTECTIONRESPIRATORS ARE APPROPRIATE USE A FULLFACE<br/>RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US)<br/>OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS<br/>A BACKUP TO ENGINEERING CONTROLS. IF THE<br/>RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE<br/>A FULL-FACE SUPPLIED AIR RESPIRATOR. USE<br/>RESPIRATORS AND COMPONENTS TESTED AND<br/>APPROVED UNDER APPROPRIATE GOVERNMENT<br/>STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OFDO NOT LET PRODUCT ENTER DRAINS.ENVIRONMENTALEXPOSURE

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
РН	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	65 °C
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.79
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE

## OXIDIZING PROPERTIES NO DATA AVAILABLE

# OTHER SAFETY NO DATA AVAILABLE INFORMATION

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	VIOLENT REACTIONS POSSIBLE WITH: THE GENERALLY KNOWN REACTION PARTNERS OF WATER.
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

MIXTURE ACUTE TOXICITY SYMPTOMS: IF INGESTED, SEVERE BURNS OF THE MOUTH AND THROAT, AS WELL AS A DANGER OF PERFORATION OF THE ESOPHAGUS AND THE STOMACH. SYMPTOMS: MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES:, DAMAGE OF RESPIRATORY TRACT DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

SERIOUS EYE DAMAGE/EYE IRRITATION	MIXTURE CAUSES SERIOUS EYE DAMAGE. RISK OF BLINDNESS!	
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE	
GERM CELL MUTAGENICITY	NO DATA AVAILABLE	
<b>CARCINOGENICITY</b> IARC: NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT	
OSHA:	LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.	
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE	
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE	
ASPIRATION HAZARD	NO DATA AVAILABLE	
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE,	
	LARY NGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA OTHER DANGEROUS PROPERTIES CAN NOT BE EXCLUDED. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.	

## SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS<br/>TO A LICENSED DISPOSAL COMPANY. CONTACT A<br/>LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE<br/>TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE<br/>MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN<br/>IN A CHEMICAL INCINERATOR EQUIPPED WITH AN<br/>AFTERBURNER AND SCRUBBER.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGINGDispose of a subscription

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (N,N,N-
	TRIMETHYLANILINIUM HYDROXIDE)
UN NUMBER:	3267
CLASS:	8
PACKING GROUP:	II
REPORTABLE QUANTITY	
(RQ):	

POISON INHALATION HAZARD:	NO
IMDG	
PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (N,N,N- TRIMETHYLANILINIUM HYDROXIDE)
UN NUMBER:	3267
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
IATA	
PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (N,N,N-
	TRIMETHYLANILINIUM HYDROXIDE)
UN NUMBER:	3267
CLASS:	8
PACKING GROUP:	II

## SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS		OES NOT CONTAIN ANY TH A SECTION 302 EHS TPQ.
SARA 313 COMPONENTS	COMPONENTS WI EXCEED THE THR	OES NOT CONTAIN ANY CHEMICAL TH KNOWN CAS NUMBERS THAT ESHOLD (DE MINIMIS) REPORTING SHED BY SARA TITLE III, SECTION
SARA 311/312 HAZARDS	ACUTE HEALTH H	IAZARD
MASSACHUSETTS RIGHT TO NO COMPONENTS ARE SUBJE		N <b>TS</b> HUSETTS RIGHT TO KNOW ACT.
PENNSYLVANIA RIGHT TO K		5
	CAS-NO.	REVISION DATE
WATER	7732-18-5	
Trimethylphenylammonium hydroxide solution, $\sim 25\%$ in H <sub>2</sub> O (1.68 M)	1899-02-1	
NEW JERSEY RIGHT TO KNO	OW COMPONENTS	
	CAS-NO.	<b>REVISION DATE</b>
WATER	7732-18-5	
Trimethylphenylammonium	1899-02-1	
hydroxide solution, $\sim 25\%$ in H <sub>2</sub> O		

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H314CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 07/12/2023