# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	36847
NAME:	Tris(4-bromophenyl)ammoniumyl hexachloroantimonate
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM	
SIGNAL WORD	WARNING
HAZARD STATEMENT	(S)
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STA	ATEMENT(S)
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.
P391	COLLECT SPILLAGE.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Tris(4-bromophenyl)ammoniumyl hexachloroantimonate		
COMPONENT	CLASSIFICATION	CONCENTRATION
HAZARDOUS COMPONENTS		
PURITY:	$\geq$ 95%	
CAS-NO.	24964-91-8	
MW:	816.48	
MF:	$\mathrm{C}_{18}\mathrm{H}_{13}\mathrm{Br}_{3}\mathrm{Cl}_{6}\mathrm{NSb}$	

ACUTE TOX. 4; AQUATIC	<= 100 %
ACUTE 2; AQUATIC CHRONIC	
2; H302, H332, H401, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	FLUSH EYES WITH WATER AS A PRECAUTION.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLEUSE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRYEXTINGUISHING MEDIACHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS	CARBON OXIDES, NITROGEN OXIDES (NOX),
ARISING FROM THE	HYDROGEN CHLORIDE GAS, HYDROGEN BROMIDE
SUBSTANCE OR MIXTURE	GAS, ANTIMONY OXIDE
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
PRECAUTIONS,	DUST FORMATION. AVOID BREATHING VAPOURS, MIST
PROTECTIVE	OR GAS. ENSURE ADEQUATE VENTILATION. AVOID
EQUIPMENT AND	BREATHING DUST.
EMERGENCY	
PROCEDURES	FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
PRECAUTIONS	TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
	DISCHARGE INTO THE ENVIRONMENT MUST BE
	AVOIDED.
METHODS AND	PICK UP AND ARRANGE DISPOSAL WITHOUT
MATERIALS FOR	CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
CONTAINMENT AND	SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
CLEANING UP	Soffmbel, eloseb contraiters for bisfosme.
<b>REFERENCE TO OTHER</b>	FOR DISPOSAL SEE SECTION 13.
SECTIONS	

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE.
ANY INCOMPATIBILITIES	PRODUCT IS SENSITIVE TO LIGHT AND MOISTURE.

# Store at RT

# **SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Tris(4-	24964-91-8	TWA	0.5 MG/M3	USA. OCCUPATIONAL
bromophenyl)ammoniumyl				EXPOSURE LIMITS
hexachloroantimonate				(OSHA) - TABLE Z-1
				LIMITS FOR AIR
				CONTAMINANTS
		TWA	0.5 MG/M3	USA. ACGIH
				THRESHOLD LIMIT
				VALUES (TLV)
	REMARKS	UPPER R	ESPIRATORY TRA	CT IRRITATION
		SKIN IRR	RITATION	
		TWA	0.5 MG/M3	USA. NIOSH
				RECOMMENDED
				EXPOSURE LIMITS
		PEL	0.5 MG/M3	CALIFORNIA
				PERMISSIBLE
				EXPOSURE LIMITS FOR
				CHEMICAL
				CONTAMINANTS

## **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING CONTROLS	HYGIENE AND SAFETY PRACTICE. WASH HANDS
	BEFORE BREAKS AND AT THE END OF WORKDAY.

# PERSONAL PROTECTIVE EQUIPMENT

<b>EYE/FACE PROTECTION</b>	SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING
	TO EN166 USE EQUIPMENT FOR EYE PROTECTION
	TESTED AND APPROVED UNDER APPROPRIATE
	GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR
	EN 166(EU).

- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE<br/>INSPECTED PRIOR TO USE. USE PROPER GLOVE<br/>REMOVAL TECHNIQUE (WITHOUT TOUCHING<br/>GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT<br/>WITH THIS PRODUCT. DISPOSE OF CONTAMINATED<br/>GLOVES AFTER USE IN ACCORDANCE WITH<br/>APPLICABLE LAWS AND GOOD LABORATORY<br/>PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS,<br/>THE TYPE OF PROTECTIVE EQUIPMENT MUST BE<br/>SELECTED ACCORDING TO THE CONCENTRATION<br/>AND AMOUNT OF THE DANGEROUS SUBSTANCE AT<br/>THE SPECIFIC WORKPLACE.
- **RESPIRATORY PROTECTION**FOR NUISANCE EXPOSURES USE TYPE P95 (US) OR<br/>TYPE P1 (EU EN 143) PARTICLE RESPIRATOR.FOR<br/>HIGHER LEVEL PROTECTION USE TYPE OV/AG/P99<br/>(US) OR TYPE ABEK-P2 (EU EN 143) RESPIRATOR<br/>CARTRIDGES. USE RESPIRATORS AND COMPONENTS<br/>TESTED AND APPROVED UNDER APPROPRIATE<br/>GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR<br/>CEN (EU).

# CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFEENVIRONMENTALTO DO SO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREDISCHARGE INTO THE ENVIRONMENT MUST BE<br/>AVOIDED.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Bluish powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	142 °C (dec.)
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE

PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

# SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN CHLORIDE GAS, HYDROGEN BROMIDE GAS, ANTIMONY OXIDE OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC: NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT
OSHA:	LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

### SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS<br/>TO A LICENSED DISPOSAL COMPANY. CONTACT A<br/>LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE<br/>TO DISPOSE OF THIS MATERIAL.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

# SECTION 14. TRANSPORT INFORMATION

DOT (US)	NOT DANGEROUS GOODS
IMDG	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Tris(4-bromophenyl)ammoniumyl hexachloroantimonate)
UN NUMBER:	3077
CLASS:	9

PACKING GROUP:	III
EMS-NO:	F-A, S-F
MARINE POLLUTANT :	YES
IATA	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Tris(4-bromophenyl)ammoniumyl
	hexachloroantimonate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III

FURTHER INFORMATION EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS	

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Tris(4-	24964-91-8	07-08-2015
bromophenyl)ammoniumyl		

hexachloroantimonate

#### SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS** NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

Tris(4bromophenyl)ammoniumyl hexachloroantimonate CAS-NO. 24964-91-8 REVISION DATE 07-08-2015

# SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEME	ENTS REFERRED TO UNDER SECTIONS 2 AND 3.
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1

#### **REVISION DATE: 01/27/2017**