Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	36902
NAME:	2,4,6-Trimethylpyridine
SYNONYMS:	2,4,6-Collidine sym-Collidine
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER	(630) 766-2112
SERVICE:	

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE TOXICITY, DERMAL (CATEGORY 3), H311

SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

H335



SIGNAL WORD

HAZARD STATEMENT(S)		
H226	FLAMMABLE LIQUID AND VAPOUR.	
H302 + H332	HARMFUL IF SWALLOWED OR IF INH	

H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED
H312	HARMFUL IN CONTACT WITH SKIN.
H311	TOXIC IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.

MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

PRECAUTIONARY STATEMENT(S)			
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN		
	FLAMES/HOT SURFACES NO SMOKING.		
P233	KEEP CONTAINER TIGHTLY CLOSED.		
P240	GROUND/BOND CONTAINER AND RECEIVING		
	EQUIPMENT.		
P241	USE EXPLOSION-PROOF ELECTRICAL/		
	VENTILATING/ LIGHTING/ EQUIPMENT.		
P242	USE ONLY NON-SPARKING TOOLS.		
P243	TAKE PRECAUTIONARY MEASURES AGAINST		
	STATIC DISCHARGE.		
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/		
	VAPOURS/ SPRAY.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING		
	THIS PRODUCT.		
P271	USE ONLY OUTDOORS OR IN A WELL-		
	VENTILATED AREA.		
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE		
	CLOTHING/ EYE PROTECTION/ FACE		
	PROTECTION.		
P301 + P312 + P330	IF SWALLOWED: CALL A POISON		
	CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE		
	MOUTH.		
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF		
1505 + 1501 + 1555	IMMEDIATELY ALL CONTAMINATED CLOTHING.		
	RINSE SKIN WITH WATER/ SHOWER.		
P304 + P340 + P312	IF INHALED: REMOVE VICTIM TO FRESH AIR AND		
1561 1510 1512	KEEP AT REST IN A POSITION COMFORTABLE FOR		

	BREATHING. CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C_8H_{11}N}$
MW:	121.18
CAS-NO.	108-75-8
PURITY:	≥99% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2,4,6-Trimethylpyridine		
	FLAM. LIQ. 3; ACUTE TOX. 3;	<= 100 %
	ACUTE TOX. 4; SKIN IRRIT. 2;	
	EYE IRRIT. 2A; STOT SE 3;	
	H226, H301 + H331, H312, H315,	
	H319, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES		
GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA	
	SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT	
	OF DANGEROUS AREA.	
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF	
	NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.	
	CONSULT A PHYSICIAN.	
IN CASE OF SKIN	WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE	
CONTACT	VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A	
	PHYSICIAN.	
IN CASE OF EYE	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT	
CONTACT	LEAST 15 MINUTES AND CONSULT A PHYSICIAN.	
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING	
	BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE	
	MOUTH WITH WATER. CONSULT A PHYSICIAN.	
MOST IMPORTANT	THE MOST IMPORTANT KNOWN SYMPTOMS AND	
SYMPTOMS AND	EFFECTS ARE DESCRIBED IN THE LABELLING (SEE	
EFFECTS, BOTH ACUTE	SECTION 2.2) AND/OR IN SECTION 11	
AND DELAYED	,	
INDICATION OF ANY	NO DATA AVAILABLE	
IMMEDIATE MEDICAL		
ATTENTION AND SPECIAL		
TREATMENT NEEDED		

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA	
SUITABLE EXTINGUISHING	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
MEDIA	CHEMICAL OR CARBON DIOXIDE
SPECIAL HAZARDS	CARBON OXIDES, NITROGEN OXIDES (NOX),
ARISING FROM THE	COMBUSTIBLE.
SUBSTANCE OR MIXTURE	
ADVICE FOR	WEAR SELF CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIRE FIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,	WEAR RESPIRATORY PROTECTION. AVOID BREATHING
PROTECTIVE EQUIPMENT	VAPOURS, MIST OR GAS. ENSURE ADEQUATE
AND EMERGENCY	VENTILATION. REMOVE ALL SOURCES OF IGNITION.
PROCEDURES	EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF
	VAPOURS ACCUMULATING TO FORM EXPLOSIVE
	CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN
	LOW AREAS.

	FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
PRECAUTIONS	TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN
MATERIALS FOR	ELECTRICALLY PROTECTED VACUUM CLEANER OR BY
CONTAINMENT AND	WET-BRUSHING AND PLACE IN CONTAINER FOR
CLEANING UP	DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE
	SECTION 13).
REFERENCE TO OTHER	FOR DISPOSAL SEE SECTION 13.
SECTIONS	

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM
	SOURCES OF IGNITION - NO SMOKING.TAKE
	MEASURES TO PREVENT THE BUILD UP OF
	ELECTROSTATIC CHARGE.
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE. CONTAINERS WHICH ARE
ANY INCOMPATIBILITIES	OPENED MUST BE CAREFULLY RESEALED AND KEPT
	UPRIGHT TO PREVENT LEAKAGE.
	STORAGE CLASS (TRGS 510): 3: FLAMMABLE LIQUIDS
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	AVOID CONTACT WITH SKIN, EYES AND CLOTHING.	
ENGINEERING	WASH HANDS BEFORE BREAKS AND IMMEDIATELY	
CONTROLS	AFTER HANDLING THE PRODUCT.	
PERSONAL PROTECTIVE EQUIPMENT		
EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT	
	FOR EYE PROTECTION TESTED AND APPROVED UNDER	
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS	
	NIOSH (US) OR EN 166(EU).	

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: FLUORINATED-RUBBER MINIMUM LAYER THICKNESS: 0.7 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:VITOJECT (KCL 890, SIZE M)
	SPLASH CONTACT MATERIAL: FLUORINATED-RUBBER MINIMUM LAYER THICKNESS: 0.7 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:VITOJECT (KCL 897, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER
BODY PROTECTION	FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO. COMPLETE SUIT PROTECTING AGAINST CHEMICALS,
	FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	 WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC	PHYSICAL AND CHEMICAL PROPERTIES
APPEARANCE	Clear colorless to yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD PH	NO DATA AVAILABLE
MELTING	- 43 °C (Lit.)
POINT/FREEZING POINT	
BOILING POINT	171 - 172 °C (Lit.)
FLASH POINT	58 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.92
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE
	CONDITIONS.
POSSIBILITY OF	NO DATA AVAILABLE
HAZARDOUS REACTIONS	
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.
INCOMPATIBLE	STRONG ACIDS.
MATERIALS	
HAZARDOUS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED
DECOMPOSITION	UNDER FIRE CONDITIONS CARBON OXIDES,
PRODUCTS	NITROGEN OXIDES (NOX).
	OTHER DECOMPOSITION PRODUCTS - NO DATA
	AVAILABLE
	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	LD50 ORAL - RAT - 400 MG/KG
	LD50 INHALATION - RAT - 2 H -
	LD50 DERMAL - GUINEA PIG - 1,000 MG/KG
	NO DATA AVAILABLE
SKIN	NO DATA AVAILABLE
CORROSION/IRRITATION	
SERIOUS EYE	NO DATA AVAILABLE
DAMAGE/EYE IRRITATION	
RESPIRATORY OR SKIN	NO DATA AVAILABLE
SENSITISATION	
GERM CELL	NO DATA AVAILABLE
MUTAGENICITY	
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT
	LEVELS GREATER THAN OR EQUAL TO 0.1% IS
	IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRME
	HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT
	LEVELS GREATER THAN OR EQUAL TO 0.1% IS
	IDENTIFIED AS A CARCINOGEN OR POTENTIAL
	CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT
	LEVELS GREATER THAN OR EQUAL TO 0.1% IS
	IDENTIFIED AS A KNOWN OR ANTICIPATED
	CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT
	LEVELS GREATER THAN OR EQUAL TO 0.1% IS
	IDENTIFIED AS A CARCINOGEN OR POTENTIAL
	CARCINOGEN BY OSHA.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN	INHALATION - MAY CAUSE RESPIRATORY IRRITATION
TOXICITY - SINGLE	
EXPOSURE	
SPECIFIC TARGET ORGAN	NO DATA AVAILABLE
TOXICITY - REPEATED	
EXPOSURE	
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL	RTECS: UU0970000
INFORMATION	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,
	PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE
	NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

NO DATA AVAILABLE

PERSISTENCE AND	NO DATA AVAILABLE
DEGRADABILITY	
BIOACCUMULATIVE	NO DATA AVAILABLE
POTENTIAL	
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB	PBT/VPVB ASSESSMENT NOT AVAILABLE AS
ASSESSMENT	CHEMICAL SAFETY ASSESSMENT NOT
	REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT N	
PRODUCT	BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH
	AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
	CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
	FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABI
	SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
	CONTACT A LICENSED PROFESSIONAL WASTE
	DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED	DISPOSE OF AS UNUSED PRODUCT.
PACKAGING	

PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	FLAMMABLE LIQUIDS, TOXIC, N.O.S. (2,4,6- Trimethylpyridine)
UN NUMBER:	1992
CLASS:	3 (6.1)
PACKING GROUP:	III
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6- Trimethylpyridine)
UN NUMBER:	1992
CLASS:	3 (6.1)
PACKING GROUP:	III
EMS-NO:	F-E, S-D
MARINE POLLUTANT:	NO
IATA	
PROPER SHIPPING NAME:	FLAMMABLE LIQUID, TOXIC, N.O.S. (2,4,6- Trimethylpyridine)
UN NUMBER:	1992
CLASS:	3 (6.1)
PACKING GROUP:	III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	SARA 302: NO CHEMICALS	
	SUBJECT TO THE REPORTIN	NG REQUIREMENTS OF SARA
	TITLE III, SECTION 302.	
SARA 313 COMPONENTS	SARA 313: THIS MATERIAL	DOES NOT CONTAIN ANY
	CHEMICAL COMPONENTS	WITH KNOWN CAS NUMBERS
	THAT EXCEED THE THRES	HOLD (DE MINIMIS)
	REPORTING LEVELS ESTAI	BLISHED BY SARA TITLE III,
	SECTION 313.	
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEA	ALTH HAZARD
MASSACHUSETTS RIGHT	NO COMPONENTS ARE SUI	BJECT TO THE
TO KNOW COMPONENTS	MASSACHUSETTS RIGHT T	TO KNOW ACT.
PENNSYLVANIA RIGHT TO K	NOW COMPONENTS	
	CAS #	REVISION DATE
2,4,6-Trimethylpyridine	108-75-8	
NEW JERSEY RIGHT TO KNO	OW COMPONENTS	
	CAS #	REVISION DATE
2,4,6-Trimethylpyridine	108-75-8	
CALIFORNIA PROP. 65	THIS PRODUCT DOES NOT	CONTAIN ANY CHEMICALS
COMPONENTS	KNOWN TO STATE OF CAL	IFORNIA TO CAUSE CANCER,
	BIRTH DEFECTS, OR ANY C	OTHER REPRODUCTIVE
	HARM.	

SECTION 16. OTHER INFORMATION

MSDS LEGEND				
MW:	MOLECULAR WEIGHT			
MF:	MOLECULAR FORMULA			
VOC:	VOLATILE ORGANIC COMPOUNDS			
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL			
	INDUSTRIAL HYGINISTS			
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER			
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION			
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)			
TLV:	THRESHOLD LIMIT VALUE (ACGIH)			
IMPORTANT:				
THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE				
BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO				
WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED,				
WITH RESPECT T	O SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING			
FROM ITS USE. U	SERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE			
THE SUITABILITY	OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO			
	BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD			
	DST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL,			
CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN				
IF CII HAS BEEN.	ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.			

VERSION: 3.1. REVISION DATE: 01/27/2020