Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 36998

NAME: Cupric sulfate anhydrous, Ultra pure, USP, Powder, Low heavy

metals (As: <= 1 ppm, Cd: <= 1 ppm, Pb: <= 1 ppm & Hg: <=

0.1 ppm)

SYNONYMS: Cupric sulfate anhydrous, Ultra pure, USP, Powder, Low heavy

metals (As: <= 1 ppm, Cd: <= 1 ppm, Pb: <= 1 ppm & Hg: <=

 $0.1 \, \text{ppm}$

Copper(II) sulfate anhydrous

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SHORT-TERM (ACUTE) AQUATIC HAZARD (CAT

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD WARNING

HAZARD STATEMENT(S)

H302 HARMFUL IF SWALLOWED. H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P305 + P351 + P338 IF IN EYES; RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

P391 COLLECT SPILLAGE.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: CuSO₄

MW: 159.61

CAS-NO. 7758-98-7

PURITY: 98 - 101% (Assay)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION				
Cupric sulfate anhydrous, Ultra pure, USP, Powder, Low heavy metals (As: <= 1 ppm, Cd: <=						
1 ppm, Pb: <= 1 ppm & Hg: <= 0.1 ppm)						
	ACUTE TOX. 4; SKIN IRRIT. 2;	<= 100%				
	EYE IRRIT. 2A; AQUATIC					
	ACUTE 1; AQUATIC CHRONIC					
	1; H302, H315, H319, H400, H410					
	M-FACTOR - AQUATIC ACUTE:					
	10					

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

CONTACT CONSULT A PHYSICIAN.

IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

CONTACT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANTTHE MOST IMPORTANT KNOWN SYMPTOMS ANDSYMPTOMS ANDEFFECTS ARE DESCRIBED IN THE LABELLING (SEE

EFFECTS, BOTH ACUTE AND DELAYED

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS SULPHUR OXIDES, BORANE/BORON OXIDES, COPPER

ARISING FROM THE OXIDES

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOIDPRECAUTIONS,DUST FORMATION. AVOID BREATHING VAPOURS, MISTPROTECTIVEOR GAS. ENSURE ADEQUATE VENTILATION. AVOIDEQUIPMENT ANDBREATHING DUST.

EMERGENCY

PROCEDURES FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

FOR DISPOSAL SEE SECTION 13.

SECTIONS

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE

AVOID CONTACT WITH SKIN AND EYES. AVOID

THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

AIR SENSITIVE. HYGROSCOPIC STORE UNDER INERT

GAS.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Cupric sulfate anhydrous, Ultra pure, USP, Powder, Low heavy metals (As: <= 1 ppm, Cd: <= 1 ppm, Pb:	7758-98-7	TWA	1 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
<= 1 ppm & Hg: <= 0.1 ppm)				
		PEL	1 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY FOR NUISANCE EXPOSURES USE TYPE P95 (US) OR TYPE

PROTECTION P1 (EU EN 143) PARTICLE RESPIRATOR.FOR HIGHER

LEVEL PROTECTION USE TYPE OV/AG/P99 (US) OR TYPE ABEK-P2 (EU EN 143) RESPIRATOR CARTRIDGES. USE RESPIRATORS AND COMPONENTS TESTED AND

APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL

EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Grayish white to greenish white powder

ODOUR ODOURLESS

ODOUR THRESHOLD NO DATA AVAILABLE PH 3.5 - 4.5 AT 50 G/L AT 20 C

MELTING 200 °C (dec.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE PRODUCT IS NOT FLAMMABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY 203 G/L AT 20 C

PARTITION COEFFICIENT: NOT APPLICABLE FOR INORGANIC SUBSTANCES

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - SULPHUR OXIDES, BORANE/BORON OXIDES, COPPER OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 481 MG/KG

(OECD TEST GUIDELINE 401)

INHALATION: NO DATA AVAILABLE

LD50 DERMAL - RAT - MALE AND FEMALE - > 2,000

MG/KG

(OECD TEST GUIDELINE 402)

NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

DAMAGE/EYE IRRITATION

SERIOUS EYE RISK OF CORNEAL CLOUDING. CONJUNCTIVITIS

RESPIRATORY OR SKIN MAXIMISATION TEST - GUINEA PIG

SENSITISATION RESULT: NEGATIVE

(OECD TEST GUIDELINE 406)

GERM CELL AMES TEST

MUTAGENICITY SALMONELLA TYPHIMURIUM

RESULT: NEGATIVE

MOUSE - MALE AND FEMALE - BONE MARROW

RESULT: NEGATIVE

(ECHA) THE VALUE IS GIVEN IN ANALOGY TO THE

FOLLOWING SUBSTANCES: OECD TEST GUIDELINE 486 RAT - MALE - LIVER CELLS

RESULT: NEGATIVE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EOUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON

OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN NO

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: GL8800000

SYMPTOMS OF SYSTEMIC COPPER POISONING MAY INCLUDE: CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, AND KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS SYSTEM EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, PARALYSIS, AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN DAMAGE AND DEMYELINATION, KIDNEY DEFECTS, AND COPPER DEPOSITION IN THE CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON"S DISEASE. IT HAS ALSO BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND ACCELERATES ARTERIOSCLEROSIS. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NOT APPLICABLE FOR INORGANIC SUBSTANCES

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SOLID, N.O.S. (COPPER SULPHATE)

UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III
REPORTABLE QUANTITY 10 LBS

(RQ):

MARINE POLLUTANT: YES POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SOLID, N.O.S. (COPPER SULPHATE)

UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SOLID, N.O.S. (COPPER SULPHATE)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS

WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

7758-98-7

CAS-NO. REVISION DATE

Cupric sulfate anhydrous,

Ultra pure, USP, Powder, Low heavy metals (As: <= 1 ppm, Cd: <= 1 ppm, Pb: <= 1 ppm

& Hg: $\leq 0.1 \text{ ppm}$)

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Cupric sulfate anhydrous,

7758-98-7

02-16-1993

02-16-1993

Ultra pure, USP, Powder, Low heavy metals (As: <= 1 ppm, Cd: <= 1 ppm, Pb: <= 1 ppm

& Hg: $\leq 0.1 \text{ ppm}$)

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302 HARMFUL IF SWALLOWED. H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION:3.1. REVISION DATE: 01/27/2017