

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	37636
NAME:	Tetraethylthiuram disulfide
SYNONYMS:	Bis(diethylthiocarbamoyl) disulfide Disulfiram
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302

SKIN SENSITIZATION (CATEGORY 1), H317

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400

LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD WARNING

HAZARD STATEMENT(S)

H302 HARMFUL IF SWALLOWED.
H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED
OR REPEATED EXPOSURE.
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
EFFECTS.

PRECAUTIONARY STATEMENT(S)

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPORS/ SPRAY.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
PRODUCT.
P272 CONTAMINATED WORK CLOTHING MUST NOT BE
ALLOWED OUT OF THE WORKPLACE.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES.
P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU
FEEL UNWELL. RINSE MOUTH.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P314 GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL.
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL
ADVICE/ ATTENTION.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P391 COLLECT SPILLAGE.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₁₀H₂₀N₂S₄
MW: 296.52

CAS-NO. 97-77-8

PURITY: \geq 97% (Assay by Titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Tetraethylthiuram disulfide		
	ACUTE TOX. 4; SKIN SENS. 1; STOT RE 2; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H302, H317, H373, H400, H410 M-FACTOR - AQUATIC ACUTE: 1	\leq 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	FLUSH EYES WITH WATER AS A PRECAUTION.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

**SUITABLE
EXTINGUISHING MEDIA** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE** CARBON OXIDES, NITROGEN OXIDES (NOX), SULPHUR
OXIDES

**ADVICE FOR
FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
DUST FORMATION. AVOID BREATHING VAPOURS, MIST
OR GAS. ENSURE ADEQUATE VENTILATION.
EVACUATE PERSONNEL TO SAFE AREAS. AVOID
BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
DISCHARGE INTO THE ENVIRONMENT MUST BE
AVOIDED.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP** PICK UP AND ARRANGE DISPOSAL WITHOUT
CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER
SECTIONS** FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP IN A DRY PLACE.

Store at 2 - 8 °C

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Tetraethylthiuram disulfide	97-77-8	TWA	2 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	NAUSEA VASODILATION NOT CLASSIFIABLE AS A HUMAN CARCINOGEN		
		TWA	2 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		PRECAUTIONS SHOULD BE TAKEN TO AVOID CONCURRENT EXPOSURE TO ETHYLENE DIBROMIDE.		
		PEL	2 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
SKIN PROTECTION	<p>HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.</p> <p>FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)</p> <p>SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)</p> <p>IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.</p>
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	FOR NUISANCE EXPOSURES USE TYPE P95 (US) OR TYPE P1 (EU EN 143) PARTICLE RESPIRATOR.FOR HIGHER LEVEL PROTECTION USE TYPE OV/AG/P99 (US) OR TYPE ABEK-P2 (EU EN 143) RESPIRATOR CARTRIDGES. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	White to orange to green powder to crystal
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	69 - 73 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	117 °C / 17 mm
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.30
WATER SOLUBILITY	0.004 G/L AT 25 °C
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 5
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

BULK DENSITY	340 - 380 KG/M ³ AT 20 °C
--------------	--------------------------------------

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE

**INCOMPATIBLE
MATERIALS**

STRONG OXIDIZING AGENTS

**HAZARDOUS
DECOMPOSITION
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED
UNDER FIRE CONDITIONS. - CARBON OXIDES,
NITROGEN OXIDES (NOX), SULPHUR OXIDES
OTHER DECOMPOSITION PRODUCTS - NO DATA
AVAILABLE
IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL - RABBIT - 1,800 MG/KG
REMARKS: PERIPHERAL NERVE AND
SENSATION:FLACCID PARALYSIS WITHOUT
ANESTHESIA (USUALLY NEUROMUSCULAR
BLOCKAGE). BEHAVIORAL:ATAXIA. NUTRITIONAL
AND GROSS METABOLIC:CHANGES IN:BODY
TEMPERATURE DECREASE.
LD50 ORAL - MOUSE - 1,980 MG/KG

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

LD50 INTRAPERITONEAL - RAT - 248 MG/KG
REMARKS: BEHAVIORAL:CHANGE IN MOTOR
ACTIVITY (SPECIFIC ASSAY). NUTRITIONAL AND
GROSS METABOLIC:CHANGES IN:BODY
TEMPERATURE DECREASE.
LD50 INTRAPERITONEAL - MOUSE - 75 MG/KG
LD50 SUBCUTANEOUS - MOUSE - 2,600 MG/KG

**SKIN
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE
DAMAGE/EYE IRRITATION**

EYES - RABBIT
RESULT: NO EYE IRRITATION
(OECD TEST GUIDELINE 405)

**RESPIRATORY OR SKIN
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL
MUTAGENICITY**

HAMSTER
OVARY
SISTER CHROMATID EXCHANGE
HAMSTER
EMBRYO
MORPHOLOGICAL TRANSFORMATION.
CHICKEN
EMBRYO
OTHER MUTATION TEST SYSTEMS
MOUSE
EMBRYO
DNA INHIBITION
MOUSE
LYMPHOCYTE
CHICKEN
EMBRYO
DNA INHIBITION

MOUSE
SISTER CHROMATID EXCHANGE

RAT
MORPHOLOGICAL TRANSFORMATION.

CARCINOGENICITY

THIS PRODUCT IS OR CONTAINS A COMPONENT THAT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY BASED ON ITS IARC, ACGIH, NTP, OR EPA CLASSIFICATION.

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

ASPIRATION HAZARD NO DATA AVAILABLE

**ADDITIONAL
INFORMATION**

RTECS: JO1225000

A SERIOUS TOXIC INTERACTION HAS BEEN OBSERVED IN RATS FED TETRAETHYLTHIURAM (ANTABUSE, ROSULFIRAM) AND THEN EXPOSED TO VAPORS OF 1,2-DIBROMOETHANE. MAY CAUSE NERVOUS SYSTEM DISTURBANCES, LETHARGY, ATAXIA, SEIZURES, COMA, THYROID ENLARGEMENT TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH

LC50 - POECILIA RETICULATA (GUPPY) - 0.187 MG/L - 96 H
(OECD TEST GUIDELINE 203)

**TOXICITY TO DAPHNIA AND
OTHER AQUATIC
INVERTEBRATES**

LC50 - DAPHNIA MAGNA (WATER FLEA) - 0.12 MG/L - 48 H

TOXICITY TO ALGAE

GROWTH INHIBITION EC50 - CHLORELLA
PYRENOIDOSA - 1.8 MG/L - 96 H

**PERSISTENCE AND
DEGRADABILITY**

NO DATA AVAILABLE

**BIOACCUMULATIVE
POTENTIAL**

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

**RESULTS OF PBT AND
VPVB ASSESSMENT**

PBT/VPVB ASSESSMENT NOT AVAILABLE AS
CHEMICAL SAFETY ASSESSMENT NOT
REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE
EXCLUDED IN THE EVENT OF UNPROFESSIONAL
HANDLING OR DISPOSAL.
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)
NOT DANGEROUS GOODS

IMDG
PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tetraethylthiuram disulfide)
UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT: YES

IATA
PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tetraethylthiuram disulfide)
UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III

FURTHER INFORMATION
EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS
ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Tetraethylthiuram disulfide	97-77-8	02-16-1993

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302	HARMFUL IF SWALLOWED.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.2

REVISION DATE: 07/01/2020