Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	38090
NAME:	Neostigmine bromide
SYNONYMS:	(3-Dimethylcarbamoyloxyphenyl)trimethylammonium bromide (3-Hydroxyphenyl)trimethylammonium bromide dimethyl carbamate
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 2), H300 ACUTE TOXICITY, INHALATION (CATEGORY 1), H330 ACUTE TOXICITY, DERMAL (CATEGORY 2), H310 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 RESPIRATORY SENSITIZATION (CATEGORY 1), H334 SKIN SENSITIZATION (CATEGORY 1), H317 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS



SIGNAL WORD DANG

HAZARD STATEMENT(S)

- H300 + H310 + H330 FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED.
- H315 CAUSES SKIN IRRITATION.
- H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
- H319 CAUSES SERIOUS EYE IRRITATION.
- H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR
- BREATHING DIFFICULTIES IF INHALED.
- H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P262	DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P272	CONTAMINATED WORK CLOTHING MUST NOT BE
	ALLOWED OUT OF THE WORKPLACE.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P284	WEAR RESPIRATORY PROTECTION.
P301 + P310 + P330	IF SWALLOWED: IMMEDIATELY CALL A POISON
	CENTER/DOCTOR. RINSE MOUTH.
P302 + P350 + P310	IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAP AND
	WATER. IMMEDIATELY CALL A POISON CENTER OR
	DOCTOR/ PHYSICIAN.
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A
	POISON CENTER/DOCTOR.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.
P333 + P313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL
	ADVICE/ ATTENTION.

P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P342 + P311	IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON CENTER/ DOCTOR.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405 P501	STORE LOCKED UP. DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C}_{12}\mathrm{H}_{19}\mathrm{BrN}_{2}\mathrm{O}_{2}$
MW:	303.20
CAS-NO.	114-80-7
PURITY:	\geq 99% (Assay by Titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Neostigmine bromide		
	ACUTE TOX. 2; ACUTE TOX. 1;	<= 100%
	ACUTE TOX. 2; SKIN IRRIT. 2;	
	EYE IRRIT. 2A; RESP. SENS. 1;	
	SKIN SENS. 1; STOT SE 3; H300,	
	H330, H310, H315, H319, H334,	
	H317, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKINWASH OFF WITH SOAP AND PLENTY OF WATER. TAKECONTACTVICTIM IMMEDIATELY TO HOSPITAL. CONSULT A
PHYSICIAN.

IN CASE OF EYERINSE THOROUGHLY WITH PLENTY OF WATER FOR ATCONTACTLEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANTTHE MOST IMPORTANT KNOWN SYMPTOMS ANDSYMPTOMS ANDEFFECTS ARE DESCRIBED IN THE LABELLING (SEEEFFECTS, BOTH ACUTESECTION 2.2) AND/OR IN SECTION 11AND DELAYEDSECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANYNO DATA AVAILABLEIMMEDIATE MEDICALATTENTION ANDSPECIAL TREATMENTNEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN BROMIDE GAS
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	WEAR RESPIRATORY PROTECTION. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP IN A DRY PLACE.
SPECIFIC END USE(S)	Store at 2 - 8 °C APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
ENGINEERING CONTROLS	WASH HANDS BEFORE BREAKS AND IMMEDIATELY
	AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE
	EQUIPMENT FOR EYE PROTECTION TESTED AND
	APPROVED UNDER APPROPRIATE GOVERNMENT
	STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE
INSPECTED PRIOR TO USE. USE PROPER GLOVE
REMOVAL TECHNIQUE (WITHOUT TOUCHING
GLOVE''S OUTER SURFACE) TO AVOID SKIN
CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN
ACCORDANCE WITH APPLICABLE LAWS AND GOOD
LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST
CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT
MUST BE SELECTED ACCORDING TO THE
CONCENTRATION AND AMOUNT OF THE
DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.

RESPIRATORY	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
PROTECTION	RESPIRATORS ARE APPROPRIATE USE A FULLFACE
	PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3
	(EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO
	ENGINEERING CONTROLS. IF THE RESPIRATOR IS
	THE SOLE MEANS OF PROTECTION, USE A FULL-
	FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS
	AND COMPONENTS TESTED AND APPROVED UNDER
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS
	NIOSH (US) OR CEN (EU).
CONTROL OF	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
ENVIRONMENTAL	TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
EXPOSURE	10 D0 50. D0 NOT LETTRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	I II I SICALAND CHEMICALI KUI EKITE
APPEARANCE	White to almost white powder to crystal
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	175 - 177 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	61 G/L AT 25.0 C - SOLUBLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHED CAFETV INFODMA	TION

OTHER SAFETY INFORMATION

SOLUBILITY IN OTHER	ETHANOL < 1.0 G/L AT 25.0 C
SOLVENTS	DIMETHYL SULFOXIDE < 1.0 G/L AT 25.0 C

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN BROMIDE GAS OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 51.0 MG/KG REMARKS: (RTECS)	
	INHALATION: NO DATA AVAILABLE	
	DERMAL: NO DATA AVAILABLE	
	NO DATA AVAILABLE	
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE	
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE	
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE	

GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL	RTECS: BR3150000
INFORMATION	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
	STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE

RESULTS OF PBT AND	PBT/VPVB ASSESSMENT NOT AVAILABLE AS
VPVB ASSESSMENT	CHEMICAL SAFETY ASSESSMENT NOT
	REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
	TO A LICENSED DISPOSAL COMPANY. CONTACT A
	LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
	TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE
	MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN
	IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ):	TOXIC SOLID, ORGANIC, N.O.S. (Neostigmine bromide) 2811 6.1 II
POISON INHALATION HAZARD:	NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	TOXIC SOLID, ORGANIC, N.O.S. (Neostigmine bromide) 2811 6.1 II F-A, S-A
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	TOXIC SOLID, ORGANIC, N.O.S. (Neostigmine bromide) 2811 6.1 II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO
	THE REPORTING REQUIREMENTS OF SARA TITLE III,
	SECTION 302.

- **SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
- SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE	
Neostigmine bromide	114-80-7		

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Neostigmine bromide	114-80-7	

SECTION 16. OTHER INFORMATION

ΓΙΗ Ι ΤΕΥΤ ΔΕ Η 6 1	FATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.
H300 + H310 + H330	FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF
11500 + 11510 + 11550	INHALED.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H319	CAUSES SERIOUS EYE IRRITATION.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR
	BREATHING DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 07/01/2020