Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

| CATALOG #: | 38408 |
|---------------------------------|---|
| NAME: | Triclosan |
| SYNONYMS: | 5-Chloro-2-(2,4-dichlorophenoxy)phenol 2,4,4'-Trichloro-2'-hydroxydiphenyl ether |
| 24 HOUR EMERGENCY TELEPHONE: | (800) 535-5053(USA) |
| | 352-323-3500 (INTERNATIONAL) |
| TO DECLIEST AN MODO. | (800) 860 0200 |
| TO REQUEST AN MSDS: | (800) 869-9290 |
| | ((20)) 7((2112 |
| CUSTOMER SERVICE: | (630) 766-2112 |
| | |

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)

| H315 | CAUSES SKIN IRRITATION. |
|------|--|
| H319 | CAUSES SERIOUS EYE IRRITATION |
| H410 | VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING |
| | EFFECTS. |

PRECAUTIONARY STATEMENT(S)

| HAZARDS NOT | NONE |
|--------------------|---|
| | WASTE DISPOSAL PLANT. |
| P501 | DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED |
| P391 | COLLECT SPILLAGE. |
| | REUSE. |
| P362 | TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE |
| | ATTENTION. |
| P337 + P313 | IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ |
| 1552 1515 | ATTENTION. |
| P332 + P313 | IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ |
| | EASY TO DO. CONTINUE RINSING. |
| | MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND |
| P305 + P351 + P338 | IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL |
| P302 + P352 | IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. |
| | PROTECTION. |
| P280 | WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE |
| P273 | AVOID RELEASE TO THE ENVIRONMENT. |
| P264 | WASH SKIN THOROUGHLY AFTER HANDLING. |
| | |

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| MF: | $C_{12}H_7Cl_3O_2$ |
|---------|--------------------------------------|
| MW: | 289.54 |
| CAS-NO. | 3380-34-5 |
| PURITY: | 97 - 103% (Assay on anhydrous basis) |

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|-----------|-------------------------------|---------------|
| Triclosan | | |
| | SKIN IRRIT. 2; EYE IRRIT. 2A; | <= 100 % |
| | AQUATIC ACUTE 1; AQUATIC | |
| | CHRONIC 1; H315, H319, H400, | |
| | H410 | |
| | M-FACTOR - AQUATIC ACUTE: | |
| | 10 - AQUATIC CHRONIC: 10 | |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

| GENERAL ADVICE | CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA. |
|--|---|
| IF INHALED | IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN. |
| IN CASE OF SKIN CONTACT | WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN. |
| IN CASE OF EYE CONTACT | RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. |
| IF SWALLOWED | NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED | THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11 |
| INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED | NO DATA AVAILABLE |

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

| SUITABLE | USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY |
|---|--|
| EXTINGUISHING MEDIA | CHEMICAL OR CARBON DIOXIDE. |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | CARBON OXIDES, HYDROGEN CHLORIDE GAS |
| ADVICE FOR | WEAR SELF CONTAINED BREATHING APPARATUS FOR |
| FIREFIGHTERS | FIRE FIGHTING IF NECESSARY. |
| FURTHER INFORMATION | NO DATA AVAILABLE |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8. |
|--|--|
| ENVIRONMENTAL PRECAUTIONS | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED. |
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP | PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. |
| REFERENCE TO OTHER SECTIONS | FOR DISPOSAL SEE SECTION 13. |

SECTION 7. HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE | AVOID CONTACT WITH SKIN AND EYES. AVOID |
|----------------------|---|
| HANDLING | FORMATION OF DUST AND AEROSOLS.FURTHER |
| | PROCESSING OF SOLID MATERIALS MAY RESULT IN |
| | THE FORMATION OF COMBUSTIBLE DUSTS. THE |
| | POTENTIAL FOR COMBUSTIBLE DUST FORMATION |
| | SHOULD BE TAKEN INTO CONSIDERATION BEFORE |
| | ADDITIONAL PROCESSING OCCURS. |

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFEKEEP CONTAINER TIGHTLY CLOSED IN A DRY ANDSTORAGE, INCLUDINGWELL-VENTILATED PLACE.ANY INCOMPATIBILITIESKEEP IN A DRY PLACE.

Store at 2 - 8 °C

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

| APPROPRIATE | HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE |
|-------------|---|
| ENGINEERING | AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND |
| CONTROLS | AT THE END OF WORKDAY. |

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACESAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TOPROTECTIONEN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS
SUCH AS NIOSH (US) OR EN 166(EU).

| SKIN PROTECTION | HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS. FULL CONTACT MATERIAL: NATURE LATEX/CHLOROPRENE MINIMUM LAYER THICKNESS: 0.6 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:LAPREN (KCL 706, SIZE M) SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 30 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M) |
|---|---|
| | AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO. |
| BODY PROTECTION | IMPERVIOUS CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE. |
| RESPIRATORY PROTECTION | FOR NUISANCE EXPOSURES USE TYPE P95 (US) OR TYPE P1 (EU EN 143) PARTICLE RESPIRATOR.FOR HIGHER LEVEL PROTECTION USE TYPE OV/AG/P99 (US) OR TYPE ABEK-P2 (EU EN 143) RESPIRATOR CARTRIDGES. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). |
| CONTROL OF ENVIRONMENTAL EXPOSURE | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES | | |
|---|--------------------------|--|
| APPEARANCE | White crystalline powder | |
| ODOUR | NO DATA AVAILABLE | |

| ODOUR THRESHOLD | NO DATA AVAILABLE |
|------------------------|-------------------|
| PH | NO DATA AVAILABLE |
| MELTING | |
| POINT/FREEZING POINT | |
| INITIAL BOILING POINT | |
| AND BOILING RANGE | |
| FLASH POINT | |
| EVAPORATION RATE | NO DATA AVAILABLE |
| FLAMMABILITY (SOLID, | NO DATA AVAILABLE |
| GAS) | |
| UPPER/LOWER | NO DATA AVAILABLE |
| FLAMMABILITY OR | |
| EXPLOSIVE LIMITS | |
| VAPOUR PRESSURE | NO DATA AVAILABLE |
| VAPOUR DENSITY | NO DATA AVAILABLE |
| RELATIVE DENSITY | |
| WATER SOLUBILITY | NO DATA AVAILABLE |
| PARTITION COEFFICIENT: | LOG POW: 4.7 |
| N- OCTANOL/WATER | |
| AUTO-IGNITION | NO DATA AVAILABLE |
| TEMPERATURE | |
| DECOMPOSITION | NO DATA AVAILABLE |
| TEMPERATURE | |
| VISCOSITY | NO DATA AVAILABLE |
| EXPLOSIVE PROPERTIES | NO DATA AVAILABLE |
| OXIDIZING PROPERTIES | NO DATA AVAILABLE |
| | |

OTHER SAFETY INFORMATION

| DISSOCIATION | 8.14 AT 20 C |
|--------------|--------------|
| CONSTANT | |

SECTION 10. STABILITY AND REACTIVITY

| REACTIVITY | NO DATA AVAILABLE |
|--|--|
| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE CONDITIONS. |
| POSSIBILITY OF HAZARDOUS REACTIONS | NO DATA AVAILABLE |
| CONDITIONS TO AVOID | NO DATA AVAILABLE |
| INCOMPATIBLE MATERIALS | STRONG OXIDIZING AGENTS |

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES, HYDROGEN CHLORIDE GAS OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

| ACUTE TOXICITY | LD50 ORAL - RAT - 3,700 MG/KG |
|--------------------------------------|--|
| | INHALATION: NO DATA AVAILABLE |
| | LD50 DERMAL - RABBIT - 9,300 MG/KG |
| | NO DATA AVAILABLE |
| SKIN CORROSION/IRRITATION | NO DATA AVAILABLE |
| SERIOUS EYE DAMAGE/EYE IRRITATION | NO DATA AVAILABLE |
| RESPIRATORY OR SKIN SENSITISATION | NO DATA AVAILABLE |
| GERM CELL MUTAGENICITY | RAT OTHER CELL TYPES RESULT: NEGATIVE RAT - MALE AND FEMALE RESULT: NEGATIVE |
| CARCINOGENICITY | |
| IARC: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. |
| NTP: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. |
| OSHA: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS. |

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | NO DATA AVAILABLE |
|--|--|
| SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE | NO DATA AVAILABLE |
| ASPIRATION HAZARD | NO DATA AVAILABLE |
| ADDITIONAL INFORMATION | REPEATED DOSE TOXICITY - RAT - MALE AND FEMALE - ORAL - NO OBSERVED ADVERSE EFFECT LEVEL - 75 MG/KG - LOWEST OBSERVED ADVERSE EFFECT LEVEL - 200 MG/KG |
| | REPEATED DOSE TOXICITY - RAT - MALE AND FEMALE - DERMAL - NO OBSERVED ADVERSE EFFECT LEVEL - 80 MG/KG - LOWEST OBSERVED ADVERSE EFFECT LEVEL - > 80 MG/KG |
| | RTECS: KO1100000 |

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

| TOXICITY TOXICITY TO FISH TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES | LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 0.288 MG/L - 96.0 H EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.39 MG/L - 48 H |
|---|--|
| PERSISTENCE AND DEGRAD BIODEGRADABILITY | ABILITY AEROBIC - EXPOSURE TIME 28 D RESULT: 37 % - NOT READILY BIODEGRADABLE. |
| BIOACCUMULATIVE POTENTIAL | NO DATA AVAILABLE |
| MOBILITY IN SOIL | NO DATA AVAILABLE |
| RESULTS OF PBT AND VPVB ASSESSMENT | PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED |

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. AVOID RELEASE TO THE ENVIRONMENT.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

| PRODUCT | OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. |
|---------------------------|---|
| CONTAMINATED PACKAGING | DISPOSE OF AS UNUSED PRODUCT. |

SECTION 14. TRANSPORT INFORMATION

DOT (US)

NOT DANGEROUS GOODS

IMDG

| IN B G | |
|-----------------------|--------------------------------------|
| PROPER SHIPPING NAME: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, |
| | SOLID, N.O.S. (Triclosan) |
| UN NUMBER: | 3077 |
| CLASS: | 9 |
| PACKING GROUP: | III |
| EMS-NO: | F-A, S-F |
| MARINE POLLUTANT: | YES |
| | |
| IATA | |

| IAIA | |
|-----------------------|--------------------------------------|
| PROPER SHIPPING NAME: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, |
| | SOLID, N.O.S. (Triclosan) |
| UN NUMBER: | 3077 |
| CLASS: | 9 |
| PACKING GROUP: | III |

FURTHER INFORMATION:

EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

| SARA 302 COMPONENTS | THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ. |
|---|---|
| SARA 313 COMPONENTS | THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313. |
| SARA 311/312 HAZARDS | ACUTE HEALTH HAZARD |
| MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT. | |

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

| | CAS-NO. | REVISION DATE |
|-----------|-----------|----------------------|
| Triclosan | 3380-34-5 | |

SECTION 16. OTHER INFORMATION

| FULL TEXT O | F H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3. |
|-------------|--|
| H315 | CAUSES SKIN IRRITATION. |
| H319 | CAUSES SERIOUS EYE IRRITATION. |
| H410 | VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING |
| | EFFECTS. |

| MSDS LEGEND | |
|-------------|--|
| MW: | MOLECULAR WEIGHT |
| MF: | MOLECULAR FORMULA |
| VOC: | VOLATILE ORGANIC COMPOUNDS |
| ACGIH: | AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL |
| | HYGINISTS |
| CAS: | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER |
| OSHA: | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION |
| PEL: | PERMISSIBLE EXPOSURE LIMIT (OSHA) |
| TLV: | THRESHOLD LIMIT VALUE (ACGIH) |
| | |

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020