Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 38668

NAME: 2,4-Diaminotoluene

SYNONYMS: 2,4-Toluenediamine

Tolylene-2,4-diamine

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 EYE IRRITATION (CATEGORY 2A), H319 RESPIRATORY SENSITISATION (CATEGORY 1), H334 CARCINOGENICITY (CATEGORY 1B), H350 REPRODUCTIVE TOXICITY (CATEGORY 2), H361 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD **DANGER**

HAZARD STATEMENT(S)

H301	TOXIC IF SWALLOWED.
H312	HARMFUL IN CONTACT WITH SKIN.
H319	CAUSES SERIOUS EYE IRRITATION
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR
	BREATHING DIFFICULTIES IF INHALED
H350	MAY CAUSE CANCER.
H361	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN

CHILD. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)			
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.		
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE		
	BEEN READ AND UNDERSTOOD.		
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/		
	SPRAY.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS		
	PRODUCT.		
P273	AVOID RELEASE TO THE ENVIRONMENT.		
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE		
	PROTECTION.		
P281	USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.		
P285	IN CASE OF INADEQUATE VENTILATION WEAR		
	RESPIRATORY PROTECTION.		
P301 + P310 + P330	IF SWALLOWED: IMMEDIATELY CALL A POISON		
	CENTER/DOCTOR. RINSE MOUTH.		
P302 + P352 + P312	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.		
	CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU		
	FEEL UNWELL.		
P304 + P341	IF INHALED: IF BREATHING IS DIFFICULT, REMOVE VICTIM		
	TO FRESH AIR AND KEEP AT REST IN A POSITION		
	COMFORTABLE FOR BREATHING.		
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL		

EASY TO DO. CONTINUE RINSING. P308 + P313IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
	ATTENTION.
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.
P391	COLLECT SPILLAGE.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

NONE

MF: $C_7H_{10}N_2$

MW: 122.17

CAS-NO. 95-80-7

PURITY: \geq 98% (Assay by titration, GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2,4-Diaminotoluene		
	ACUTE TOX. 3; ACUTE TOX. 4;	<= 100 %
	EYE IRRIT. 2A; RESP. SENS. 1;	
	CARC. 1B; REPR. 2; AQUATIC	
	ACUTE 2; AQUATIC CHRONIC	
	2; H301, H312, H319, H334,	
	H350, H361, H401, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER.

CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

CARBON OXIDES, NITROGEN OXIDES (NOX)

ADVICE FOR **FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL USE PERSONAL PROTECTIVE EQUIPMENT. AVOID PRECAUTIONS, DUST FORMATION. AVOID BREATHING VAPOURS, MIST

PROTECTIVE OR GAS. ENSURE ADEQUATE VENTILATION. **EOUIPMENT AND** EVACUATE PERSONNEL TO SAFE AREAS. AVOID **EMERGENCY** BREATHING DUST. FOR PERSONAL PROTECTION SEE

PROCEDURES SECTION 8. ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
2,4-	95-80-7	TWA	0.005 PPM	USA. WORKPLACE
Diaminotoluene				ENVIRONMENTAL EXPOSURE
				LEVELS (WEEL)
	REMARKS	SKIN		

POTENTIAL OCCUPATIONAL CARCINOGEN
VARIOUS ISOMERS OF TDA EXIST.
SEE APPENDIX A

EXPOSURE CONTROLS

APPROPRIATE AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH

ENGINEERING HANDS BEFORE BREAKS AND IMMEDIATELY AFTER

CONTROLS HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

PROTECTION EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER

SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER

FROM EN 374, CONTACT THE SUPPLIER OF THE CE

APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY

ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR

GUGTON FERGUTE GUOLU DI NOTE DE GONGTRUED AG OFFERN

CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING

AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE

TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION**

RESPIRATORS ARE APPROPRIATE USE A FULLFACE

PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White to gray to brown powder to crystal

ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE PH

MELTING 97 - 100 °C

POINT/FREEZING POINT

INITIAL BOILING POINT 292 °C

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE **EXPLOSIVE PROPERTIES** NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION

PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS FORMED

UNDER FIRE CONDITIONS. - CARBON OXIDES,

NITROGEN OXIDES (NOX)

OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

LD50 INTRAPERITONEAL - RAT - 325 MG/KG

SKIN SKIN RABBIT

CORROSION/IRRITATION RESULT: MILD SKIN IRRITATION - 24 H

SERIOUS EYE EYES RABBIT

DAMAGE/EYE IRRITATION RESULT: MODERATE EYE IRRITATION - 24 H

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

THIS PRODUCT IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE PROBABLY CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP, OR EPA CLASSIFICATION.

POSSIBLE HUMAN CARCINOGEN

IARC: 2B - GROUP 2B: POSSIBLY CARCINOGENIC TO

HUMANS (2,4-TOLUENEDIAMINE)

NTP: RAHC - REASONABLY ANTICIPATED TO BE A HUMAN

CARCINOGEN (2,4-TOLUENEDIAMINE)

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY SUSPECTED HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: XS9625000

LIVER INJURY MAY OCCUR., ABSORPTION INTO THE

BODY LEADS TO THE FORMATION OF METHEMOGLOBIN WHICH IN SUFFICIENT

CONCENTRATION CAUSES CYANOSIS. ONSET MAY BE

DELAYED 2 TO 4 HOURS OR LONGER.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH LC50 - ORYZIAS LATIPES - 912 MG/L - 96.0 H

TOXICITY TO DAPHNIA AND

OTHER AQUATIC INVERTEBRATES

EC50 - DAPHNIA MAGNA (WATER FLEA) - 1.6 MG/L - 48

Η

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

NO DATA AVAILABLE

POTENTIAL

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT ANDPBT/VPVB ASSESSMENT NOT AVAILABLE AS **VPVB ASSESSMENT**CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: 2,4-TOLUYLENEDIAMINE, SOLID

UN NUMBER: 1709
CLASS: 6.1
PACKING GROUP: III
REPORTABLE QUANTITY 10 LBS

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: 2,4-TOLUYLENEDIAMINE, SOLID

UN NUMBER: 1709
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: 2,4-TOLUYLENEDIAMINE, SOLID

UN NUMBER: 1709 CLASS: 6.1 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. REVISION DATE

2,4-Diaminotoluene 95-80-7 07/01/2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

2,4-Diaminotoluene 95-80-7 07/01/2007

CALIFORNIA PROP. 65 COMPONENTS

WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

CAS-NO. REVISION DATE

2,4-Diaminotoluene 95-80-7 09/28/2007

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H301 TOXIC IF SWALLOWED.

H312 HARMFUL IN CONTACT WITH SKIN. H319 CAUSES SERIOUS EYE IRRITATION.

H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

H350 MAY CAUSE CANCER.

H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT

MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020