Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 38925

NAME: Crotonoyl chloride (*cis*- and *trans*- mixture)

SYNONYMS: Crotonic acid chloride (*cis*- and *trans*- mixture)

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226 CORROSIVE TO METALS (CATEGORY 1), H290 SKIN CORROSION/IRRITATION (CATEGORY 1B), H314 EYE DAMAGE/IRRITATION (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

P501

SIGNAL WORD **DANGER**

HAZARD STATEMENT(S)

H226 FLAMMABLE LIQUID AND VAPOUR. H290 MAY BE CORROSIVE TO METALS.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)		
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT	
D000	SURFACES NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P234	KEEP ONLY IN ORIGINAL CONTAINER.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/	
	LIGHTING EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC	
	DISCHARGE.	
P260	DO NOT BREATHE DUSTS OR MISTS.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE	
	PROTECTION/ FACE PROTECTION.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY	
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/	
	SHOWER.	
P304 + P340 + P310	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT	
	REST IN A POSITION COMFORTABLE FOR BREATHING.	
	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/	
	PHYSICIAN.	
P305 + P351 + P338 +	F IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND	
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A	
	POISON CENTER/DOCTOR.	
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.	
P390	ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.	
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR	
	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.	
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.	
P405	STORE LOCKED UP.	
P406	STORE IN CORROSIVE RESISTANT STAINLESS STEEL	

WASTE DISPOSAL PLANT.

CONTAINER WITH A RESISTANT INNER LINER.

DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

MAY DEVELOP PRESSURE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C_4H_5ClO

MW: 104.53

CAS-NO. 10487-71-5

PURITY: $\geq 95\%$ (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION	
Crotonoyl chloride (cis- and trans- mixture)			
	-	-	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

CONTACT

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN

A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/PHYSICIAN.

IN CASE OF SKIN REMOVE/TAKE OFF IMMEDIATELY ALL

CONTACT CONTAMINATED CLOTHING. GENTLY WASH WITH

PLENTY OF SOAP AND WATER. IMMEDIATELY CALL \boldsymbol{A}

POISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF EYE RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT

AND EASY TO DO. CONTINUE RINSING.IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IF SWALLOWED IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE

VOMITING.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

ACUTE: PAIN. REDNESS.

THE MOST IMPORTANT KNOWN SYMPTOMS AND

EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA SUITABLE EXTINGUISHING MEDIA: DRY CHEMICAL, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA:

WATER

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

CARBON OXIDES HALOGENATED COMPOUNDS

ADVICE FOR FIREFIGHTERS

WEAR SELF-CONTAINED BREATHING APPARATUS IF

POSSIBLE.

FURTHER INFORMATION

WARNING: HIGHLY TOXIC HCL GAS IS PRODUCED

DURING COMBUSTION.

TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO

GENERATE POISONOUS FUME.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES

USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-CONTAINED BREATHING APPARATUS). KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.

ENVIRONMENTAL PRECAUTIONS

PREVENT PRODUCT FROM ENTERING DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAME/HOT SURFACES. -NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED.

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. MAY DEVELOP PRESSURE. OPEN CAREFULLY. USE CORROSIVE RESISTANT EQUIPMENT.

WEED CO.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DARK AND WELL-VENTILATED PLACE.

STORE UNDER INERT GAS. PROTECT FROM MOISTURE.

STORE LOCKED UP.

STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH

AS OXIDIZING AGENTS.

MOISTURE-SENSITIVE AIR-SENSITIVE

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE FOLLOW SAFE INDUSTRIAL

ENGINEERING ENGINEERING/LABORATORY PRACTICES WHEN CONTROLS HANDLING ANY CHEMICAL. INSTALL A CLOSED

SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY

SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT

FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL

TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER

SURFACE) TO AVOID SKIN CONTACT WITH THIS

PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY

HANDS.

BODY PROTECTION IMPERVIOUS CLOTHING, FLAME RETARDANT

ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED

ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY HALF OR FULL FACEPIECE RESPIRATOR, SELF-

PROTECTION CONTAINED BREATHING APPARATUS(SCBA), SUPPLIED

AIR RESPIRATOR, ETC.

USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND

NATIONAL REGULATIONS.

CONTROL OF ENVIRONMENTAL

ENVIRONMENTAL

EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to light yellow to light orange clear liquid

ODOUR NO DATA AVAILABLE

ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 124 - 126 °C

AND BOILING RANGE

FLASH POINT 35 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.08

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER PROPER CONDITIONS.

POSSIBILITY OF DECOMPOSES IN CONTACT WITH WATER AND LIBERATES TOXIC GASES.

REACTIONS

CONDITIONS TO AVOID SPARK, OPEN FLAME, STATIC DISCHARGE, MOISTURE

INCOMPATIBLE OXIDIZING AGENTS MATERIALS

HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN

COMPOSITION CHLORIDE

TOXICOLOGICAL INFORMATION **SECTION 11.**

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN SENSITISATION

NO DATA AVAILABLE

GERM CELL

MUTAGENICITY

NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

NO DATA AVAILABLE

EXPOSURE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

NO DATA AVAILABLE

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS

MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, FLAMMABLE, N.O.S (Crotonovl

chloride (cis- and trans- mixture))

UN NUMBER: 2920 CLASS: 8 (3) PACKING GROUP: II

IMDG

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, FLAMMABLE, N.O.S (Crotonoyl

chloride (*cis*- and *trans*- mixture))

UN NUMBER: 2920 CLASS: 8 (3) PACKING GROUP: II EMS-NO: F-E, S-C

IATA

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, FLAMMABLE, N.O.S (Crotonoyl

chloride (cis- and trans- mixture))

UN NUMBER: 2920 CLASS: 8 (3) PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Crotonoyl chloride (*cis*- and 10487-71-

trans- mixture) 5

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Crotonoyl chloride (cis- and 10487-71-

trans- mixture) 5

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H226 FLAMMABLE LIQUID AND VAPOUR. H290 MAY BE CORROSIVE TO METALS.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH

ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020