

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	38981
NAME:	2,4-Hexadienal
SYNONYMS:	Sorbic aldehyde
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
FLAMMABLE LIQUIDS (CATEGORY 4), H227  
ACUTE TOXICITY, ORAL (CATEGORY 3), H301  
ACUTE TOXICITY, DERMAL (CATEGORY 3), H311  
SKIN CORROSION (CATEGORY 1B), H314  
SERIOUS EYE DAMAGE (CATEGORY 1), H318

SKIN SENSITIZATION (CATEGORY 1), H317  
CARCINOGENICITY (CATEGORY 2), H351

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H227 COMBUSTIBLE LIQUID.  
H301 + H311 TOXIC IF SWALLOWED OR IN CONTACT WITH SKIN.  
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H317 MAY CAUSE AN ALLERGIC SKIN REACTION.  
H351 SUSPECTED OF CAUSING CANCER.

**PRECAUTIONARY STATEMENT(S)**

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.  
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
P210 KEEP AWAY FROM HEAT/ SPARKS/ OPEN FLAMES/ HOT SURFACES. NO SMOKING.  
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPORS/ SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.  
P272 CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. RINSE MOUTH.  
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.  
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.  
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.  
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.  
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.  
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF: C<sub>6</sub>H<sub>8</sub>O  
MW: 96.13  
CAS-NO. 142-83-6  
PURITY: ≥ 95% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>2,4-Hexadienal</b>		
	FLAM. LIQ. 4; ACUTE TOX. 3; SKIN CORR. 1B; EYE DAM. 1; SKIN SENS. 1; CARC. 2; H227, H301, H311, H314, H318, H317, H351	≤ 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

<b>IN CASE OF SKIN CONTACT</b>	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

<b>EXTINGUISHING MEDIA</b>	
<b>SUITABLE EXTINGUISHING MEDIA</b>	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	CARBON OXIDES COMBUSTIBLE.
<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
<b>FURTHER INFORMATION</b>	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND</b>	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF
---	--

<b>EMERGENCY PROCEDURES</b>	VAPORS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPORS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
<b>ENVIRONMENTAL PRECAUTIONS</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
<b>METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP</b>	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
<b>REFERENCE TO OTHER SECTIONS</b>	FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.  STORE UNDER INERT GAS.  Store at 0 - 10 °C
<b>SPECIFIC END USE(S)</b>	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

### **EXPOSURE CONTROLS**

**APPROPRIATE  
ENGINEERING  
CONTROLS**

AVOID CONTACT WITH SKIN, EYES AND CLOTHING.  
WASH HANDS BEFORE BREAKS AND IMMEDIATELY  
AFTER HANDLING THE PRODUCT.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION**

TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-  
INCH MINIMUM). USE EQUIPMENT FOR EYE  
PROTECTION TESTED AND APPROVED UNDER  
APPROPRIATE GOVERNMENT STANDARDS SUCH AS  
NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED  
PRIOR TO USE. USE PROPER GLOVE REMOVAL  
TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER  
SURFACE) TO AVOID SKIN CONTACT WITH THIS  
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER  
USE IN ACCORDANCE WITH APPLICABLE LAWS AND  
GOOD LABORATORY PRACTICES. WASH AND DRY  
HANDS.

FULL CONTACT

MATERIAL: BUTYL-RUBBER

MINIMUM LAYER THICKNESS: 0.3 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)

SPLASH CONTACT

MATERIAL: BUTYL-RUBBER

MINIMUM LAYER THICKNESS: 0.3 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER  
SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER  
FROM EN 374, CONTACT THE SUPPLIER OF THE EC  
APPROVED GLOVES. THIS RECOMMENDATION IS  
ADVISORY ONLY AND MUST BE EVALUATED BY AN  
INDUSTRIAL HYGIENIST AND SAFETY OFFICER  
FAMILIAR WITH THE SPECIFIC SITUATION OF  
ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD  
NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR  
ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS,  
THE TYPE OF PROTECTIVE EQUIPMENT MUST BE  
SELECTED ACCORDING TO THE CONCENTRATION AND  
AMOUNT OF THE DANGEROUS SUBSTANCE AT THE  
SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White to yellow to green clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	68 - 70 °C / 20 mmHg
FLASH POINT	67 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	3.32 - (AIR = 1.0)
RELATIVE DENSITY	0.9
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**

RELATIVE VAPOR DENSITY	3.32 - (AIR = 1.0)
------------------------	--------------------

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT, FLAMES AND SPARKS.
<b>INCOMPATIBLE MATERIALS</b>	STRONG REDUCING AGENTS, STRONG BASES, STRONG OXIDIZING AGENTS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - 300 MG/KG  INHALATION: NO DATA AVAILABLE  LD50 DERMAL - RABBIT - 235 MG/KG  NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	NO DATA AVAILABLE
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	



IARC:	2B - GROUP 2B: POSSIBLY CARCINOGENIC TO HUMANS (TRANS,TRANS-2,4-HEXADIENAL)
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE** NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

**ADDITIONAL INFORMATION** RTECS: WG1925000

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, COUGH, SHORTNESS OF BREATH, HEADACHE, AND NAUSEA.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**TOXICITY** NO DATA AVAILABLE

**PERSISTENCE AND DEGRADABILITY** NO DATA AVAILABLE

**BIOACCUMULATIVE POTENTIAL** NO DATA AVAILABLE

**MOBILITY IN SOIL** NO DATA AVAILABLE

**RESULTS OF PBT AND VPVB ASSESSMENT** PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS** NO DATA AVAILABLE

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME:	CORROSIVE LIQUIDS, TOXIC, N.O.S. ( 2,4-Hexadienal )
UN NUMBER:	2922
CLASS:	8 (6.1)
PACKING GROUP:	III
REPORTABLE QUANTITY(RQ):	
POISON INHALATION HAZARD:	NO

**IMDG**

PROPER SHIPPING NAME:	CORROSIVE LIQUIDS, TOXIC, N.O.S. ( 2,4-Hexadienal )
UN NUMBER:	2922
CLASS:	8 (6.1)
PACKING GROUP:	III
EMS-NO:	F-A, S-B

**IATA**

PROPER SHIPPING NAME:	CORROSIVE LIQUIDS, TOXIC, N.O.S. ( 2,4-Hexadienal )
UN NUMBER:	2922
CLASS:	8 (6.1)
PACKING GROUP:	III

---

**SECTION 15. REGULATORY INFORMATION**

---

---

<b>SARA 302 COMPONENTS</b>	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.	
<b>SARA 313 COMPONENTS</b>	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.	
<b>SARA 311/312 HAZARDS</b>	FIRE HAZARD, ACUTE HEALTH HAZARD	
<b>MASSACHUSETTS RIGHT TO KNOW COMPONENTS</b>		
	CAS-NO.	REVISION DATE
2,4-Hexadienal	142-83-6	
<b>PENNSYLVANIA RIGHT TO KNOW COMPONENTS</b>		
	CAS-NO.	REVISION DATE
2,4-Hexadienal	142-83-6	
<b>NEW JERSEY RIGHT TO KNOW COMPONENTS</b>		
	CAS-NO.	REVISION DATE
2,4-Hexadienal	142-83-6	

---

## **SECTION 16. OTHER INFORMATION**

---

### **FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H227	COMBUSTIBLE LIQUID.
H301 + H311	TOXIC IF SWALLOWED OR IN CONTACT WITH SKIN.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H351	SUSPECTED OF CAUSING CANCER.

### **MSDS LEGEND**

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE*

*FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

*VERSION: 3.2.*

*REVISION DATE: 07/01/2020*