Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com Web site: www.chemimpex.com

Shipping and Correspondence: Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 39127

NAME: trans-2-Decenal (contains trans-2-Decenal diethyl acetal) (10% in Ethanol,

ca. 0.52 mol/L)

SYNONYMS: trans-2-Decenyl aldehyde (contains trans-2-Decenal diethyl acetal) (10% in

Ethanol, ca. 0.52 mol/L)

24 HOUR EMERGENCY

(800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

EYE IRRITATION (CATEGORY 2A), H319 SKIN SENSITIZATION (CATEGORY 1), H317 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD WARNING

HAZARD STATEMENT(S)

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H319 CAUSES SERIOUS EYE <u>IRRITATION</u> H400 VERY TOXIC TO AQUATIC LIFE

PRECAUTIONARY STATEMENT(S)

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P272 CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED

OUT OF THE WORKPLACE.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF WATER.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO

DO. CONTINUE RINSING.

P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL

ADVICE/ATTENTION.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P391 COLLECT SPILLAGE.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED BY

GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_{10}H_{18}O$

MW: 154.25

CAS-NO. 3913-81-3

PURITY: $\geq 95\%$ (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
COMITOTIEM	CLASSIFICATION	CONCENTIATION

trans-2-Decenal (contains trans-2-Decenal diethyl acetal) (10% in Ethanol, ca. 0.52 mol/L)			
	EYE IRRIT. 2A; SKIN SENS. 1;	<= 100 %	
	AQUATIC ACUTE 1; H319, H317,		
	H400		
	M-FACTOR - AQUATIC ACUTE:		
	10		

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET **GENERAL ADVICE**

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND

> KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. FOR BREATHING DIFFICULTIES, OXYGEN MAY BE NECESSARY. CALL A PHYSICIAN IF SYMPTOMS

DEVELOP OR PERSIST.

WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A IN CASE OF SKIN

PHYSICIAN. CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT IN CASE OF EYE

CONTACT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS IF SWALLOWED

PERSON. RINSE MOUTH WITH WATER. CONSULT A

PHYSICIAN.

MOST IMPORTANT THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS

SYMPTOMS AND ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

EFFECTS, BOTH ACUTE AND/OR IN SECTION 11

AND DELAYED

INDICATION OF ANY NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL

TREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY **SUITABLE**

CARBON OXIDES

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE

WEAR SELF-CONTAINED BREATHING APPARATUS FOR ADVICE FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL USE PERSONAL PROTECTIVE EQUIPMENT. AVOID

BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE PRECAUTIONS,

VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. PROTECTIVE EQUIPMENT

AND EMERGENCY FOR PERSONAL PROTECTION SEE SECTION 8. PROCEDURES

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE **PRECAUTIONS**

INTO THE ENVIRONMENT MUST BE AVOIDED.

SOAK UP WITH INERT ABSORBENT MATERIAL AND METHODS AND DISPOSE OF AS HAZARDOUS WASTE, KEEP IN SUITABLE. MATERIALS FOR

CONTAINMENT AND CLOSED CONTAINERS FOR DISPOSAL.

CLEANING UP

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13.

SECTIONS

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOR OR MIST. FOR PRECAUTIONS SEE HANDLING

SECTION 2.2

CONDITIONS FOR SAFE KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED STORAGE, INCLUDING ANY INCOMPATIBILITIES MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO

PREVENT LEAKAGE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL APPROPRIATE ENGINEERING HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

CONTROLS BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

> PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS,

> FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EOUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORY **PROTECTION**

RESPIRATORS ARE APPROPRIATE USE A FULL-FACE

RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND

COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Light yellow liquid
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

BOILING POINT 80 °C / 3 mmHg

FLASH POINT 108 °C

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 0.85

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: LOG POW: 3.792

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF NO DATA AVAILABLE

HAZARDOUS REACTIONS

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE NO DATA AVAILABLE

MATERIALS

HAZARDOUS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER

DECOMPOSITION FIRE CONDITIONS. - CARBON OXIDES

PRODUCTS OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN

SENSITISATION

CAUSES SENSITIZATION.

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

CARCINOGENICITY

IARC: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW) - 0.116

MG/L - 96.0 H

PERSISTENCE AND

DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE

EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE

OF THIS MATERIAL.

SECTION 14. TRANSPORT INFORMATION

DOT (US) NOT DANGEROUS GOODS

IMDG

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (trans-2-Decenal (contains trans-2-Decenal diethyl acetal)

(10% in Ethanol, ca. 0.52 mol/L))

UN NUMBER: 3082
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT YES

IATA

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (trans-2-Decenal (contains trans-2-Decenal diethyl acetal)

(10% in Ethanol, ca. 0.52 mol/L))

UN NUMBER: 3082 CLASS: 9 PACKING GROUP: III

FURTHER INFORMATION

EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

trans-2-Decenal (contains trans- 3913-81-3

2-Decenal diethyl acetal) (10% in Ethanol, ca. 0.52 mol/L)

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

trans-2-Decenal (contains trans- 3913-81-3

2-Decenal diethyl acetal) (10% in Ethanol, ca. 0.52 mol/L)

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H319 CAUSES SERIOUS EYE <u>IRRITATION</u>
H400 VERY TOXIC TO AQUATIC LIFE

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1. REVISION DATE: 01/27/2017