# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 39364

NAME: Chlorpropham

SYNONYMS: Isopropyl *N*-(3-chlorophenyl)carbamate

*N*-(3-Chlorophenyl)carbamic acid isopropyl ester

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

# GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 CARCINOGENICITY (CATEGORY 2), H351 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD WARNING

**HAZARD STATEMENT(S)** 

H302 HARMFUL IF SWALLOWED.

H351 SUSPECTED OF CAUSING CANCER.

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE

BEEN READ AND UNDERSTOOD.

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU

FEEL UNWELL. RINSE MOUTH.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/

ATTENTION.

P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_{10}H_{12}CINO_2$ 

MW: 213.66

CAS-NO. 101-21-3

PURITY:  $\geq 99\%$  (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Chlorpropham	•	•
	ACUTE TOX. 4; CARC. 2; STOT	<= 100%
	RE 2; AQUATIC ACUTE 2;	
	AQUATIC CHRONIC 2; H302,	
	H351, H373, H401, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

DESCR	IPTION	OF FIRST	AID ME	ASHRES

**GENERAL ADVICE** MOVE OUT OF DANGEROUS AREA.CONSULT A

PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE

DOCTOR IN ATTENDANCE.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE

VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

FLUSH EYES WITH WATER AS A PRECAUTION.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, NITROGEN OXIDES (NOX),

ARISING FROM THE HYDROGEN CHLORIDE GAS

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID DUST
PRECAUTIONS, FORMATION. AVOID BREATHING VAPOURS, MIST OR
PROTECTIVE GAS. ENSURE ADEQUATE VENTILATION. EVACUATE
EQUIPMENT AND PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION S.

**EMERGENCY** FOR PERSONAL PROTECTION SEE SECTION 8. **PROCEDURES** 

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS ANDPICK UP AND ARRANGE DISPOSAL WITHOUTMATERIALS FORCREATING DUST. SWEEP UP AND SHOVEL. KEEP INCONTAINMENT ANDSUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

CLEANING UP

SUITABLE, CLOSED CONTAINERS FOR DISPOSAL

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

SECTIONS

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS.

THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO

CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS.AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIALENGINEERINGHYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

**CONTROLS** BREAKS AND AT THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE** SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO PROTECTION EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND

APPROVED UNDER APPROPRIATE GOVERNMENT

STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

#### **SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

**BREAK THROUGH TIME: 480 MIN** 

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

**BREAK THROUGH TIME: 480 MIN** 

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING

AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

#### BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

# CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White or off-white crystalline powder

ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE

40 - 43 °C MELTING

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE FLASH POINT

**EVAPORATION RATE** 

NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR **EXPLOSIVE LIMITS** 

VAPOUR PRESSURE < 0.001 HPA AT 20 C VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

NO DATA AVAILABLE WATER SOLUBILITY

PARTITION COEFFICIENT: LOG POW: 3.51

N- OCTANOL/WATER

**AUTO-IGNITION** NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE **EXPLOSIVE PROPERTIES** NO DATA AVAILABLE **OXIDIZING PROPERTIES** NO DATA AVAILABLE

**OTHER SAFETY INFORMATION** 

NO DATA AVAILABLE

#### **SECTION 10.** STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

**CHEMICAL STABILITY** STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

**POSSIBILITY OF HAZARDOUS** REACTIONS

NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

**INCOMPATIBLE** STRONG ACIDS, STRONG BASES **MATERIALS** 

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES,

NITROGEN OXIDES (NOX), HYDROGEN CHLORIDE GAS

OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY** LD50 ORAL - RAT - 1,200 MG/KG

REMARKS: SENSE ORGANS AND SPECIAL SENSES (NOSE, EYE, EAR, AND TASTE):EYE:OTHER.

BEHAVIORAL:ATAXIA. RESPIRATORY DISORDER

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN

**SENSITISATION** 

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

**CARCINOGENICITY** 

LIMITED EVIDENCE OF A CARCINOGENIC EFFECT.

IARC: 3 - GROUP 3: NOT CLASSIFIABLE AS TO ITS

CARCINOGENICITY TO HUMANS (CHLORPROPHAM)

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

oblinio Elbi of Ilegoelines crinton (

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL **INFORMATION**  RTECS: FD8050000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** 

TOXICITY TO FISH LC50 - LEPOMIS MACROCHIRUS (BLUEGILL) - 6.3

MG/L - 96.0 H

TOXICITY TO DAPHNIA AND

OTHER AQUATIC **INVERTEBRATES**  EC50 - DAPHNIA MAGNA (WATER FLEA) - 3.7 MG/L - 48

Η

PERSISTENCE AND

**DEGRADABILITY** 

NO DATA AVAILABLE

**BIOACCUMULATIVE POTENTIAL** 

NO DATA AVAILABLE

**MOBILITY IN SOIL** 

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

AVOID RELEASE TO THE ENVIRONMENT.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** CONTACT A LICENSED PROFESSIONAL WASTE

DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

DISSOLVE OR MIX THE MATERIAL WITH A

COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

# **SECTION 14.** TRANSPORT INFORMATION

# DOT (US)

NOT DANGEROUS GOODS

**IMDG** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Chlorpropham)

UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT: YES

**IATA** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Chlorpropham)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

#### **FURTHER INFORMATION**

EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Chlorpropham 101-21-3

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Chlorpropham 101-21-3

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

......

### **SECTION 16. OTHER INFORMATION**

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302 HARMFUL IF SWALLOWED.

H351 SUSPECTED OF CAUSING CANCER.

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT

TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020