Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	39491
NAME:	(R)-(-)-2-Amino-1-butanol
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

\sim
1 BW
- <u>~</u> C
•
DANCEE

SIGNAL WORD DANGER

PICTOGRAM

HAZARD STATEMENT(S)

H314

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	NONE
	WASTE DISPOSAL PLANT.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
P405	STORE LOCKED UP.
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.
	POISON CENTER/DOCTOR.
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	POISON CENTER/DOCTOR.
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	SHOWER.
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY
1 501 + 1 550 + 1 551	VOMITING.
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE
1200	PROTECTION/ FACE PROTECTION.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
P264	WASH SKIN THOROUGHLY AFTER HANDLING.

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

 $C_4H_{11}NO$

MF:		

MW: 89.14

CAS-NO. 5856-63-3

PURITY: \geq 98% (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
(R)-(-)-2-Amino-1-butanol		

SKIN CORR. 1B; EYE DAM. 1;	<= 100 %
H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX)
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SOAK UP WITH INERT ABSORBENT MATERIAL AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID INHALATION OF VAPOR OR MIST. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

- EYE/FACETIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCHPROTECTIONMINIMUM). USE EQUIPMENT FOR EYE PROTECTION
TESTED AND APPROVED UNDER APPROPRIATE
GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN
166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE
(WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO
AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN ACCORDANCE
WITH APPLICABLE LAWS AND GOOD LABORATORY
PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE
TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED
ACCORDING TO THE CONCENTRATION AND AMOUNT OF
THE DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.
- RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
RESPIRATORS ARE APPROPRIATE USE A FULLFACE
RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR
TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A
BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR
IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE
SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND
COMPONENTS TESTED AND APPROVED UNDER
APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH
(US) OR CEN (EU).

CONTROL OFDO NOT LET PRODUCT ENTER DRAINS.ENVIRONMENTALDO NOT LET PRODUCT ENTER DRAINS.

EXPOSURE

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless or slightly yellow clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	12.7
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	173 - 175 °C
AND BOILING RANGE	
FLASH POINT	95 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.95 g/mL
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

INFORMATION

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	AIR HEAT LIGHT.

INCOMPATIBLE	OXIDIZING AGENTS, DO NOT STORE NEAR ACIDS.,
MATERIALS	ALUMINUM, COPPER, BRASS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, NITROGEN OXIDES (NOX) OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

SKIN

INHALATION: NO DATA AVAILABLE

NO COMPONENT OF THIS PRODUCT PRESENT AT

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE **SENSITISATION**

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS PROBABLE, POSSIBLE OR
CONFIRMED HUMAN CARCINOGEN BY IARC.NTP:NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A KNOWN OR ANTICIPATED
CARCINOGEN BY NTP.OSHA:NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON
OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA

SECTION 12. ECOLOGICAL INFORMATIO

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME:	AMINES, LIQUID, CORROSIVE, N.O.S. ((<i>R</i>)-(-)-2-Amino-1- butanol)
UN NUMBER:	2735
CLASS:	8
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
MDC	
IMDG PROPER SHIPPING NAME:	AMINES LIQUID CORPOSIVE NOS (P) () 2 Aming 1
FROFER SHIFFING NAME.	AMINES, LIQUID, CORROSIVE, N.O.S. ((<i>R</i>)-(-)-2-Amino-1- butanol)
UN NUMBER:	2735
CLASS:	8
PACKING GROUP:	III
EMS-NO:	F-A, S-B
IATA	
PROPER SHIPPING NAME:	AMINES, LIQUID, CORROSIVE, N.O.S. ((<i>R</i>)-(-)-2-Amino-1-
	butanol)
UN NUMBER:	2735
CLASS:	8
PACKING GROUP:	III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

(*R*)-(-)-2-Amino-1-butanol CAS-NO. 5856-63-3

REVISION DATE

K)-(-)-2-Allino-1-butanol 5850-05-5

NEW JERSEY RIGHT TO KNOW COMPONENTS

 CAS-NO.
 REV

 (R)-(-)-2-Amino-1-butanol
 5856-63-3

REVISION DATE

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H314CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IN ADODTA NIT	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. VERSION: 3.1.

REVISION DATE: 01/27/2017