Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 39703

NAME: Glutaraldehyde (24-26% in Water)

SYNONYMS: Pentane-1,5-dial

Glutaric dialdehyde solution

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 2), H330 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 RESPIRATORY SENSITIZATION (CATEGORY 1), H334

SKIN SENSITIZATION (CATEGORY 1), H317

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

P333 + P313









SIGNAL WORD **DANGER**

HAZARD STATEMENT(S)

H302 HARMFUL IF SWALLOWED. H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H330 FATAL IF INHALED. MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING H334 DIFFICULTIES IF INHALED.

MAY CAUSE RESPIRATORY IRRITATION. H335 H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

P

PRECAUTIONARY STAT	ΓEMENT(S)		
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.		
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.		
P272	CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED		
	OUT OF THE WORKPLACE.		
P273	AVOID RELEASE TO THE ENVIRONMENT.		
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE		
	PROTECTION/ FACE PROTECTION.		
P284	WEAR RESPIRATORY PROTECTION.		
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL		
	UNWELL. RINSE MOUTH.		
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.		
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL		
	CONTAMINATED CLOTHING. RINSE SKIN WITH		
	WATER/SHOWER.		
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP		
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A		
	POISON CENTER/DOCTOR.		
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL		
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY		
	TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON		
	CENTER/DOCTOR.		

ATTENTION.

IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/

P342 + P311 IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON

CENTER/ DOCTOR.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P391 COLLECT SPILLAGE.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE

CLASSIFIED (HNOC)

OR NOT COVERED BY

GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_5H_8O_2$

MW: 100.12

CAS-NO. 111-30-8

PURITY: Concentration 25 - 28 % by titration

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION				
Glutaraldehyde (24-26% in Water)						
	FLAM. LIQ. 4; ACUTE TOX. 3;	>= 50 - < 70 %				
	ACUTE TOX. 2; SKIN CORR. 1B;					
	EYE DAM. 1; RESP. SENS. 1; SKIN					
	SENS. 1A; STOT SE 3; AQUATIC					
	ACUTE 1; AQUATIC CHRONIC 1;					
	H227, H301, H330, H314, H318,					
	H334, H317, H335, H400, H410					
	CONCENTRATION LIMITS: >= 0.5					
	%: STOT SE 3, H335;					
	M-FACTOR - AQUATIC ACUTE: 1					
	- AQUATIC CHRONIC: 1					

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE FIRST AIDER NEEDS TO PROTECT HIMSELF. SHOW THIS

MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN

ATTENDANCE.

IF INHALED AFTER INHALATION: FRESH AIR. IMMEDIATELY CALL IN

PHYSICIAN. IF BREATHING STOPS: IMMEDIATELY APPLY ARTIFICIAL RESPIRATION, IF NECESSARY ALSO OXYGEN.

IN CASE OF SKIN

CONTACT

IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL

CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER. CALL A PHYSICIAN IMMEDIATELY.

IN CASE OF EYE AFTER

CONTACT

AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST.

REMOVE CONTACT LENSES.

IF SWALLOWED AFTER SWALLOWING: MAKE VICTIM DRINK WATER (TWO

GLASSES AT MOST), AVOID VOMITING (RISK OF

PERFORATION). CALL A PHYSICIAN IMMEDIATELY. DO NOT

ATTEMPT TO NEUTRALISE.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

EXTINGUISHING MEDIA USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE

TO LOCAL CIRCUMSTANCES AND THE SURROUNDING

ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA

FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF

EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS CARBON OXIDES
ARISING FROM THE NOT COMBUSTIBLE.

SUBSTANCE OR MIXTURE AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE

PROTECTIVE CLOTHING.

FURTHER INFORMATION

PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND

WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMEN AND EMERGENCY PROCEDURES ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES,

CONSULT AN EXPERT.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP CAREFULLY WITH LIQUIDABSORBENT MATERIAL. DISPOSE OF PROPERLY. CLEAN UP

AFFECTED AREA.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

WORK UNDER HOOD. DO NOT INHALE

SUBSTANCE/MIXTURE, AVOID GENERATION OF

VAPOURS/AEROSOLS. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES TIGHTLY CLOSED. KEEP IN A WELL-VENTILATED PLACE. KEEP LOCKED UP OR IN AN AREA ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED PERSONS. HANDLE AND

STORE UNDER INERT GAS.

Store at \leq -10 °C

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS		
			PARAMETERS			
Glutaraldehyde (24-	111-30-8	С	0.2 PPM	USA. NIOSH RECOMMENDED		
26% in Water)			0.8 MG/M3	EXPOSURE LIMITS		
	REMARKS	SEE APPENDIX C				
		С	0.05 PPM	CALIFORNIA PERMISSIBLE		
			0.2 MG/M3	EXPOSURE LIMITS FOR CHEMICAL		
				CONTAMINANTS		
		GLUTARALDEHYDE CAN CAUSE OCCUPATIONAL ASTHMA AND SKIN SENSITIZATION RESPONSES SUCH AS CONTACT DERMATITIS. EXPOSURE RELATED SYMPTOMS MAY INCLUDE ONE OR MORE OF THE FOLLOWING: SHORTNESS				
		OF BREATH, CHEST TIGHTNESS, WHEEZE, COUGH, SKIN RASH, HIVES, AND IRRITATION OF THE NOSE, THROAT, SKIN				
		OR EYE. HAZARD COMMUNICATION TRAINING REQUIRED BY SECTIONS 5191 OR 5194 SHALL ADDRESS THESE HEALTH				
			MS ALONG WITH THE MEASURES			
		TAKEN BY THE EMPLOYER TO EVALUATE AND CONTROL EXPOSURES THAT CAN INCLUDE MEDICAL EVALUATIONS, EXPOSURE MONITORING, VENTILATION SYSTEMS, WORK PRACTICES, AND PERSONAL PROTECTIVE EQUIPMENT. THE COMMUNICATION SYSTEM REQUIRED BY SECTION 3203 SHALL INFORM EMPLOYEES WHERE TO REPORT POSSIBLE HEALTH SYMPTOMS AND WHERE TO ASK QUESTIONS, REPORT CONCERNS, AND RECEIVE INFORMATION ABOUT THE EMPLOYER'S EVALUATION AND CONTROL MEASURES.				
		C	0.05 PPM	USA. ACGIH THRESHOLD LIMIT		
		C	0.03 FFWI	VALUES (TLV)		
		DEDMAI	CENCITIZATION	,		
		DERMAL SENSITIZATION RESPIRATORY SENSITIZATION CENTRAL NERVOUS SYSTEM IMPAIRMENT UPPER RESPIRATORY TRACT IRRITATION				
		EYE IRRITATION SKIN IRRITATION NOT CLASSIFIABLE AS A HUMAN CARCINOGEN				
		prof CLF	ADDITIADLE AS A	HOMAN CARCINOGEN		

EXPOSURE CONTROLS

CONTROLS

APPROPRIATE ENGINEERING IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY

FITTING SAFETY GOGGLES

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS

SCENARIO.

BODY PROTECTION PROTECTIVE CLOTHING

RESPIRATORY PROTECTION REQUIRED WHEN VAPOURS/AEROSOLS ARE GENERATED.

OUR RECOMMENDATIONS ON FILTERING RESPIRATORY

PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER

OFFERING AN APPROVAL FOR ANY SPECIFIC USE

ACCOMPANYING STANDARDS RELATING TO THE USED

RESPIRATORY PROTECTION SYSTEM.

CONTROL OF

ENVIRONMENTAL EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless clear liquid **ODOUR** NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

-10 °C (Lit.) MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 101 °C / 1,013 hPa (Lit.)

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE 20 HPA AT 20 C VAPOUR DENSITY 3.46 - (AIR = 1.0)RELATIVE DENSITY 1.06 g/mL **SOLUBLE**

PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

WATER SOLUBILITY

AUTO-IGNITION NOT APPLICABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE **EXPLOSIVE PROPERTIES** NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

RELATIVE VAPOR 3.46 - (AIR = 1.0)

DENSITY

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

STABLE UNDER RECOMMENDED STORAGE CONDITIONS. **CHEMICAL STABILITY**

POSSIBILITY OF NO DATA AVAILABLE

HAZARDOUS REACTIONS

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE STRONG ACIDS, STRONG BASES, STRONG OXIDIZING

MATERIALS AGENTS **HAZARDOUS DECOMPOSITION PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER

FIRE CONDITIONS. - CARBON OXIDES

OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN MIXTURE CAUSES BURNS

CORROSION/IRRITATION

SERIOUS EYE MIXTURE CAUSES SERIOUS EYE DAMAGE. RISK OF

DAMAGE/EYE IRRITATION BLINDNESS!

RESPIRATORY OR SKIN SENSITISATION

MIXTURE MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. MIXTURE MAY

CAUSE AN ALLERGIC SKIN REACTION.

GERM CELL

MUTAGENICITY

NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS NTP:

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE **EXPOSURE**

MIXTURE MAY CAUSE RESPIRATORY IRRITATION. ACUTE ORAL TOXICITY - IF INGESTED, SEVERE BURNS OF THE MOUTH AND THROAT, AS WELL AS A DANGER OF

PERFORATION OF THE ESOPHAGUS AND THE STOMACH. ACUTE INHALATION TOXICITY - MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES:,

DAMAGE OF RESPIRATORY TRACT

SPECIFIC TARGET ORGAN **TOXICITY - REPEATED**

NO DATA AVAILABLE

EXPOSURE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL **INFORMATION** RTECS: NOT AVAILABLE

BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING

OTHER DANGEROUS PROPERTIES CAN NOT BE

EXCLUDED.

THIS SUBSTANCE SHOULD BE HANDLED WITH

PARTICULAR CARE.

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL

HYGIENE AND SAFETY PRACTICE.

LIVER - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. **ECOLOGICAL INFORMATION**

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT WASTE MATERIAL MUST BE DISPOSED OF IN

ACCORDANCE WITH THE NATIONAL AND LOC NO MIXING WITH OTHER WASTE. HANDLE UNCLEANED CONTAINERS LIKE THE PRODUCT FOR PROCESSES REGARDING THE RETURN OF CHEMICALS AND CONTAINERS, OR CONTACT

US THERE IF YOU HAVE FURTHER QUESTIONS.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (Glutaraldehyde (24-26%)

in Water))

UN NUMBER: 2922 CLASS: 8 (6.1) PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (Glutaraldehyde (24-26%)

in Water))

UN NUMBER: 2922
CLASS: 8 (6.1)
PACKING GROUP: II
EMS-NO: F-A, S-B
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (Glutaraldehyde (24-26%)

in Water))

UN NUMBER: 2922 CLASS: 8 (6.1) PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS

WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Glutaraldehyde (24-26% in

111-30-8 02/16/1993

Water)

WATER 7732-18-5

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302 HARMFUL IF SWALLOWED.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H330 FATAL IF INHALED.

H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR

BREATHING DIFFICULTIES IF INHALED.

H335 MAY CAUSE RESPIRATORY IRRITATION.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH

ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS

SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1 REVISION DATE: 01/27/2017