Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	39705
NAME:	Ethylene glycol 1,2-bis(2-propynyl) ether
SYNONYMS:	1,2-Bis(2-propynyloxy)ethane 4,7-Dioxa-1,9-decadiyne
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

WARNING

HAZARD STATEMENT(S)

H226

FLAMMABLE LIQUID AND VAPOR

PRECAUTIONARY STATEMENT(S)

P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES. NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
	LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC
	DISCHARGE.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/
	SHOWER.
P370 + P378	IN CASE OF FIRE: USE DRY CHEMICAL, DRY SAND OR FOAM
	TO EXTINGUISH.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT	NONE
OTHERWISE	
CLASSIFIED (HNOC)	
OR NOT COVERED	

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

_

MW: 138.17 CAS-NO. 40842-04-4 PURITY: ≥ 97% (GC) HAZARDOUS COMPONENTS COMPONENT COMPONENT CLASSIFICATION COMPONENT	DNCENTRATION
CAS-NO. $40842-04-4$ PURITY: $\geq 97\%$ (GC)	
CAS-NO. 40842-04-4	
MW: 138.17	
MW: 138.17	
MF: $C_8H_{10}O_2$	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
IF SWALLOWED	GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL. RINSE MOUTH.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLESUITABLE EXTINGUISHING MEDIA:EXTINGUISHING MEDIADRY CHEMICAL, FOAM, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA: WATER (IT MAY SCATTER AND SPREAD FIRE.)

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	NO DATA AVAILABLE
ADVICE FOR FIREFIGHTERS	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
FURTHER INFORMATION	CLOSED CONTAINERS MAY EXPLODE FROM HEAT OF A FIRE.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-CONTAINED BREATHING APPARATUS). KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON- INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
ENVIRONMENTAL PRECAUTIONS	PREVENT PRODUCT FROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFEHANDLING IS PERFORMED IN A WELL VENTILATEDHANDLINGPLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT.PREVENT GENERATION OF VAPOUR OR MIST. KEEPAWAY FROM HEAT/SPARKS/OPEN FLAME/HOTSURFACES. -NO SMOKING. TAKE MEASURES TOPREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.USE EXPLOSION-PROOF EQUIPMENT. WASH HANDSAND FACE THOROUGHLY AFTER HANDLING.

USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

CONDITIONS FOR SAFEKEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL,STORAGE, INCLUDINGDARK AND WELL-VENTILATED PLACE.ANY INCOMPATIBILITIESSTORE AWAY FROM INCOMPATIBLE MATERIALS SUCH
AS OXIDIZING AGENTS.

Store at RT

SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER
USE IN ACCORDANCE WITH APPLICABLE LAWS AND
GOOD LABORATORY PRACTICES. WASH AND DRY
HANDS.
- BODY PROTECTIONIMPERVIOUS CLOTHING, FLAME RETARDANT
ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF
PROTECTIVE EQUIPMENT MUST BE SELECTED
ACCORDING TO THE CONCENTRATION AND AMOUNT
OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.

RESPIRATORY	VAPOR RESPIRATOR. FOLLOW LOCAL AND NATIONAL
PROTECTION	REGULATIONS.

CONTROL OF	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO
ENVIRONMENTAL	DO SO. DO NOT LET PRODUCT ENTER DRAINS.
EXPOSURE	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	PHYSICAL AND CHEMICAL PROPERTIES
APPEARANCE	White to yellow to green clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	88 °C / 15 mmHg (Lit.)
AND BOILING RANGE	
FLASH POINT	58 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.99 g/mL
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO SPECIAL REACTIVITY HAS BEEN REPORTED.
CONDITIONS TO AVOID	SPARK, OPEN FLAME, STATIC DISCHARGE
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS, HEAVY METALS
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

NO DATA AVAILABLE

PERSISTENCE ANDNO DATA AVAILABLE**DEGRADABILITY**

BIOACCUMULATIVE NO DATA AVAILABLE **POTENTIAL**

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND NO DATA AVAILABLE **VPVB ASSESSMENT**

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	ETHERS, N.O.S (Ethylene glycol 1,2- <i>bis</i> (2-propynyl) ether) 3271 3 III
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	ETHERS, N.O.S (Ethylene glycol 1,2- <i>bis</i> (2-propynyl) ether) 3271 3 III F-E, S-D
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	ETHERS, N.O.S (Ethylene glycol 1,2- <i>bis</i> (2-propynyl) ether) 3271 3 III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. Ethylene glycol 1,2-bis(2propynyl) ether 4

40842-04-

REVISION DATE

NEW JERSEY RIGHT TO KNOW COMPONENTS

Ethylene glycol 1,2-bis(2propynyl) ether 4

CAS-NO. 40842-04**REVISION DATE**

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3. FLAMMABLE LIQUID AND VAPOR H226

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH
	ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2.

REVISION DATE: 07/01/2020