

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	40420
NAME:	Dichlorodecylmethylsilane
SYNONYMS:	Decylmethyldichlorosilane
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

EYE DAMAGE/IRRITATION (CATEGORY 1), H318

CORROSIVE TO METALS (CATEGORY 1), H290

SKIN CORROSION/IRRITATION (CATEGORY 1B), H314

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H290 MAY BE CORROSIVE TO METALS.
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P234 KEEP ONLY IN ORIGINAL CONTAINER.
P260 DO NOT BREATHE DUST OR MIST.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P310 IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.
P405 STORE LOCKED UP.
P406 STORE IN CORROSIVE RESISTANT STAINLESS STEEL CONTAINER WITH A RESISTANT INNER LINER.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS MAY DEVELOP PRESSURE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_{11}H_{24}Cl_2Si$
MW: 255.30

CAS-NO. 18051-88-2

PURITY: $\geq 95\%$ (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Dichlorodecylmethylsilane		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IF SWALLOWED	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE VOMITING.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	ACUTE: PAIN. REDNESS. THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA**SUITABLE
EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA:
DRY CHEMICAL, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA:
WATER

**SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE**

CARBON OXIDES HALOGENATED COMPOUNDS
SILICATES

**ADVICE FOR
FIREFIGHTERS**

WEAR SELF CONTAINED BREATHING APPARATUS FOR
FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION

WARNING: HIGHLY TOXIC HCL GAS IS PRODUCED
DURING COMBUSTION.
TAKE CARE AS IT MAY DECOMPOSE UPON
COMBUSTION OR IN HIGH TEMPERATURES TO
GENERATE POISONOUS FUME.

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. KEEP
PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK.
ENSURE ADEQUATE VENTILATION. ENTRY TO NON-
INVOLVED PERSONNEL SHOULD BE CONTROLLED
AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.

**ENVIRONMENTAL
PRECAUTIONS**

PREVENT PRODUCT FROM ENTERING DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

ABSORB SPILLED MATERIAL IN A SUITABLE
ABSORBENT (E.G. RAG, DRY SAND, EARTH, SAW-
DUST). IN CASE OF LARGE AMOUNT OF SPILLAGE,
CONTAIN A SPILL BY BUNDING. ADHERED OR
COLLECTED MATERIAL SHOULD BE PROMPTLY
DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE
LAWS AND REGULATIONS.

**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. MAY DEVELOP PRESSURE. OPEN CAREFULLY. USE CORROSIVE RESISTANT EQUIPMENT.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL AND DARK PLACE. STORE UNDER INERT GAS. PROTECT FROM MOISTURE. STORE LOCKED UP. STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH AS OXIDIZING AGENTS. LIGHT-SENSITIVE MOISTURE-SENSITIVE Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT PROTECTIVE CLOTHING, AND THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	HALF OR FULL FACEPIECE RESPIRATOR, SELF-CONTAINED BREATHING APPARATUS (SCBA), SUPPLIED AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND NATIONAL REGULATIONS.
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to slightly yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
BOILING POINT	129 °C / 5 mmHg (Lit.)
FLASH POINT	120 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	LOWER: 1.1%
VAPOUR PRESSURE	UPPER: NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	> 1
WATER SOLUBILITY	0.96 g/mL
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE

AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS DECOMPOSES IN CONTACT WITH WATER AND LIBERATES TOXIC GASES.

CONDITIONS TO AVOID MOISTURE

INCOMPATIBLE MATERIALS OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN CHLORIDE, SILICON OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE

MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CHLOROSILANES, CORROSIVE, N.O.S (Dichlorodecylmethylsilane)
UN NUMBER:	2987
CLASS:	8
PACKING GROUP:	II
IMDG	
PROPER SHIPPING NAME:	CHLOROSILANES, CORROSIVE, N.O.S (Dichlorodecylmethylsilane)
UN NUMBER:	2987
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
IATA	
PROPER SHIPPING NAME:	CHLOROSILANES, CORROSIVE, N.O.S (Dichlorodecylmethylsilane)
UN NUMBER:	2987
CLASS:	8
PACKING GROUP:	II

AIR TRANSPORT:

CARGO AIRCRAFT ONLY.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Dichlorodecylmethylsilane	18051-88-2	

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Dichlorodecylmethylsilane	18051-88-2	

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Dichlorodecylmethylsilane	18051-88-2	

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.2

REVISION DATE: 07/01/2020