Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALO	G #:	40446
NAME:		1,2-Dichlorotetramethyldisilane
SYNONY	MS:	1,1,2,2-Tetramethyl-1,2-dichlorodisilane 1,2-Dichloro-1,1,2,2-tetramethyldisilane Dichlorotetramethyldisilane
24 HOUR TELEPHO	EMERGENCY DNE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQU	JEST AN MSDS:	(800) 869-9290
CUSTOM SERVICE		(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)		
H226	FLAMMABLE LIQUID AND VAPOUR.	
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	
PRECAUTIONARY STA		
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT	
	SURFACES NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/	
	LIGHTING EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC	
	DISCHARGE.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE	
	PROTECTION/ FACE PROTECTION.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY	
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/	
	SHOWER.	
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT	
	REST IN A POSITION COMFORTABLE FOR BREATHING.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND	
	EASY TO DO. CONTINUE RINSING.	
P310	IMMEDIATELY CALL A POISON CENTER/ DOCTOR.	
P321	SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID	
	INSTRUCTIONS ON THIS LABEL).	
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.	
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR	
	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.	
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.	
P405	STORE LOCKED UP.	
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED	
	WASTE DISPOSAL PLANT.	
HAZARDS NOT	REACTS VIOLENTLY WITH WATER.	

OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MW: 187.21

CAS-NO. 4342-61-4

PURITY: $\geq 95\%$ (GC)

COMPONENT	CLASSIFICATION	CONCENTRATION
1,2-Dichlorotetramethyldisilane		
	FLAM. LIQ. 3; SKIN CORR. 1B;	>= 90 - <= 100 %
	EYE DAM. 1; H226, H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	DRY POWDER
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, HYDROGEN CHLORIDE GAS, SILICON OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN
MATERIALS FOR	ELECTRICALLY PROTECTED VACUUM CLEANER OR BY
CONTAINMENT AND	WETBRUSHING AND PLACE IN CONTAINER FOR
CLEANING UP	DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE
	SECTION 13). DO NOT FLUSH WITH WATER.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID INHALATION OF VAPOUR OR MIST.	
HANDLING	KEEP AWAY FROM SOURCES OF IGNITION - NO	
	SMOKING. TAKE MEASURES TO PREVENT THE BUILD	
	UP OF ELECTROSTATIC CHARGE.	
	FOR PRECAUTIONS SEE SECTION 2.2.	
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND	
STORAGE, INCLUDING	WELL-VENTILATED PLACE. CONTAINERS WHICH ARE	
ANY INCOMPATIBILITIES	OPENED MUST BE CAREFULLY RESEALED AND KEPT	
	UPRIGHT TO PREVENT LEAKAGE.	
	NEVER ALLOW PRODUCT TO GET IN CONTACT WITH	
	WATER DURING STORAGE.	
	Store at RT	
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2	
	NO OTHER SPECIFIC USES ARE STIPULATED.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING CONTROLS	HYGIENE AND SAFETY PRACTICE. WASH HANDS
	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTIONTIGHTLY FITTING SAFETY GOGGLES. FACESHIELD
(8-INCH MINIMUM). USE EQUIPMENT FOR EYE
PROTECTION TESTED AND APPROVED UNDER
APPROPRIATE GOVERNMENT STANDARDS SUCH AS
NIOSH (US) OR EN 166(EU).

- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE
INSPECTED PRIOR TO USE. USE PROPER GLOVE
REMOVAL TECHNIQUE (WITHOUT TOUCHING
GLOVE''S OUTER SURFACE) TO AVOID SKIN
CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN
ACCORDANCE WITH APPLICABLE LAWS AND GOOD
LABORATORY PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST
CHEMICALS, FLAME RETARDANT ANTISTATIC
PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE
EQUIPMENT MUST BE SELECTED ACCORDING TO
THE CONCENTRATION AND AMOUNT OF THE
DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.
- RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
RESPIRATORS ARE APPROPRIATE USE A FULL-FACE
RESPIRATOR WITH MULTI-PURPOSE COMBINATION
(US) OR TYPE ABEK (EN 14387) RESPIRATOR
CARTRIDGES AS A BACKUP TO ENGINEERING
CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS
OF PROTECTION, USE A FULL-FACE SUPPLIED AIR
RESPIRATOR. USE RESPIRATORS AND COMPONENTS
TESTED AND APPROVED UNDER APPROPRIATE
GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR
CEN (EU).
- CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFEENVIRONMENTALTO DO SO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREContraction

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
РН	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	148 °C (Lit.)
AND BOILING RANGE	
FLASH POINT	37 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	

VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.01 g/mL
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR.REACTS VIOLENTLY WITH WATER.
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS. EXPOSURE TO MOISTURE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, WATER
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, HYDROGEN CHLORIDE GAS, SILICON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL
NTP:	CARCINOGEN BY ACGIH. NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED
OSHA:	CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: NOT AVAILABLE

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PACKAGING

PRODUCTBURN IN A CHEMICAL INCINERATOR EQUIPPED WITH
AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE
SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
CONTACT A LICENSED PROFESSIONAL WASTE
DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: POISON INHALATION HAZARD:	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. 2986 8 (3) II NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. 2986 8 (3) II F-E, S-C
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: IATA PASSENGER:	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. 2986 8 (3) II NOT PERMITTED FOR TRANSPORT

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS M THE REPORTING REQUIRE SECTION 302.			
SARA 313 COMPONENTS	COMPONENTS WITH KNOW EXCEED THE THRESHOLD			
SARA 311/312 HAZARDS	FIRE HAZARD			
MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.				
PENNSYLVANIA RIGHT TO KNOW COMPONENTS				
	CAS-NO.	REVISION DATE		
1,2-Dichlorotetramethyldisilane	4342-61-4			
NEW JERSEY RIGHT TO KNOW COMPONENTS				
	CAS-NO.	REVISION DATE		

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH, OR ANY OTHER REPRODUCTIVE DEFECTS.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H226FLAMMABLE LIQUID AND VAPOUR.H314CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017