

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #: 40870  
NAME: Telluric acid  
SYNONYMS:  
24 HOUR EMERGENCY (800) 535-5053(USA)  
TELEPHONE: 352-323-3500 (INTERNATIONAL)  
TO REQUEST AN MSDS: (800) 869-9290  
CUSTOMER (630) 766-2112  
SERVICE:

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301  
ACUTE TOXICITY, DERMAL (CATEGORY 3), H311  
ACUTE TOXICITY, INHALATION (CATEGORY 3), H331  
SKIN CORROSION/IRRITATION (CATEGORY 2), H315  
EYE DAMAGE/IRRITATION (CATEGORY 2A), H319

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H301 + H311 + H331 TOXIC IF SWALLOWED, IN CONTACT WITH SKIN OR IF  
INHALED  
H315 CAUSES SKIN IRRITATION.  
H319 CAUSES SERIOUS EYE IRRITATION.

**PRECAUTIONARY STATEMENT(S)**

P261 AVOID BREATHING  
DUST/FUMES/GAS/MIST/VAPOURS/SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS  
PRODUCT.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE  
PROTECTION/ FACE PROTECTION.  
P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/ DOCTOR IF YOU  
FEEL UNWELL. RINSE MOUTH.  
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.  
P304 + P340 + P311 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP  
COMFORTABLE FOR BREATHING. CALL A POISON CENTER/  
DOCTOR.  
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL  
MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND  
EASY TO DO. CONTINUE RINSING.  
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/  
ATTENTION.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE  
REUSE.  
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER  
TIGHTLY CLOSED.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED  
WASTE DISPOSAL PLANT.

**HAZARDS NOT  
OTHERWISE  
CLASSIFIED (HNOC)  
OR NOT COVERED  
BY GHS** NONE

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF: Te(OH)<sub>6</sub>

MW: 229.64  
CAS-NO. 7803-68-1  
PURITY:  $\geq$  99% (Assay by titration)

**HAZARDOUS COMPONENTS**

COMPONENT	CLASSIFICATION	CONCENTRATION
Telluric acid		$\leq$ 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

**SECTION 4. FIRST-AID MEASURES**

---

**DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

**IN CASE OF SKIN CONTACT** WASH OFF WITH SOAP AND PLENTY OF WATER.

**IN CASE OF EYE CONTACT** FLUSH EYES WITH WATER AS A PRECAUTION.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED** THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED** NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

<b>SUITABLE EXTINGUISHING MEDIA</b>	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	TELLURIUM OXIDES
<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
<b>FURTHER INFORMATION</b>	NO DATA AVAILABLE

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. FOR PERSONAL PROTECTION SEE SECTION 8.
<b>ENVIRONMENTAL PRECAUTIONS</b>	NO SPECIAL ENVIRONMENTAL PRECAUTIONS REQUIRED.
<b>METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP</b>	SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
<b>REFERENCE TO OTHER SECTIONS</b>	FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2  
NO OTHER SPECIFIC USES ARE STIPULATED.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Telluric acid	7803-68-1	TWA	0.1 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		TWA	0.1 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	HALITOSIS		
		TWA	0.1 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		PEL	0.1 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

**EXPOSURE CONTROLS**

**APPROPRIATE  
ENGINEERING  
CONTROLS**

GENERAL INDUSTRIAL HYGIENE PRACTICE.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE  
PROTECTION**

USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**FULL CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

**SPLASH CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

CHOOSE BODY PROTECTION IN RELATION TO ITS TYPE, TO THE CONCENTRATION AND AMOUNT OF DANGEROUS SUBSTANCES, AND TO THE SPECIFIC WORK-PLACE. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

RESPIRATORY PROTECTION IS NOT REQUIRED. WHERE PROTECTION FROM NUISANCE LEVELS OF DUSTS ARE DESIRED, USE TYPE N95 (US) OR TYPE P1 (EN 143) DUST MASKS. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

NO SPECIAL ENVIRONMENTAL PRECAUTIONS REQUIRED.

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White to off-white crystal
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	220 °C (Lit.)
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**

NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	NO DATA AVAILABLE
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS, STRONG ACIDS

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED  
UNDER FIRE CONDITIONS. - TELLURIUM OXIDES  
OTHER DECOMPOSITION PRODUCTS - NO DATA  
AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY**

NO DATA AVAILABLE

LC50 INHALATION - RAT - 4 H - > 2.42 MG/L

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN  
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

NO DATA AVAILABLE

**RESPIRATORY OR SKIN  
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL  
MUTAGENICITY**

NO DATA AVAILABLE

**CARCINOGENICITY**

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS  
IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED  
HUMAN CARCINOGEN BY IARC.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS  
IDENTIFIED AS A KNOWN OR ANTICIPATED  
CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON  
OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY**

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN  
TOXICITY - SINGLE  
EXPOSURE**

NO DATA AVAILABLE



<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: WY2350000  TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	NO DATA AVAILABLE

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

---

**DOT (US)**

PROPER SHIPPING NAME: TELLURIUM COMPOUND, N.O.S. (Telluric acid)  
UN NUMBER: 3284  
CLASS: 6.1  
PACKING GROUP: III  
REPORTABLE QUANTITY  
(RQ):  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: TELLURIUM COMPOUND, N.O.S. (Telluric acid)  
UN NUMBER: 3284  
CLASS: 6.1  
PACKING GROUP: III  
EMS-NO: F-A, S-A

**IATA**

PROPER SHIPPING NAME: TELLURIUM COMPOUND, N.O.S. (Telluric acid)  
UN NUMBER: 3284  
CLASS: 6.1  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** NO SARA HAZARDS

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Telluric acid	7803-68-1	02-16-1993

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Telluric acid	7803-68-1	02-16-1993

**CALIFORNIA PROP. 65 COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

---

## SECTION 16. OTHER INFORMATION

---

### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H301 + H311 + H331 TOXIC IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED  
H315 CAUSES SKIN IRRITATION.  
H319 CAUSES SERIOUS EYE IRRITATION.

### MSDS LEGEND

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.2.

REVISION DATE: 07/01/2020