# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 40883

NAME: 3,3'-Iminobis(*N*,*N*-dimethylpropylamine)

SYNONYMS: *N,N*-Bis[3-(dimethylamino)propyl]amine

N'-[3-(Dimethylamino)propyl]-N,N-dimethyl-1,3-

propanediamine

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, DERMAL (CATEGORY 3), H311 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

#### **HAZARD STATEMENT(S)**

H302 HARMFUL IF SWALLOWED. H311 TOXIC IN CONTACT WITH SKIN.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

#### PRECAUTIONARY STATEMENT(S)

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P312 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU

FEEL UNWELL.

P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE

VOMITING.

P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY

ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER.

P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

REST IN A POSITION COMFORTABLE FOR BREATHING.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P310 IMMEDIATELY CALL A POISON CENTER/DOCTOR.

P322 SPECIFIC MEASURES (SEE SUPPLEMENTAL FIRST AID

INSTRUCTIONS ON THIS LABEL).

P361 REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED

CLOTHING.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_{10}H_{25}N_3$ 

MW: 187.33

CAS-NO. 6711-48-4

PURITY:  $\geq 99\%$  (GC)

#### **HAZARDOUS COMPONENTS**

COMPONENT	CLASSIFICATION	CONCENTRATION
3,3'-Iminobis(N,N-dimethylpropylamine)		
	ACUTE TOX. 4; ACUTE TOX. 3;	<= 100 %
	SKIN CORR. 1B; EYE DAM. 1;	
	H302, H311, H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

# **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

**CONTACT** 

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL.

CONSULT A PHYSICIAN.

IN CASE OF EYE

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING

TRANSPORT TO HOSPITAL.

**IF SWALLOWED** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

THE MOST IMPORTANT KNOWN SYMPTOMS AND

MOST IMPORTANT
SYMPTOMS AND

SYMPTOMS AND

EFFECTS, BOTH ACUTE AND DELAYED

EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS** CARBON OXIDES, NITROGEN OXIDES (NOX)

ARISING FROM THE COMBUSTIBLE.

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALWEAR RESPIRATORY PROTECTION. AVOID BREATHINGPRECAUTIONS,VAPOURS, MIST OR GAS. ENSURE ADEQUATEPROTECTIVEVENTILATION. EVACUATE PERSONNEL TO SAFEEQUIPMENT ANDAREAS. FOR PERSONAL PROTECTION SEE SECTION 8.

EMERGENCY PROCEDURES

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS ANDSOAK UP WITH INERT ABSORBENT MATERIAL ANDMATERIALS FORDISPOSE OF AS HAZARDOUS WASTE. KEEP INCONTAINMENT ANDSUITABLE, CLOSED CONTAINERS FOR DISPOSAL.CLEANING UP

REFERENCE TO OTHER

FOR DISPOSAL SEE SECTION 13.

SECTIONS

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

Store at RT

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS

#### **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING

**CONTROLS** 

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY

AFTER HANDLING THE PRODUCT.

#### PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD

(8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

#### SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.4 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.2 MM

BREAK THROUGH TIME: 60 MIN

MATERIAL TESTED: DERMATRIL P (KCL 743, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

#### BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

#### RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF** PREVENT FURTHER LEAKAGE OR SPILLAGE IF

**ENVIRONMENTAL EXPOSURE** SAFE TO DO SO. DO NOT LET PRODUCT ENTER

DRAINS.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless liquid ODOUR PUNGENT

ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT

INITIAL BOILING POINT 43 - 46 °C (Lit.)

AND BOILING RANGE

FLASH POINT 98 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 0.84 g/mL (Lit.)

WATER SOLUBILITY COMPLETELY SOLUBLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

#### OTHER SAFETY INFORMATION

NO DATA AVAILABLE

# SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED

UNDER FIRE CONDITIONS. - CARBON OXIDES,

NITROGEN OXIDES (NOX)

OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 1,362 MG/KG

INHALATION: NO DATA AVAILABLE

LD50 DERMAL - RABBIT - 261 MG/KG

NO DATA AVAILABLE

SKIN - RABBIT

**CORROSION/IRRITATION** 

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE **SENSITISATION** 

GERM CELL NO DATA AVAILABLE

**CARCINOGENICITY** 

MUTAGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL **INFORMATION**  RTECS: JM1925000

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, HEADACHE,

NAUSEA

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND **DEGRADABILITY** 

NO DATA AVAILABLE

BIOACCUMULATIVE

**POTENTIAL** 

NO DATA AVAILABLE

**MOBILITY IN SOIL** NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

# **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (3,3'-Iminobis(N,N-

dimethylpropylamine))

UN NUMBER: 2922 CLASS: 8 (6.1) PACKING GROUP: III POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (3,3'-Iminobis(N,N-

dimethylpropylamine))

UN NUMBER: 2922 CLASS: 8 (6.1) PACKING GROUP: III EMS-NO: F-A, S-B

**IATA** 

PROPER SHIPPING NAME: CORROSIVE LIQUIDS, TOXIC, N.O.S. (3,3'-Iminobis(N,N-

dimethylpropylamine))

UN NUMBER: 2922 CLASS: 8 (6.1) PACKING GROUP: III

### **SECTION 15. REGULATORY INFORMATION**

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

3,3'-Iminobis(*N*,*N*- 6711-48-4

dimethylpropylamine)

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

3,3'-Iminobis(*N*,*N*- 6711-48-4

dimethylpropylamine)

#### **SECTION 16. OTHER INFORMATION**

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302 HARMFUL IF SWALLOWED. H311 TOXIC IN CONTACT WITH SKIN.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES,

HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.1. REVISION DATE: 01/27/2017*