# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 40887

NAME: *N,N*-Di-*tert*-butylethylenediamine

SYNONYMS: 1,2-Bis(*tert*-butylamino)ethane

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 4), H227 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

**HAZARD STATEMENT(S)** 

H227 COMBUSTIBLE LIQUID.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT

SURFACES. NO SMOKING.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE

VOMITING.

P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY

ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER.

P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

REST IN A POSITION COMFORTABLE FOR BREATHING.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P310 IMMEDIATELY CALL A POISON CENTER/ DOCTOR.

P321 SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID

INSTRUCTIONS ON THIS LABEL).

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

**BY GHS** 

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_{10}H_{24}N_2$ 

MW: 172.32

CAS-NO. 4062-60-6

PURITY:  $\geq$  98% (GC)

COMPONENT	CLASSIFICATION	CONCENTRATION
<i>N,N'-</i> Di- <i>tert</i> -butylethylenediamine		
	FLAM. LIQ. 4; SKIN CORR. 1B;	<= 100 %
	EYE DAM. 1; H227, H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING

TRANSPORT TO HOSPITAL.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

> BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT

**SYMPTOMS AND** 

EFFECTS, BOTH ACUTE AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL **ATTENTION AND** 

SPECIAL TREATMENT **NEEDED** 

NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE SMALL (INCIPIENT) FIRES MUST BE EXTINGUISHED

**EXTINGUISHING MEDIA** WITH ALCOHOL RESISTANT FOAM, DRY CHEMICAL POWDER OR CARBON DIOXIDE. LARGE AMOUNTS OF

WATER ARE INEFFECTIVE. COOL CONTAINERS WITH

LARGE AMOUNTS OF WATER.

SPECIAL HAZARDS CARBON OXIDES, NITROGEN OXIDES (NOX)

ARISING FROM THE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID **PRECAUTIONS,** BREATHING VAPORS, MIST OR GAS. ENSURE

PROTECTIVE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF EQUIPMENT AND IGNITION. EVACUATE PERSONNEL TO SAFE AREAS.

EMERGENCY BEWARE OF VAPORS ACCUMULATING TO FORM

PROCEDURES EXPLOSIVE CONCENTRATIONS. VAPORS CAN

ACCUMULATE IN LOW AREAS.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE

**PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND CONTAIN SPILLAGE, AND THEN COLLECT WITH AN

MATERIALS FORELECTRICALLY PROTECTED VACUUM CLEANER OR BYCONTAINMENT ANDWETBRUSHING AND PLACE IN CONTAINER FOR

CLEANING UP DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE

SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS

FOR DISPOSAL.

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

AVOID INHALATION OF VAPOR OR MIST.

KEEP AWAY FROM SOURCES OF IGNITION - NO

SMOKING. TAKE MEASURES TO PREVENT THE BUILD

UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

STORE UNDER INERT GAS.

Store at  $\leq$  -4 °C

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### **SECTION 8.** EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS

#### **EXPOSURE CONTROLS**

**APPROPRIATE** HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL **ENGINEERING** HYGIENE AND SAFETY PRACTICE. WASH HANDS **CONTROLS** BEFORE BREAKS AND AT THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-

> INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

> PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS

> AND GOOD LABORATORY PRACTICES. WASH AND DRY

HANDS.

**BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS,

THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE

SPECIFIC WORKPLACE.

**RESPIRATORY** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

RESPIRATOR WITH MULTI-PURPOSE COMBINATION

(US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING

CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR

CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to yellow clear liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

BOILING POINT 191 - 195 °C

FLASH POINT 62 °C

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 0.80 g/mL

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES NO DATA AVAILABLE

#### OTHER SAFETY INFORMATION

NO DATA AVAILABLE

# SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED

UNDER FIRE CONDITIONS. - CARBON OXIDES,

NITROGEN OXIDES (NOX)

OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** SKIN RABBIT

**CORROSION/IRRITATION** RESULT: MILD SKIN IRRITATION - 24 H

SERIOUS EYE

DAMAGE/EYE IRRITATION

NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

**CARCINOGENICITY** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: KH8587137

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

**RESULTS OF PBT AND** PBT/VPVB ASSESSMENT NOT AVAILABLE AS

VPVB ASSESSMENT CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A

CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND

NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED

PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE

OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

# SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (N,N-Di-tert-

butylethylenediamine)

UN NUMBER: 2735 CLASS: 8 PACKING GROUP: II POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: POLYAMINES, LIQUID, CORROSIVE, N.O.S. ( N,N-Di-tert-

butylethylenediamine)

UN NUMBER: 2735
CLASS: 8
PACKING GROUP: II
EMS-NO: F-A, S-B

**IATA** 

PROPER SHIPPING NAME: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (N,N-Di-tert-

butylethylenediamine)

UN NUMBER: 2735 CLASS: 8 PACKING GROUP: II

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

*N,N*-Di-*tert*- 4062-60-6

butylethylenediamine

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

*N,N*-Di-tert- 4062-60-6

butylethylenediamine

# SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H227 COMBUSTIBLE LIQUID.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT

TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.1 REVISION DATE: 01/27/2017*