# Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: <u>sales@chemimpex.com</u> Web site: <u>www.chemimpex.com</u>

**Shipping and Correspondence:** Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 41186

NAME: Ytterbium(III) Isopropoxide

SYNONYMS: Tris(tetramethylcyclopentadienyl)lanthanum

24 HOUR EMERGENCY

(800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

## GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE SOLIDS (CATEGORY 1), H228 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD **DANGER** 

#### **HAZARD STATEMENT(S)**

FLAMMABLE SOLID.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

#### PRECAUTIONARY STATEMENT(S)

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO

SMOKING.

P240 GROUND/BOND CONTAINER AND RECEIVING EOUIPMENT.

P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING

EOUIPMENT.

P260 DO NOT BREATHE DUST OR MIST.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING. P301 + P330 + P331 P303 + P361 + P353

IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.

IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN P304 + P340 + P310

A POSITION COMFORTABLE FOR BREATHING, IMMEDIATELY CALL

A POISON CENTER OR DOCTOR/PHYSICIAN.

P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

P310 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO

DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON

CENTER/DOCTOR.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-P370 + P378

RESISTANT FOAM FOR EXTINCTION.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT

REACTS VIOLENTLY WITH WATER. **OTHERWISE** 

CLASSIFIED (HNOC) OR NOT

**COVERED BY GHS** 

#### SECTION 3. **COMPOSITION/INFORMATION ON INGREDIENTS**

MF:  $C_9H_{21}O_3Yb$ 

MW: 350.32

6742-69-4 CAS-NO.

PURITY:  $\geq$  98% (Assay by titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Ytterbium(III) Isopropoxide		
	FLAM. SOL. 1; SKIN CORR. 1B; EYE DAM. 1; H228, H314, H318	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

### DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE MOVE OUT OF

DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN TAKE OFF CONTAMINATED CLOTHING AND SHOES

CONTACT IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

**CONTACT** LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT

TO HOSPITAL.

**IF SWALLOWED** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH

WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS

**SYMPTOMS AND** ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

EFFECTS, BOTH ACUTE AND/OR IN SECTION 11

AND DELAYED

INDICATION OF ANY NO DATA AVAILABLE IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT NEEDED

### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS** CARBON OXIDES, YTTERBIUM OXIDES

ARISING FROM THE SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** NO DATA AVAILABLE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUSTPRECAUTIONS,FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS.PROTECTIVE EQUIPMENTENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES

AND EMERGENCY OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS.

AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**PRECAUTIONS** SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND THEN
MATERIALS FOR COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM
CONTAINMENT AND

CONTAINMENT AND
CLEANING UP
CLEANING UP
CLEANING UP
CLEANING UP
CONTAINER FOR DISPOSAL ACCORDING TO LOCAL
REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL. CONTAIN SPILLAGE, PICK UP WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND TRANSFER TO A CONTAINER FOR DISPOSAL ACCORDING TO LOCAL

REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

**PROCEDURES** 

### SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE** AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE

FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-

VENTILATED PLACE.

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES.

WASH AND DRY HANDS.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME

RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE

OF PROTECTIVE EQUIPMENT MUST BE SELECTED

ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

**RESPIRATORY** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING

**PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE

RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143)

RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL

ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White to off-white crystal ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE

MELTING 349 °C (dec.)

POINT/FREEZING POINT

BOILING POINT 190 - 200 °C / 0.2mm

FLASH POINT

EVAPOURATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE SUBSTANCE OR MIXTURE IS A FLAMMABLE SOLID

GAS) WITH THE CATEGORY 1. UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES NO DATA AVAILABLE

### OTHER SAFETY INFORMATION

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF

**HAZARDOUS REACTIONS** 

NO DATA AVAILABLE

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

INCOMPATIBLE

**MATERIALS** 

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES, YTTERBIUM OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE

SENSITISATION

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

ACGIH: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NTP: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA,

**VOMITING** 

## **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

**RESULTS OF PBT AND VPVB** PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL

ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

## **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S.

(Ytterbium(III) Isopropoxide)

UN NUMBER: 2925 CLASS: 4.1 (8) PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S.

(Ytterbium(III) Isopropoxide)

UN NUMBER: 2925 CLASS: 4.1 (8) PACKING GROUP: II EMS-NO: F-A, S-G

**IATA** 

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S.

(Ytterbium(III) Isopropoxide)

UN NUMBER: 2925 CLASS: 4.1 (8) PACKING GROUP: II

## SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

Ytterbium(III) Isopropoxide 6742-69-4

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

Ytterbium(III) Isopropoxide 6742-69-4

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH, OR ANY OTHER REPRODUCTIVE DEFECTS.

## SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H228 FLAMMABLE SOLID.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.2 REVISION DATE: 07/01/2020*