# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	41446
NAME:	( <i>R</i> )-(-)-3-Hydroxytetrahydrofuran
SYNONYMS:	(R)-(-)-Tetrahydro-3-furanol
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

## SECTION 2. HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)** FLAMMABLE LIQUIDS (CATEGORY 4), H227 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



## HAZARD STATEMENT(S)

H227	COMBUSTIBLE LIQUID.	
H315	CAUSES SKIN IRRITATION.	
H319	CAUSES SERIOUS EYE IRRITATION.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	

## **PRECAUTIONARY STATEMENT(S)**

I KECAU HUMANI SIA	
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES. NO SMOKING.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON
	CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
	ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR
	ALCOHOL-RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
	TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C_4H_8O_2}$
-----	----------------------

MW: 88.11

CAS-NO. 86087-24-3

PURITY:  $\geq 97\%$  (GC)

COMPONENT	CLASSIFICATION	CONCENTRATION
(R)-(-)-3-Hydroxytetrah	ydrofuran	
	FLAM. LIQ. 4; SKIN IRRIT. 2;	<= 100%
	EYE IRRIT. 2A; STOT SE 3;	
	H227, H315, H319, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKINWASH OFF WITH SOAP AND PLENTY OF WATER.CONTACTCONSULT A PHYSICIAN.

IN CASE OF EYERINSE THOROUGHLY WITH PLENTY OF WATER FOR ATCONTACTLEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANTTHE MOST IMPORTANT KNOWN SYMPTOMS ANDSYMPTOMS ANDEFFECTS ARE DESCRIBED IN THE LABELLING (SEEEFFECTS, BOTH ACUTESECTION 2.2) AND/OR IN SECTION 11.AND DELAYEDSECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANYNO DATA AVAILABLEIMMEDIATE MEDICAL

## SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPORS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPORS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH NON- COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

## SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. Store at 2 - 8 °C
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **CONTROL PARAMETERS**

## **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY<br/>HANDS.

BODY PROTECTION	IMPERVIOUS CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
PROTECTION	<b>RESPIRATORS ARE APPROPRIATE USE A FULLFACE</b>
	RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US)
	OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS
	A BACKUP TO ENGINEERING CONTROLS. IF THE
	RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE
	A FULL-FACE SUPPLIED AIR RESPIRATOR. USE
	RESPIRATORS AND COMPONENTS TESTED AND
	APPROVED UNDER APPROPRIATE GOVERNMENT
	STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO
ENVIRONMENTAL	DO SO. DO NOT LET PRODUCT ENTER DRAINS.
EXPOSURE	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to pale yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	181 °C (Lit.)
AND BOILING RANGE	
FLASH POINT	82 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.09 g/mL at 25 °C (Lit.)
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

## SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, ACID CHLORIDES, ACID ANHYDRIDES
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE **SENSITISATION** 

GERM CELL MUTAGENICITY	NO DATA AVAILABLE
<b>CARCINOGENICITY</b> IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS
ACGIH:	IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL
NTP:	CARCINOGEN BY ACGIH. NO COMPONENT OF THIS PRODUCT PRESENT AT
OSHA:	LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE

<b>RESULTS OF PBT AND</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS
VPVB ASSESSMENT	CHEMICAL SAFETY ASSESSMENT NOT
	REQUIRED/NOT CONDUCTED.

**OTHER ADVERSE EFFECTS** NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PACKAGING

PRODUCT	THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
CONTAMINATED	DISPOSE OF AS UNUSED PRODUCT.

## SECTION 14. TRANSPORT INFORMATION

<b>DOT (US)</b> PROPER SHIPPING NAME:	COMBUSTIBLE LIQUID, N.O.S. (( <i>R</i> )-(-)-3- Hydroxytetrahydrofuran)
NA-NUMBER:	1993
CLASS:	NONE
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	NOT DANGEROUS GOODS
ІАТА	NOT DANGEROUS GOODS
IAIA	NOT DANGEROUS GOODS

## SECTION 15. REGULATORY INFORMATION

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

## **SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

#### SARA 311/312 HAZARDS FIRE HAZARD

## **MASSACHUSETTS RIGHT TO KNOW COMPONENTS** NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CA 86 trohudrofuron

CAS-NO. 86087-24-3 **REVISION DATE** 

(*R*)-(-)-3-Hydroxytetrahydrofuran

## NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-

(*R*)-(-)-3-Hydroxytetrahydrofuran CAS-NO. 86087-24-3

**REVISION DATE** 

## CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

## SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H227	COMBUSTIBLE LIQUID.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND		
MW:	MOLECULAR WEIGHT	
MF:	MOLECULAR FORMULA	
VOC:	VOLATILE ORGANIC COMPOUNDS	
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL	
	HYGINISTS	
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER	
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION	
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)	
TLV:	THRESHOLD LIMIT VALUE (ACGIH)	
IMPORTANT:		
THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST		
INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF		
MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT		
TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE.		

USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

*REVISION DATE: 01/27/2017*