Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	41455
NAME:	(S)-(+)-Tetrahydrofurfurylamine
SYNONYMS:	(S)-(+)-2-(Aminomethyl)tetrahydrofuran
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA)
	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 SKIN IRRITATION (CATEGORY 2), H315

EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

H226	FLAMMABLE LIQUID AND VAPOUR.	
H315	CAUSES SKIN IRRITATION.	
H319	CAUSES SERIOUS EYE IRRITATION.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	

PRECAUTIONARY STATEMENT(S)

P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES. NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
	LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC
	DISCHARGE.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/
	SHOWER.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON
	CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
	ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR
	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
	TIGHTLY CLOSED.

P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOTNONEOTHERWISECLASSIFIED (HNOC)OR NOT COVEREDBY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	C ₅ H ₁₁ NO
MW:	101.15
CAS-NO.	7175-81-7
PURITY:	≥ 96.5% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
(S)-(+)-Tetrahydrofurfur	ylamine	
	FLAM. LIQ. 3; SKIN IRRIT. 2;	<= 100 %
	EYE IRRIT. 2A; STOT SE 3;	
	H226, H315, H319, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA DRY POWDER DRY SAND
	UNSUITABLE EXTINGUISHING MEDIA DO NOT USE WATER JET.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX)
ADVICE FOR FIREFIGHTERS	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
PRECAUTIONS,	BREATHING VAPOURS, MIST OR GAS. ENSURE
PROTECTIVE	ADEQUATE VENTILATION. REMOVE ALL SOURCES OF
EQUIPMENT AND	IGNITION. EVACUATE PERSONNEL TO SAFE AREAS.
EMERGENCY	BEWARE OF VAPOURS ACCUMULATING TO FORM
PROCEDURES	EXPLOSIVE CONCENTRATIONS. VAPOURS CAN
	ACCUMULATE IN LOW AREAS.
	FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH NON- COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.
SPECIFIC END USE(S)	Store at 2 - 8 °C APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER
USE IN ACCORDANCE WITH APPLICABLE LAWS AND
GOOD LABORATORY PRACTICES. WASH AND DRY
HANDS.
- BODY PROTECTIONIMPERVIOUS CLOTHING, FLAME RETARDANT
ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF
PROTECTIVE EQUIPMENT MUST BE SELECTED
ACCORDING TO THE CONCENTRATION AND AMOUNT
OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.
- RESPIRATORY
PROTECTIONWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
RESPIRATORS ARE APPROPRIATE USE A FULL-FACE
RESPIRATOR WITH MULTIPURPOSE COMBINATION (US)
OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS
A BACKUP TO ENGINEERING CONTROLS. IF THE
RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE
A FULL-FACE SUPPLIED AIR RESPIRATOR. USE
RESPIRATORS AND COMPONENTS TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT
STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO
ENVIRONMENTAL	DO SO. DO NOT LET PRODUCT ENTER DRAINS.
EXPOSURE	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to pale yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	55 °C / 18 mmHg (Lit.)
AND BOILING RANGE	
FLASH POINT	46 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY RELATIVE DENSITY	NO DATA AVAILABLE 0.98 g/mL at 25 °C (Lit.)
WATER SOLUBILITY PARTITION COEFFICIENT:	NO DATA AVAILABLE NO DATA AVAILABLE
N- OCTANOL/WATER AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY EXPLOSIVE PROPERTIES	NO DATA AVAILABLE NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS
INCOMPATIBLE MATERIALS	NO DATA AVAILABLE
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, NITROGEN OXIDES (NOX) OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC: NTP: OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT
	LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF THIS SUBSTANCE HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. BURN IN A
CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. CONTACT A LICENSED PROFESSIONAL
WASTE DISPOSAL SERVICE TO DISPOSE OF THIS
MATERIAL.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	TETRAHYDROFURFURYLAMINE
UN NUMBER:	2943
CLASS:	3
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	

POISON INHALATION HAZARD:	NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	TETRAHYDROFURFURYLAMINE 2943 3 III F-E, S-D
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	TETRAHYDROFURFURYLAMINE 2943 3 III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MA THE REPORTING REQUIREM SECTION 302.	
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT COMPONENTS WITH KNOW EXCEED THE THRESHOLD (LEVELS ESTABLISHED BY S	N CAS NUMBERS THAT
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEAI	LTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.		
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
(S)-(+)-Tetrahydrofurfurylamine	7175-81- 7	
NEW JERSEY RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
(S)-(+)-Tetrahydrofurfurylamine	7175-81- 7	

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMEN	NTS REFERRED TO UNDER SECTIONS 2 AND 3.
H226	FLAMMABLE LIQUID AND VAPOUR.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH
	ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	
THE INFORMATION ABOVE IS B	ELIEVED TO BE ACCURATE AND REPRESENTS THE
	Y AVAILABLE TO US. HOWEVER, WE MAKE NO
WARRANTY OF MERCHANTABII	LITY OR ANY OTHER WARRANTY, EXPRESS OR
	LITY OK ANY OTHER WARRANTY, EXPRESS OR

WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017