# Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: <u>sales@chemimpex.com</u> Web site: <u>www.chemimpex.com</u>

**Shipping and Correspondence:** Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 41480

NAME: Trimethylene oxide

SYNONYMS: 1,3-Epoxypropane

1,3-Propylene oxide Cyclooxabutane Oxacyclobutane

24 HOUR EMERGENCY

(800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

## **SECTION 2. HAZARDS IDENTIFICATION**

## CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

## GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS



SIGNAL WORD DANGER

## **HAZARD STATEMENT(S)**

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR. H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED.

## PRECAUTIONARY STATEMENT(S)

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES.
NO SMOKING.
KEEP CONTAINER TIGHTLY CLOSED.
GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING
EQUIPMENT.
USE ONLY NON-SPARKING TOOLS.
TAKE PRECAUTIONARY MEASURES AGAINST STATIC
DISCHARGE.

P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL
--

UNWELL. RINSE MOUTH.

P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL

CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.

P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON

CENTER/DOCTOR IF YOU FEEL UNWELL.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-

RESISTANT FOAM TO EXTINGUISH.

P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY

**GHS** 

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_3H_6O$ 

MW: 58.08

CAS-NO. 503-30-0

PURITY:  $\geq$  98% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Trimethylene oxide		
	FLAM. LIQ. 2; ACUTE TOX. 4; H225, H302, H332, H312	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## **SECTION 4. FIRST-AID MEASURES**

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT IF INHALED

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A

CONTACT PHYSICIAN.

IN CASE OF EYE FLUSH EYES WITH WATER AS A PRECAUTION.

CONTACT

AND DELAYED

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH

WITH WATER. CONSULT A PHYSICIAN.

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS MOST IMPORTANT

SYMPTOMS AND ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

EFFECTS, BOTH ACUTE AND/OR IN SECTION 11

INDICATION OF ANY NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL

TREATMENT NEEDED

#### SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

**EXTINGUISHING MEDIA** DRY POWDER DRY SAND

UNSUITABLE EXTINGUISHING MEDIA

DO NOT USE WATER JET.

**CARBON OXIDES** 

SPECIAL HAZARDS ARISING FROM THE

ADVICE FOR

SUBSTANCE OR MIXTURE

WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID

**PRECAUTIONS,** BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE **PROTECTIVE EQUIPMENT** VENTILATION. REMOVE ALL SOURCES OF IGNITION.

AND EMERGENCY EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF

**PROCEDURES** VAPOURS ACCUMULATING TO FORM EXPLOSIVE

CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW

AREAS

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**PRECAUTIONS** SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND CONTAIN SPILLAGE, AND THEN COLLECT WITH NON-

MATERIALS FORCOMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND,CONTAINMENT ANDEARTH, DIATOMACEOUS EARTH, VERMICULITE) ANDCLEANING UPPLACE IN CONTAINER FOR DISPOSAL ACCORDING TO

LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

## SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO

PREVENT LEAKAGE.

HYGROSCOPIC STORE UNDER INERT GAS. AIR SENSITIVE.

Store at 2 - 8 °C

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

#### EXPOSURE CONTROLS/PERSONAL PROTECTION **SECTION 8.**

#### CONTROL PARAMETERS

## COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

## **EXPOSURE CONTROLS**

**APPROPRIATE** 

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL ENGINEERING CONTROLS HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

## PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** 

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

#### SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

SPLASH CONTACT

MATERIAL: BUTYL-RUBBER

MINIMUM LAYER THICKNESS: 0.3 MM

BREAK THROUGH TIME: 10 MIN

MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING

AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

#### **BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE AXBEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear colorless liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT

BOILING POINT 50 °C (Lit.) FLASH POINT -20 °C

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE
VAPOUR DENSITY
RELATIVE DENSITY
WATER SOLUBILITY
PARTITION COEFFICIENT:
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

## OTHER SAFETY INFORMATION

NO DATA AVAILABLE

## SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF** VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

**HAZARDOUS REACTIONS** 

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

INCOMPATIBLE OXIDIZING AGENTS, STRONG ACIDS

MATERIALS

HAZARDOUS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER

**DECOMPOSITION** FIRE CONDITIONS. - CARBON OXIDES

**PRODUCTS** OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY **ABSORPTION** 

INHALATION: ABSORPTION

DERMAL: NO DATA AVAILABLE

LD50 SUBCUTANEOUS - RAT - 500 MG/KG

SKIN NO DATA AVAILABLE

**CORROSION/IRRITATION** 

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN SENSITISATION

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE MUTAGENICITY

**CARCINOGENICITY** 

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS IARC:

> GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN **TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE ADDITIONAL INFORMATION

RTECS: RQ6825000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

#### SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

## SECTION 13. DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS

MATERIAL IS HIGHLY FLAMMABLE. CONTACT A

LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO

DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

## **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (Trimethylene oxide)

UN NUMBER: 19 CLASS: 3 PACKING GROUP: II

REPORTABLE QUANTITY

(RO)

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (Trimethylene oxide)

UN NUMBER: 1993
CLASS: 3
PACKING GROUP: II
EMS-NO: F-E, S-E

**IATA** 

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (Trimethylene oxide)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: II

### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD, ACUTE HEALTH HAZARD

## MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

Trimethylene oxide 503-30-0

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

Trimethylene oxide 503-30-0

## **SECTION 16. OTHER INFORMATION**

## FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR. H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED.

#### MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.2 REVISION DATE: 07/01/2020*