# Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: <u>sales@chemimpex.com</u> Web site: <u>www.chemimpex.com</u>

**Shipping and Correspondence:** Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 41482

NAME: 3,3-Dimethyloxetane

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

# GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 



SIGNAL WORD **DANGER** 

#### **HAZARD STATEMENT(S)**

HIGHLY FLAMMABLE LIQUID AND VAPOUR.

H302 + H312 + H332HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED.

#### PRECAUTIONARY STATEMENT(S)

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING. P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING P241 EOUIPMENT. USE ONLY NON-SPARKING TOOLS. P242 P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY. P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P270 DO NOT EAT. DRINK OR SMOKE WHEN USING THIS PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE P280

PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL

UNWELL. RINSE MOUTH.

P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL

CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.

P304 + P340 + P312IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING, CALL A POISON

CENTER/DOCTOR IF YOU FEEL UNWELL.

WASH CONTAMINATED CLOTHING BEFORE REUSE. P363

P370 + P378IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-

RESISTANT FOAM TO EXTINGUISH.

P403 + P235STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

**CLASSIFIED (HNOC)** OR NOT COVERED BY

**GHS** 

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_5H_{10}O$ 

MW: 86.13 CAS-NO. 6921-35-3

PURITY:  $\geq 97.5\%$  (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
3,3-Dimethyloxetane		
	FLAM. LIQ. 2; ACUTE TOX. 4; H225, H302, H332, H312	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## **SECTION 4. FIRST-AID MEASURES**

#### DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A

**CONTACT** PHYSICIAN.

IN CASE OF EYE FLUSH EYES WITH WATER AS A PRECAUTION.

CONTACT

AND DELAYED

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH

WITH WATER. CONSULT A PHYSICIAN.

 MOST IMPORTANT
 THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS

**SYMPTOMS AND** ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

**EFFECTS, BOTH ACUTE** AND/OR IN SECTION 11

INDICATION OF ANY

NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

**EXTINGUISHING MEDIA** DRY POWDER DRY SAND

UNSUITABLE EXTINGUISHING MEDIA

DO NOT USE WATER JET.

SPECIAL HAZARDSCARBON OXIDESARISING FROM THECOMBUSTIBLE.

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID

PRECAUTIONS, BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE
PROTECTIVE EQUIPMENT VENTILATION. REMOVE ALL SOURCES OF IGNITION.
AND EMERGENCY EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF

PROCEDURES VAPOURS ACCUMULATING TO FORM EXPLOSIVE

CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW

AREAS

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**PRECAUTIONS** SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS ANDCONTAIN SPILLAGE, AND THEN COLLECT WITH NON-MATERIALS FORCOMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND,CONTAINMENT ANDEARTH, DIATOMACEOUS EARTH, VERMICULITE) ANDCLEANING UPPLACE IN CONTAINER FOR DISPOSAL ACCORDING TO

LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

USE EXPLOSION-PROOF EQUIPMENT.ADVICE ON

PROTECTION AGAINST FIRE AND EXPLOSION KEEP AWAY

FROM SOURCES OF IGNITION - NO SMOKING.TAKE

MEASURES TO PREVENT THE BUILD UP OF

ELECTROSTATIC CHARGE.

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO

PREVENT LEAKAGE.

Store at RT

APART FROM THE USES MENTIONED IN SECTION 1.2 NO SPECIFIC END USE(S)

OTHER SPECIFIC USES ARE STIPULATED.

#### **SECTION 8.** EXPOSURE CONTROLS/PERSONAL PROTECTION

# CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### EXPOSURE CONTROLS

APPROPRIATE

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL ENGINEERING CONTROLS HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EOUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR

EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

> PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

**BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS,

> FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORY **PROTECTION** 

RESPIRATORS ARE APPROPRIATE USE A FULLFACE

RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION. USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE** 

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

#### **SECTION 9.** PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Liquid

NO DATA AVAILABLE **ODOUR** ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT

**BOILING POINT** 81 °C / 765 mmHg (Lit.)

FLASH POINT -9 °C

**EVAPOURATION RATE** NO DATA AVAILABLE NO DATA AVAILABLE FLAMMABILITY (SOLID,

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

NO DATA AVAILABLE VAPOUR PRESSURE VAPOUR DENSITY NO DATA AVAILABLE RELATIVE DENSITY 0.835 g/mL at 25 °C (Lit.) WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

**AUTO-IGNITION** NO DATA AVAILABLE

**TEMPERATURE** 

**DECOMPOSITION** NO DATA AVAILABLE

**TEMPERATURE** 

NO DATA AVAILABLE VISCOSITY

EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

# OTHER SAFETY INFORMATION

NO DATA AVAILABLE

## SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF** VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

HAZARDOUS REACTIONS

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

**INCOMPATIBLE** STRONG OXIDIZING AGENTS

**MATERIALS** 

**HAZARDOUS** IN THE EVENT OF FIRE: SEE SECTION 5

DECOMPOSITION PRODUCTS

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

LC50 INHALATION - 4 H - 11 MG/L (ACUTE TOXICITY ESTIMATE)

LD50 DERMAL - 1,100 MG/KG

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE

SENSITISATION

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: TZ3150000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

# **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

# OTHER ADVERSE EFFECTS NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS

MATERIAL IS HIGHLY FLAMMABLE. CONTACT A

LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO

DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

# **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (3,3-Dimethyloxetane)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (3,3-Dimethyloxetane)

UN NUMBER: 1993
CLASS: 3
PACKING GROUP: II
EMS-NO: F-E, S-E

**IATA** 

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (3,3-Dimethyloxetane)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: II

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

3,3-Dimethyloxetane 6921-35-3

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

3,3-Dimethyloxetane 6921-35-3

# SECTION 16. OTHER INFORMATION

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.

H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE

INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.2 REVISION DATE: 07/01/2020*