

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	42018
NAME:	<i>N</i> -Ethyl- <i>o</i> -toluidine
SYNONYMS:	2-(Ethylamino)toluene <i>N</i> -Ethyl-2-aminotoluene <i>N</i> -Ethyl-2-methylaniline
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 4), H227  
ACUTE TOXICITY, ORAL (CATEGORY 3), H301  
ACUTE TOXICITY, INHALATION (CATEGORY 3), H331

ACUTE TOXICITY, DERMAL (CATEGORY 3), H311  
SKIN IRRITATION (CATEGORY 2), H315  
EYE IRRITATION (CATEGORY 2A), H319  
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),  
RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE  
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H227 COMBUSTIBLE LIQUID.  
H301 + H311 + H331 TOXIC IF SWALLOWED, IN CONTACT WITH SKIN OR IF  
INHALED.  
H315 CAUSES SKIN IRRITATION.  
H319 CAUSES SERIOUS EYE IRRITATION.  
H335 MAY CAUSE RESPIRATORY IRRITATION.

**PRECAUTIONARY STATEMENT(S)**

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT  
SURFACES. NO SMOKING.  
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/  
SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS  
PRODUCT.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE  
PROTECTION/ FACE PROTECTION.  
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON  
CENTER/DOCTOR. RINSE MOUTH.  
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.  
P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF WATER. CALL A POISON  
CENTER/DOCTOR IF YOU FEEL UNWELL.  
P304 + P340 + P311 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP  
COMFORTABLE FOR BREATHING. CALL A POISON  
CENTER/DOCTOR.  
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL  
MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND  
EASY TO DO. CONTINUE RINSING.  
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/  
ATTENTION.  
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/  
ATTENTION.  
P361 REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED  
CLOTHING.  
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR  
ALCOHOL-RESISTANT FOAM TO EXTINGUISH.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.  
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF: C<sub>9</sub>H<sub>13</sub>N  
MW: 135.21  
CAS-NO. 94-68-8  
PURITY: ≥ 96.5% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<i>N</i> -Ethyl- <i>o</i> -toluidine		
	FLAM. LIQ. 4; ACUTE TOX. 3; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; H227, H301, H331, H311, H315, H319, H335	≤ 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

<b>IN CASE OF SKIN CONTACT</b>	WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

### **EXTINGUISHING MEDIA**

<b>SUITABLE EXTINGUISHING MEDIA</b>	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
-------------------------------------	--

<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	CARBON OXIDES, NITROGEN OXIDES (NOX) COMBUSTIBLE.
--	---

<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
--------------------------------	--

<b>FURTHER INFORMATION</b>	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.
----------------------------	--

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN
--	--

LOW AREAS.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE  
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

CONTAIN SPILLAGE, AND THEN COLLECT WITH AN  
ELECTRICALLY PROTECTED VACUUM CLEANER OR BY  
WETBRUSHING AND PLACE IN CONTAINER FOR  
DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE  
SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS  
FOR DISPOSAL.

**REFERENCE TO OTHER  
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE  
HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID  
INHALATION OF VAPOUR OR MIST.  
KEEP AWAY FROM SOURCES OF IGNITION - NO  
SMOKING. TAKE MEASURES TO PREVENT THE BUILD  
UP OF ELECTROSTATIC CHARGE.  
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE  
STORAGE, INCLUDING  
ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND  
WELL-VENTILATED PLACE. CONTAINERS WHICH ARE  
OPENED MUST BE CAREFULLY RESEALED AND KEPT  
UPRIGHT TO PREVENT LEAKAGE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2  
NO OTHER SPECIFIC USES ARE STIPULATED

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

**EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS**      AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION**      FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**      HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**BODY PROTECTION**      COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**      WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**      PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

**SECTION 9.      PHYSICAL AND CHEMICAL PROPERTIES**

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Colorless, orange or purple liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	218 °C (Lit.)
FLASH POINT	88 °C
EVAPORATION RATE	NO DATA AVAILABLE

FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.938 g/mL at 25 °C (Lit.)
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**

NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT, FLAMES AND SPARKS.
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES, NITROGEN OXIDES (NOX) OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	NO DATA AVAILABLE
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE



**ADDITIONAL  
INFORMATION**

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,  
PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE  
NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	NO DATA AVAILABLE

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: N-ETHYLTOLUIDINES  
 UN NUMBER: 2754  
 CLASS: 6.1  
 PACKING GROUP: II  
 REPORTABLE QUANTITY  
 (RQ):  
 POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: N-ETHYLTOLUIDINES  
 UN NUMBER: 2754  
 CLASS: 6.1  
 PACKING GROUP: II  
 EMS-NO: F-A, S-A

**IATA**

PROPER SHIPPING NAME: N-ETHYLTOLUIDINES  
 UN NUMBER: 2754  
 CLASS: 6.1  
 PACKING GROUP: II

**SECTION 15. REGULATORY INFORMATION**

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD, ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
<i>N</i> -Ethyl- <i>o</i> -toluidine	94-68-8	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
<i>N</i> -Ethyl- <i>o</i> -toluidine	94-68-8	

**CALIFORNIA PROP. 65 COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

---

## SECTION 16. OTHER INFORMATION

---

### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H227	COMBUSTIBLE LIQUID.
H301 + H311 + H331	TOXIC IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.

### MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.2

REVISION DATE: 07/01/2020