# Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: <u>sales@chemimpex.com</u> Web site: <u>www.chemimpex.com</u>

**Shipping and Correspondence:** Manufacturing site: 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 42824

NAME: 2-(Trimethylsilyloxy)furan

SYNONYMS: (2-Furanyloxy)trimethylsilane

24 HOUR EMERGENCY

(800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

# GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 



SIGNAL WORD

# **HAZARD STATEMENT(S)**

H225	HIGHLY FLAMMABLE LIOUID AND VAPOUR
11443	THORIE I LAWINABLE LIQUID AND VALOUR

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)		
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES	
	NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING	
	EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.	
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.	
P264	WASH THOROUGHLY AFTER HANDLING.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE	
	PROTECTION.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL	
	CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.	
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP	
	COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR	
	IF YOU FEEL UNWELL.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO	
	DO. CONTINUE RINSING.	
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.	
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.	
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.	

IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-P370 + P378RESISTANT FOAM TO EXTINGUISH.

P403 + P233STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY

CLOSED.

P403 + P235STORE IN A WELL-VENTILATED PLACE, KEEP COOL

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

**HAZARDS NOT** NONE

**OTHERWISE** CLASSIFIED (HNOC) OR NOT **COVERED BY GHS** 

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_7H_{12}O_2Si$ 

MW: 156.26

CAS-NO. 61550-02-5

PURITY:  $\geq 96\%$  (GC)

### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION		
2-(Trimethylsilyloxy)furan				
	FLAM. LIQ. 2; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; H225, H315, H319, H335	<= 100 %		

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

EERST 13 MILLOTESTIND CONSCENTITIONIN.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH

WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND

SYMPTOMS AND EFFECTS ROTH ACUTE

EFFECTS, BOTH ACUTE AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL

NO DATA AVAILABLE

# ATTENTION AND SPECIAL TREATMENT NEEDED

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS** CARBON OXIDES, SILICON OXIDES

ARISING FROM THE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID **PRECAUTIONS,** BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE

PROTECTIVE EQUIPMENT
AND EMERGENCY
PROCEDURES

VENTILATION. REMOVE ALL SOURCES OF IGNITION.
EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF
VAPOURS ACCUMULATING TO FORM EXPLOSIVE

CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW

AREAS.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**PRECAUTIONS** SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS ANDCONTAIN SPILLAGE, AND THEN COLLECT WITH ANMATERIALS FORELECTRICALLY PROTECTED VACUUM CLEANER OR BYCONTAINMENT ANDWETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL

CLEANING UP ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO

PREVENT LEAKAGE.

STORE UNDER INERT GAS. MOISTURE SENSITIVE. AIR AND

MOISTURE SENSITIVE.

Store at 2 - 8 °C

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

# **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** 

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

**BODY PROTECTION** IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC

PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS

SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE

SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH

(US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL

ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to light orange to yellow clear liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

**MELTING** 

POINT/FREEZING POINT

BOILING POINT 50 °C/17 mmHg

FLASH POINT 18 °C

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 0.95

WATER SOLUBILITY NO DATA AVAILABLE

PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

### OTHER SAFETY INFORMATION

NO DATA AVAILABLE

## SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF** VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

**HAZARDOUS REACTIONS** 

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

INCOMPATIBLE STRONG OXIDIZING AGENTS

**MATERIALS** 

HAZARDOUSOTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLEDECOMPOSITIONHAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER

**PRODUCTS** FIRE CONDITIONS. - CARBON OXIDES, SILICON OXIDES

IN THE EVENT OF FIRE: SEE SECTION 5

### SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY** NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE

DAMAGE/EYE IRRITATION

NO DATA AVAILABLE

**RESPIRATORY OR SKIN** 

SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

**CARCINOGENICITY** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

**EXPOSURE** 

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE

OF THIS MATERIAL.

CONTAMINATED

**PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

# SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2-(Trimethylsilyloxy)furan)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2-(Trimethylsilyloxy)furan)

UN NUMBER: 1993
CLASS: 3
PACKING GROUP: II
EMS-NO: F-E, S-E

**IATA** 

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S. (2-(Trimethylsilyloxy)furan)

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: II

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

#### MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

2-(Trimethylsilyloxy)furan 61550-02-5

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

2-(Trimethylsilyloxy)furan 61550-02-5

# **CALIFORNIA PROP. 65 COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE <u>IRRITATION</u>
H335 MAY CAUSE RESPIRATORY IRRITATION.

#### MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

# IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020