# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	43838
NAME:	1-Methylpyrrolidine
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 2), H225 ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 SKIN CORROSION (CATEGORY 1A), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

# SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



## HAZARD STATEMENT(S)

H225	HIGHLY FLAMMABLE LIQUID AND VAPOR.
H301	TOXIC IF SWALLOWED.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H332	HARMFUL IF INHALED.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

#### PRECAUTIONARY STATEMENT(S)

recautionari statement(s)		
P210	KEEP AWAY FROM HEAT/ SPARKS/ OPEN FLAMES/ HOT	
	SURFACES. NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/	
	LIGHTING/ EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC	
	DISCHARGE.	
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPORS/	
	SPRAY.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS	
	PRODUCT.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P273	AVOID RELEASE TO THE ENVIRONMENT.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE	
	PROTECTION/ FACE PROTECTION.	
P301 + P310 + P330	IF SWALLOWED: IMMEDIATELY CALL A POISON	
	CENTER/DOCTOR. RINSE MOUTH.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL	
	CONTAMINATED CLOTHING. RINSE SKIN WITH	
	WATER/SHOWER.	
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP	
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A	
	POISON CENTER/DOCTOR.	
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND	
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A	
	POISON CENTER OR DOCTOR/ PHYSICIAN.	
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.	

P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P391	COLLECT SPILLAGE.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE	NONE
OL A COLETED (INIOC)	

CLASSIFIED (HNOC) OR NOT COVERED BY GHS

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C_{5}H_{11}N}$
MW:	85.15
CAS-NO.	120-94-5
PURITY:	≥98% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
1-Methylpyrrolidine		
	FLAM. LIQ. 2; ACUTE TOX. 3;	<= 100 %
	ACUTE TOX. 4; SKIN CORR.	
	1A; EYE DAM. 1; AQUATIC	
	ACUTE 2; AQUATIC CHRONIC	
	2; H225, H301, H332, H314,	
	H318, H401, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA DRY POWDER DRY SAND
	UNSUITABLE EXTINGUISHING MEDIA DO NOT USE WATER JET.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX)
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.
SPECIFIC END USE(S)	Store at 2 - 8 °C APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**CONTROL PARAMETERS** 

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
ENGINEERING	WASH HANDS BEFORE BREAKS AND IMMEDIATELY
CONTROLS	AFTER HANDLING THE PRODUCT.

#### PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY<br/>HANDS.

SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.4 MM BREAK THROUGH TIME: 55 MIN MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS,<br/>FLAME RETARDANT ANTISTATIC PROTECTIVE<br/>CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT<br/>MUST BE SELECTED ACCORDING TO THE<br/>CONCENTRATION AND AMOUNT OF THE DANGEROUS<br/>SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
PROTECTION	<b>RESPIRATORS ARE APPROPRIATE USE A FULLFACE</b>
	RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US)
	OR TYPE AXBEK (EN 14387) RESPIRATOR CARTRIDGES
	AS A BACKUP TO ENGINEERING CONTROLS. IF THE
	RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE
	A FULL-FACE SUPPLIED AIR RESPIRATOR. USE
	RESPIRATORS AND COMPONENTS TESTED AND
	APPROVED UNDER APPROPRIATE GOVERNMENT
	STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO
ENVIRONMENTAL	DO SO. DO NOT LET PRODUCT ENTER DRAINS.
EXPOSURE	DISCHARGE INTO THE ENVIRONMENT MUST BE
	AVOIDED.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

DENSITY

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE	Colorless to slightly yellow clear liquid	
ODOUR	AMINE-LIKE	
ODOUR THRESHOLD	NO DATA AVAILABLE	
PH	12.3 AT 10.2 G/L AT 20 C	
MELTING		
POINT/FREEZING POINT		
INITIAL BOILING POINT	76 °C	
AND BOILING RANGE		
FLASH POINT	3 °C	
EVAPORATION RATE	NO DATA AVAILABLE	
FLAMMABILITY (SOLID,	NO DATA AVAILABLE	
GAS)		
UPPER/LOWER	UPPER EXPLOSION LIMIT: 9.1 %(V)	
FLAMMABILITY OR	LOWER EXPLOSION LIMIT: 1.1 %(V)	
EXPLOSIVE LIMITS		
VAPOUR PRESSURE	107.46 HPA AT 20 C - OECD TEST GUIDELINE 104	
VAPOUR DENSITY	2.94	
RELATIVE DENSITY	0.80	
WATER SOLUBILITY	COMPLETELY MISCIBLE	
PARTITION COEFFICIENT:	LOG POW: 1.1 AT 23 C - OECD TEST GUIDELINE 117 -	
N- OCTANOL/WATER	BIOACCUMULATION IS NOT EXPECTED.	
AUTO-IGNITION	180 C AT 1,013.25 HPA	
TEMPERATURE		
DECOMPOSITION	NO DATA AVAILABLE	
TEMPERATURE		
VISCOSITY	NO DATA AVAILABLE	
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE	
OXIDIZING PROPERTIES	NO DATA AVAILABLE	
OTHER SAFETY INFORMA	ATION	
RELATIVE VAPOUR	2.94	

# SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR.
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.
INCOMPATIBLE MATERIALS	STRONG ACIDS, STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, NITROGEN OXIDES (NOX) OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 280 MG/KG REMARKS: (ECHA)
	LC50 INHALATION - RAT - MALE AND FEMALE - 4 H - 1.1 - 2.5 MG/L (OECD TEST GUIDELINE 403)
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - IN VITRO STUDY RESULT: CORROSIVE (OECD TEST GUIDELINE 435) CAUSES POORLY HEALING WOUNDS

SERIOUS EYE DAMAGE/EYE IRRITATION	EYES RABBIT RESULT: CORROSIVE - 1 H (OECD TEST GUIDELINE 405) CAUSES SERIOUS EYE DAMAGE.
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	AMES TEST ESCHERICHIA COLI/SALMONELLA TYPHIMURIUM RESULT: NEGATIVE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	ACUTE ORAL TOXICITY - IF INGESTED, SEVERE BURNS OF THE MOUTH AND THROAT, AS WELL AS A DANGER OF PERFORATION OF THE OESOPHAGUS AND THE STOMACH.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: UY1420500 TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE
	NOT BEEN THOROUGHLY INVESTIGATED.

# SECTION 12. ECOLOGICAL INFORMATION

# TOXICITY

TOXICITY TO FISH TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	SEMI-STATIC TEST LC50 - DANIO RERIO (ZEBRA FISH) - 46.4 - 100 MG/L - 96 H (OECD TEST GUIDELINE 203) STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - 7.29 MG/L - 48 H
TOXICITY TO ALGAE	STATIC TEST ERC50 - PSEUDOKIRCHNERIELLA SUBCAPITATA (GREEN ALGAE) - 162.69 MG/L - 72 H
TOXICITY TO BACTERIA	STATIC TEST EC10 - PSEUDOKIRCHNERIELLA SUBCAPITATA (GREEN ALGAE) - 69.07 MG/L - 72 H STATIC TEST EC20 - ACTIVATED SLUDGE - > 100 MG/L - 0.5 H
PERSISTENCE AND DEGRAD	ARII ITV
BIODEGRADABILITY	AEROBIC - EXPOSURE TIME 10 D
DioDecidianalization	RESULT: 98 % - READILY BIODEGRADABLE.
	(OECD TEST GUIDELINE 302B)
BIOCHEMICAL OXYGEN	< 2 MG/G
DEMAND (BOD)	REMARKS: (EXTERNAL MSDS)
CHEMICAL OXYGEN	1,880 MG/G
DEMAND (COD)	REMARKS: (EXTERNAL MSDS)
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS<br/>TO A LICENSED DISPOSAL COMPANY. BURN IN A<br/>CHEMICAL INCINERATOR EQUIPPED WITH AN<br/>AFTERBURNER AND SCRUBBER BUT EXERT EXTRA<br/>CARE IN IGNITING AS THIS MATERIAL IS HIGHLY<br/>FLAMMABLE. CONTACT A LICENSED PROFESSIONAL<br/>WASTE DISPOSAL SERVICE TO DISPOSE OF THIS<br/>MATERIAL.

## SECTION 14. TRANSPORT INFORMATION

FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1- Methylpyrrolidine) 3286 3 (6.1, 8) II
NO
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1- Methylpyrrolidine)
3286
3 (6.1, 8)
II
F-E, S-C
YES
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1- Methylpyrrolidine)
3286
3 (6.1, 8)
П

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEALTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS	

	CAS- NO.	<b>REVISION DATE</b>
1-Methylpyrrolidine	120-94-5	04/24/1993
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS- NO.	<b>REVISION DATE</b>
1-Methylpyrrolidine	120-94-5	04/24/1993
NEW JERSEY RIGHT TO KNOW COMPONENTS		
	CAS- NO.	<b>REVISION DATE</b>
1-Methylpyrrolidine	120-94-5	04/24/1993

## SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225	HIGHLY FLAMMABLE LIQUID AND VAPOR.
H301	TOXIC IF SWALLOWED.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H332	HARMFUL IF INHALED.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IL CRORENTE	

#### **IMPORTANT:**

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*REVISION DATE: 09/01/2021*