

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 43919

NAME: Quinoline

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)
TELEPHONE: 352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER (630) 766-2112
SERVICE:

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301
ACUTE TOXICITY, DERMAL (CATEGORY 4), H312
SKIN IRRITATION (CATEGORY 2), H315
EYE IRRITATION (CATEGORY 2A), H319
GERM CELL MUTAGENICITY (CATEGORY 2), H341

CARCINOGENICITY (CATEGORY 1B), H350
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 3), H402
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H301 TOXIC IF SWALLOWED.
H312 HARMFUL IN CONTACT WITH SKIN.
H315 CAUSES SKIN IRRITATION.
H319 CAUSES SERIOUS EYE IRRITATION.
H341 SUSPECTED OF CAUSING GENETIC DEFECTS.
H350 MAY CAUSE CANCER.
H402 HARMFUL TO AQUATIC LIFE.
H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. RINSE MOUTH.
P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF WATER. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P391 COLLECT SPILLAGE.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₉H₇N
MW: 129.16
CAS-NO. 91-22-5
PURITY: ≥ 98% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Quinoline		
	ACUTE TOX. 3; ACUTE TOX. 4; SKIN IRRIT. 2; EYE IRRIT. 2A; MUTA. 2; CARC. 1B; AQUATIC ACUTE 3; AQUATIC CHRONIC 2; H301, H312, H315, H319, H341, H350, H402, H411	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.

IN CASE OF EYE CONTACT RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
-------------------------------------	--

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES NITROGEN OXIDES (NOX) COMBUSTIBLE.
--	--

ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
--------------------------------	--

FURTHER INFORMATION	NO DATA AVAILABLE
----------------------------	-------------------

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
--	--

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
----------------------------------	--

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

SOAK UP WITH INERT ABSORBENT MATERIAL AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

Store at 2 - 8 °C

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Quinoline	91-22-5	TWA	0.001 PPM	USA. WORKPLACE ENVIRONMENTAL EXPOSURE LEVELS (WEEL)
	REMARKS	SKIN		

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
SKIN PROTECTION	<p>HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.</p> <p>FULL CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)</p> <p>SPLASH CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)</p> <p>IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.</p>
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to light yellow to light orange clear liquid
ODOUR	PUNGENT
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	7.3 AT 5 G/L AT 20 C
MELTING POINT/FREEZING POINT	-15 °C
INITIAL BOILING POINT AND BOILING RANGE	238 °C
FLASH POINT	106 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	UPPER EXPLOSION LIMIT: 7 %(V) LOWER EXPLOSION LIMIT: 1.2 %(V)
VAPOUR PRESSURE	0.09 HPA AT 20 C
VAPOUR DENSITY	4.46 - (AIR = 1.0)
RELATIVE DENSITY	1.10
WATER SOLUBILITY	6.11 G/L AT 20 C - SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 2.03 - BIOACCUMULATION IS NOT EXPECTED, (LIT.)
AUTO-IGNITION TEMPERATURE	480 C
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

SURFACE TENSION	45 MN/M AT 20 C
DISSOCIATION CONSTANT	4.9
RELATIVE VAPOR DENSITY	4.46 - (AIR = 1.0)

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
------------	-------------------

CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, STRONG ACIDS
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - MALE AND FEMALE - 262 MG/KG (OECD TEST GUIDELINE 401) SYMPTOMS: NAUSEA, VOMITING, GASTROINTESTINAL DISTURBANCE
	INHALATION: NO DATA AVAILABLE SYMPTOMS: POSSIBLE DAMAGES: MUCOSAL IRRITATIONS
	LD50 DERMAL - RAT - MALE AND FEMALE - 1,377 MG/KG (OECD TEST GUIDELINE 402)
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: IRRITATING - 24 H (DRAIZE TEST) REMARKS: (ECHA)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: SEVERE IRRITATIONS - 24 H REMARKS: (ECHA)
RESPIRATORY OR SKIN SENSITISATION	LOCAL LYMPH NODE ASSAY (LLNA) - MOUSE RESULT: NEGATIVE (OECD TEST GUIDELINE 429)

**GERM CELL
MUTAGENICITY**

SUSPECTED OF CAUSING GENETIC DEFECTS.

TEST TYPE: MUTAGENICITY (MAMMAL CELL TEST):
CHROMOSOME ABERRATION.

TEST SYSTEM: CHINESE HAMSTER OVARY CELLS
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION

RESULT: POSITIVE RESULTS WERE OBTAINED IN
SOME IN VITRO TESTS.

REMARKS: (ECHA)

TEST TYPE: AMES TEST

TEST SYSTEM: SALMONELLA TYPHIMURIUM

METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION

METHOD: MUTAGENICITY (SALMONELLA
TYPHIMURIUM - REVERSE MUTATION ASSAY)

RESULT: POSITIVE RESULTS WERE OBTAINED IN
SOME IN VITRO TESTS.

REMARKS: (ECHA)

TEST TYPE: SISTER CHROMATID EXCHANGE ASSAY

TEST SYSTEM: CHINESE HAMSTER OVARY CELLS

METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION

RESULT: POSITIVE RESULTS WERE OBTAINED IN
SOME IN VITRO TESTS.

REMARKS: (ECHA)

TEST TYPE: IN VITRO MAMMALIAN CELL GENE
MUTATION TEST

TEST SYSTEM: MOUSE LYMPHOMA TEST

METABOLIC ACTIVATION: WITHOUT METABOLIC
ACTIVATION

RESULT: POSITIVE

REMARKS: (ECHA)

TEST TYPE: MICRONUCLEUS TEST

SPECIES: MOUSE

CELL TYPE: BONE MARROW

APPLICATION ROUTE: INTRAPERITONEAL INJECTION

RESULT: POSITIVE

REMARKS: (ECHA)

CARCINOGENICITY

PRESUMED TO HAVE CARCINOGENIC POTENTIAL
FOR HUMANS

IARC: 2B - GROUP 2B: POSSIBLY CARCINOGENIC TO
HUMANS

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A KNOWN OR ANTICIPATED
CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: VA9275000

EFFECTS DUE TO INGESTION MAY INCLUDE: LIVER INJURY MAY OCCUR.
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

AFTER ABSORPTION:

POSSIBLE SYMPTOMS:

FEVER
MUSCLE TWITCHING
DIZZINESS
CONVULSIONS

ABSORPTION MAY RESULT IN DAMAGE OF THE FOLLOWING:

LIVER
KIDNEY
CENTRAL NERVOUS SYSTEM

OTHER DANGEROUS PROPERTIES CAN NOT BE EXCLUDED.

THIS SUBSTANCE SHOULD BE HANDLED WITH PARTICULAR CARE.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH SEMI-STATIC TEST LC50 - POECILIA RETICULATA
(GUPPY) - 29.9 MG/L - 96 H
(OECD TEST GUIDELINE 203)

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY RESULT: 100 % - READILY BIODEGRADABLE.
(OECD TEST GUIDELINE 301D)

BIOACCUMULATIVE POTENTIAL

BIOACCUMULATION CYPRINUS CARPIO (CARP) - 6 WEEKS
AT 25 C - 0.8 MG/L

BIOCONCENTRATION FACTOR (BCF): 1.6 - 2.5
ELIMINATION: YES

MOBILITY IN SOIL

NO DATA AVAILABLE

**RESULTS OF PBT AND
VPVB ASSESSMENT**

PBT/VPVB ASSESSMENT NOT AVAILABLE AS
CHEMICAL SAFETY ASSESSMENT NOT
REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE
EXCLUDED IN THE EVENT OF UNPROFESSIONAL
HANDLING OR DISPOSAL.
TOXIC TO AQUATIC LIFE WITH LONG LASTING
EFFECTS.
DISCHARGE INTO THE ENVIRONMENT MUST BE
AVOIDED.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS**PRODUCT**

CONTACT A LICENSED PROFESSIONAL WASTE
DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
DISSOLVE OR MIX THE MATERIAL WITH A
COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL
INCINERATOR EQUIPPED WITH AN AFTERBURNER AND
SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE
SOLUTIONS TO A LICENSED DISPOSAL COMPANY.

**CONTAMINATED
PACKAGING**

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: QUINOLINE
UN NUMBER: 2656
CLASS: 6.1
PACKING GROUP: III
REPORTABLE QUANTITY (RQ): 5000 LBS
POISON INHALATION HAZARD: NO

IMDG

PROPER SHIPPING NAME: QUINOLINE
UN NUMBER: 2656
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: QUINOLINE
UN NUMBER: 2656
CLASS: 6.1
PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Quinoline	91-22-5	07-01-2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.
H301 TOXIC IF SWALLOWED.

H312	HARMFUL IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H341	SUSPECTED OF CAUSING GENETIC DEFECTS.
H350	MAY CAUSE CANCER.
H402	HARMFUL TO AQUATIC LIFE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.2.

REVISION DATE: 08/20/2021