Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	44093
NAME:	2-Methyl-4-ethylthiazoline
SYNONYMS:	4-Ethyl-2-methylthiazoline
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA)
	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

<u>C 2</u>
· · · · · · · · · · · · · · · · · · ·

SIGNAL WORD

PICTOGRAM

WARNING

HAZARD STATEMENT(S)

H226 FLAMMABLE LIQUID AND VAPOR **PRECAUTIONARY STATEMENT(S)** P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING. P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ P241 LIGHTING EQUIPMENT. P242 USE ONLY NON-SPARKING TOOLS. TAKE PRECAUTIONARY MEASURES AGAINST STATIC P243 DISCHARGE. P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION. P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. IN CASE OF FIRE USE DRY CHEMICAL, DRY SAND OR FOAM P370 + P378

P3/0 + P3/8	IN CASE OF FIRE: USE DRY CHEMICAL, DRY SAND OR FOAT
	TO EXTINGUISH.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT **OTHERWISE** CLASSIFIED (HNOC) **OR NOT COVERED** BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

NONE

MF:	C ₆ H ₁₁ NS
MW:	129.22
CAS-NO.	4293-61-2
PURITY:	\geq 88% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2-Methyl-4-ethylthiazoline		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
IF SWALLOWED	GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL. RINSE MOUTH.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLESUITABLE EXTINGUISHING MEDIA:EXTINGUISHING MEDIADRY CHEMICAL, FOAM, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA: WATER (IT MAY SCATTER AND SPREAD FIRE.)

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES NITROGEN OXIDES SULFUR OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE.
FURTHER INFORMATION	CLOSED CONTAINERS MAY EXPLODE FROM HEAT OF A FIRE. TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES ENVIRONMENTAL	USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-CONTAINED BREATHING APPARATUS). KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON- INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC. PREVENT PRODUCT FROM ENTERING DRAINS.
PRECAUTIONS	TREVENT TRODUCT TROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFEHANDLING IS PERFORMED IN A WELL VENTILATEDHANDLINGPLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT.PREVENT GENERATION OF VAPOUR OR MIST. KEEPAWAY FROM HEAT/SPARKS/OPEN FLAME/HOTSURFACES. -NO SMOKING. TAKE MEASURES TO

PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

CONDITIONS FOR SAFEKEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL,STORAGE, INCLUDINGDARK AND WELL-VENTILATED PLACE.ANY INCOMPATIBILITIESSTORE UNDER INERT GAS.STORE AWAY FROM INCOMPATIBLE MATERIALS SUCHAS OXIDIZING AGENTS.AIR-SENSITIVEAIR-SENSITIVE

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	FOLLOW SAFE INDUSTRIAL
ENGINEERING	ENGINEERING/LABORATORY PRACTICES WHEN
CONTROLS	HANDLING ANY CHEMICAL. INSTALL A CLOSED
	SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY
	SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER
USE IN ACCORDANCE WITH APPLICABLE LAWS AND
GOOD LABORATORY PRACTICES. WASH AND DRY
HANDS.

BODY PROTECTION	IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	VAPOR RESPIRATOR. FOLLOW LOCAL AND NATIONAL REGULATIONS.
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to light orange to yellow clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	57 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.00
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO SPECIAL REACTIVITY HAS BEEN REPORTED.
CONDITIONS TO AVOID	SPARK, OPEN FLAME, STATIC DISCHARGE
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES (NOX), SULFUR OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE **CORROSION/IRRITATION**

SERIOUS EYE NO DATA AVAILABLE **DAMAGE/EYE IRRITATION**

RESPIRATORY OR SKIN NO DATA AVAILABLE SENSITISATION

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

SKIN

IARC: NTP: OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL	RTECS: NOT AVAILABLE
INFORMATION	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	NO DATA AVAILABLE
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. BURN IN A
CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. CONTACT A LICENSED PROFESSIONAL
WASTE DISPOSAL SERVICE TO DISPOSE OF THIS
MATERIAL.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	FLAMMABLE LIQUID, N.O.S (2-Methyl-4-ethylthiazoline) 1993 3 III
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	FLAMMABLE LIQUID, N.O.S (2-Methyl-4-ethylthiazoline) 1993 3 III F-E, S-E
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	FLAMMABLE LIQUID, N.O.S (2-Methyl-4-ethylthiazoline) 1993 3 III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO
	THE REPORTING REQUIREMENTS OF SARA TITLE III,
	SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.
2-Methyl-4-ethylthiazoline	4293-61-
	2

S-NO. 8-61REVISION DATE

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.
2-Methyl-4-ethylthiazoline	4293-61-
	2

REVISION DATE

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H226FLAMMABLE LIQUID AND VAPOR

MSDS LEGEND	
MW [.]	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
Acom.	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH
USHA.	
	ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	
THE INFORMATION ABOVE IS B	ELIEVED TO BE ACCURATE AND REPRESENTS THE
BEST INFORMATION CURRENTI	Y AVAILABLE TO US. HOWEVER, WE MAKE NO
WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR	
IMPLIED. WITH RESPECT TO SU	CH INFORMATION, AND WE ASSUME NO LIABILITY
	RS SHOULD MAKE THEIR OWN INVESTIGATIONS TO
	OF THE INFORMATION FOR THEIR PARTICULAR
	L CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR
	Y OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT,
	OR EXEMPLARY DAMAGES, HOWSOEVER ARISING,
	O OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2.

REVISION DATE: 07/01/2020