# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

•

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	44378
NAME:	10,11-Dihydro-5 <i>H</i> -dibenzo[ $\beta$ , <i>f</i> ]azepine-5-carbonyl chloride
SYNONYMS:	2,2'-Iminodibenzyl-5-carbonyl chloride
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) CORROSIVE TO METALS (CATEGORY 1), H290 SKIN CORROSION/IRRITATION (CATEGORY 1B), H314 EYE DAMAGE/IRRITATION (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

### **GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS**

PICTOGRAM



SIGNAL WORD

DANGER

HAZARD STATEMEN	T(S)
H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
PRECAUTIONARY ST	TATEMENT(S)
P234	KEEP ONLY IN ORIGINAL CONTAINER.
P260	DO NOT BREATHE DUST OR MIST.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE
	VOMITING.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
	CONTAMINATED CLOTHING. RINSE SKIN WITH WATER OR
	SHOWER.
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT
	REST IN A POSITION COMFORTABLE FOR BREATHING.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.

#### P310 IMMEDIATELY CALL A POISON CENTER/DOCTOR. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE. P405 STORE LOCKED UP. STORE IN CORROSIVE RESISTANT STAINLESS STEEL P406

CONTAINER WITH A RESISTANT INNER LINER. P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT MAY DEVELOP PRESSURE **OTHERWISE** CLASSIFIED (HNOC) **OR NOT COVERED** BY GHS

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:

C<sub>15</sub>H<sub>12</sub>ClNO

MW: 257.72 CAS-NO. 33948-19-5

PURITY:  $\geq 98\%$  (HPLC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
10,11-Dihydro-5 <i>H</i> -dibenzo[β,f]azepine-5-carbonyl chloride		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

### SECTION 4. FIRST-AID MEASURES

### DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IF SWALLOWED	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE VOMITING.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	ACUTE: PAIN. REDNESS. THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

## SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA: DRY CHEMICAL, CARBON DIOXIDE.	
	UNSUITABLE EXTINGUISHING MEDIA: WATER	
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES NITROGEN OXIDES HALOGENATED COMPOUNDS	
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE.	
FURTHER INFORMATION	WARNING: HIGHLY TOXIC HCL GAS IS PRODUCED DURING COMBUSTION. TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON- INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
ENVIRONMENTAL PRECAUTIONS	PREVENT PRODUCT FROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SWEEP DUST TO COLLECT IT INTO AN AIRTIGHT CONTAINER, TAKING CARE NOT TO DISPERSE IT. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	HANDLING IS PERFORMED IN A WELL VENTILATED
HANDLING	PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT.
	PREVENT DISPERSION OF DUST. WASH HANDS AND
	FACE THOROUGHLY AFTER HANDLING.
	USE A CLOSED SYSTEM IF POSSIBLE. USE A LOCAL
	EXHAUST IF DUST OR AEROSOL WILL BE GENERATED.
	AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
	MAY DEVELOP PRESSURE. OPEN CAREFULLY. USE
	CORROSIVE RESISTANT EQUIPMENT.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL
STORAGE, INCLUDING	AND DARK PLACE.
ANY INCOMPATIBILITIES	STORE UNDER INERT GAS. PROTECT FROM MOISTURE.
	STORE LOCKED UP.
	STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH
	AS OXIDIZING AGENTS.
	MOISTURE-SENSITIVE
	Store at 2 - 8 °C
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	FOLLOW SAFE INDUSTRIAL
ENGINEERING	ENGINEERING/LABORATORY PRACTICES WHEN
CONTROLS	HANDLING ANY CHEMICAL. INSTALL A CLOSED
	SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY
	SHOWER AND EYE BATH.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS,<br/>FLAME RETARDANT PROTECTIVE CLOTHING, AND THE<br/>TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED<br/>ACCORDING TO THE CONCENTRATION AND AMOUNT<br/>OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC<br/>WORKPLACE.

**RESPIRATORY**DUST RESPIRATOR, SELF-CONTAINED BREATHING**PROTECTION**APPARATUS(SCBA), SUPPLIED AIR RESPIRATOR, ETC.<br/>USE RESPIRATORS APPROVED UNDER APPROPRIATE<br/>GOVERNMENT STANDARDS AND FOLLOW LOCAL AND<br/>NATIONAL REGULATIONS.

CONTROL OFDO NOT LET PRODUCT ENTER DRAINS.ENVIRONMENTALEXPOSURE

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC	PHYSICAL AND CHEMICAL PROPERT
APPEARANCE	White to light yellow powder to crystal
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
РН	NO DATA AVAILABLE
MELTING	120 - 124 °C
POINT/FREEZING POINT	
BOILING POINT	
FLASH POINT	
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
	APPEARANCE ODOUR ODOUR THRESHOLD PH MELTING POINT/FREEZING POINT BOILING POINT FLASH POINT EVAPOURATION RATE FLAMMABILITY (SOLID, GAS) UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS VAPOUR PRESSURE VAPOUR DENSITY RELATIVE DENSITY RELATIVE DENSITY WATER SOLUBILITY PARTITION COEFFICIENT: N- OCTANOL/WATER AUTO-IGNITION

DECOMPOSITION NO DATA AVAILABLE TEMPERATURE VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

**OTHER SAFETY INFORMATION** NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

#### **REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER PROPER CONDITIONS.

**POSSIBILITY OF**DECOMPOSES IN CONTACT WITH WATER AND**HAZARDOUS**LIBERATES TOXIC GASES.**REACTIONS** 

**CONDITIONS TO AVOID** MOISTURE

INCOMPATIBLE OXIDIZING AGENTS MATERIALS

HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES (NOX), HYDROGEN CHLORIDE

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
<b>CARCINOGENICITY</b> IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE

#### **OTHER ADVERSE EFFECTS** NO DATA AVAILABLE

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED	DISPOSE OF AS UNUSED PRODUCT.

#### SECTION 14. TRANSPORT INFORMATION

PACKAGING

DOT (US)	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S (10,11-
PROPER SHIPPING NAME:	Dihydro-5 <i>H</i> -dibenzo[β, <i>f</i> ]azepine-5-carbonyl chloride )
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	Π
IMDG	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S (10,11-
PROPER SHIPPING NAME:	Dihydro-5 <i>H</i> -dibenzo[β, <i>f</i> ]azepine-5-carbonyl chloride )
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
IATA	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S (10,11-
PROPER SHIPPING NAME:	Dihydro-5 <i>H</i> -dibenzo[β, <i>f</i> ]azepine-5-carbonyl chloride )
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	II

#### SECTION 15. REGULATORY INFORMATION

#### **SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302. SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313. MASSACHUSETTS RIGHT TO KNOW COMPONENTS CAS-NO. **REVISION DATE** 10,11-Dihydro-5*H*-33948-19-5 dibenzo[ $\beta$ , f]azepine-5-carbonyl chloride PENNSYLVANIA RIGHT TO KNOW COMPONENTS **REVISION DATE** CAS-NO. 33948-19-5 10,11-Dihydro-5*H*dibenzo $[\beta, f]$ azepine-5-carbonyl chloride

#### NEW JERSEY RIGHT TO KNOW COMPONENTS

10,11-Dihydro-5*H*dibenzo[ $\beta_{,f}$ ]azepine-5-carbonyl chloride

CAS-NO. 33948-19-5 **REVISION DATE** 

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

#### MSDS LEGEND

MW:	MOLECULAR WEIGHT	
MF:	MOLECULAR FORMULA	
VOC:	VOLATILE ORGANIC COMPOUNDS	
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL	
	HYGINISTS	
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER	
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION	
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)	
TLV:	THRESHOLD LIMIT VALUE (ACGIH)	
IMPORTANT:		
THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST		

INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF

MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 07/01/2020