

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112

E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)

**Shipping and Correspondence:**

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: [www.chemimpex.com](http://www.chemimpex.com)

**Manufacturing site:**

825 Dillon Drive

Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #: 45073

NAME: 1,2,4,5-Tetrafluorobenzene

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)

TELEPHONE: 352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225

SKIN IRRITATION (CATEGORY 2), H315

EYE IRRITATION (CATEGORY 2A), H319

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

DANGER

**HAZARD STATEMENT(S)**

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR  
H315 CAUSES SKIN IRRITATION.  
H319 CAUSES SERIOUS EYE IRRITATION  
H335 MAY CAUSE RESPIRATORY IRRITATION.

**PRECAUTIONARY STATEMENT(S)**

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.  
P233 KEEP CONTAINER TIGHTLY CLOSED.  
P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.  
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING EQUIPMENT.  
P242 USE ONLY NON-SPARKING TOOLS.  
P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.  
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.  
P264 WASH THOROUGHLY AFTER HANDLING.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.  
P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.  
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.  
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.  
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.  
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.  
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.  
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS**

NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:  $C_6H_2F_4$   
MW: 150.08  
CAS-NO. 327-54-8  
PURITY:  $\geq 99\%$  (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>1,2,4,5-Tetrafluorobenzene</b>		
	FLAM. LIQ. 2; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; H225, H315, H319, H335	$\leq 100\%$

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL</b>	NO DATA AVAILABLE

**ATTENTION AND SPECIAL  
TREATMENT NEEDED**

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA  
DRY POWDER DRY SAND

UNSUITABLE EXTINGUISHING MEDIA  
DO NOT USE WATER JET.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE**

CARBON OXIDES, HYDROGEN FLUORIDE

**ADVICE FOR  
FIREFIGHTERS**

WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION**

USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE EQUIPMENT  
AND EMERGENCY  
PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID  
BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE  
VENTILATION. REMOVE ALL SOURCES OF IGNITION.  
EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF  
VAPOURS ACCUMULATING TO FORM EXPLOSIVE  
CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW  
AREAS.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO  
SO. DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

CONTAIN SPILLAGE, AND THEN COLLECT WITH NON-  
COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND,  
EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND  
PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO  
LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER  
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.  Store at RT
<b>SPECIFIC END USE(S)</b>	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

### **EXPOSURE CONTROLS**

#### **APPROPRIATE ENGINEERING CONTROLS**

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

### **PERSONAL PROTECTIVE EQUIPMENT**

#### **EYE/FACE PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**FULL CONTACT**

MATERIAL: FLUORINATED RUBBER  
MINIMUM LAYER THICKNESS: 0.7 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED: VITOJECT (KCL 890, SIZE M)

**SPLASH CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.4 MM  
BREAK THROUGH TIME: 30 MIN  
MATERIAL TESTED: CAMATRIL (KCL 730, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Colorless to almost colorless clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	4 °C
BOILING POINT	90 °C
FLASH POINT	16 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.43
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.
<b>CONDITIONS TO AVOID</b>	HEAT, FLAMES AND SPARKS.
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER  
FIRE CONDITIONS. - CARBON OXIDES, HYDROGEN  
FLUORIDE  
OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY**

NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN  
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

NO DATA AVAILABLE

**RESPIRATORY OR SKIN  
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL  
MUTAGENICITY**

NO DATA AVAILABLE

**CARCINOGENICITY**

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS  
GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS  
PROBABLE, POSSIBLE OR CONFIRMED HUMAN  
CARCINOGEN BY IARC.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS  
GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A  
KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS  
GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF  
REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY**

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN  
TOXICITY - SINGLE  
EXPOSURE**

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.



<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: NOT AVAILABLE  TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	NO DATA AVAILABLE

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. ( 1,2,4,5-Tetrafluorobenzene )  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II  
REPORTABLE QUANTITY  
(RQ):  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. ( 1,2,4,5-Tetrafluorobenzene )  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II  
EMS-NO: F-E, S-E

**IATA**

PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. ( 1,2,4,5-Tetrafluorobenzene )  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS NO.	REVISION DATE
1,2,4,5-Tetrafluorobenzene	327-54-8	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

1,2,4,5-Tetrafluorobenzene      CAS NO.  
327-54-8

REVISION DATE

---

## SECTION 16.      OTHER INFORMATION

---

### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225                                      HIGHLY FLAMMABLE LIQUID AND VAPOUR  
H315                                      CAUSES SKIN IRRITATION.  
H319                                      CAUSES SERIOUS EYE IRRITATION  
H335                                      MAY CAUSE RESPIRATORY IRRITATION.

### MSDS LEGEND

MW:                                      MOLECULAR WEIGHT  
MF:                                      MOLECULAR FORMULA  
VOC:                                      VOLATILE ORGANIC COMPOUNDS  
ACGIH:                                    AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL  
HYGINISTS  
CAS:                                      CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER  
OSHA:                                    OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL:                                      PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV:                                      THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.2.

REVISION DATE: 09/30/2021