Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 45192

NAME: Trifluoroacetaldehyde methyl hemiacetal (contains ca. 10%

Methanol)

SYNONYMS: Perfluoroacetaldehyde methyl hemiacetal (contains ca. 10%

Methanol)

2,2,2-Trifluoro-1-methoxyethanol (contains ca. 10% Methanol)

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 EYE DAMAGE/IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), H335 TOXIC TO REPRODUCTION (CATEGORY 1B), H360 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 1), H370 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 1), H372

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

| 11.12.11.12.11.11.11.11.11.11.11.11.11.1 | | |
|--|--|--|
| H226 | FLAMMABLE LIQUID AND VAPOUR. | |
| H302 | HARMFUL IF SWALLOWED. | |
| H319 | CAUSES SERIOUS EYE IRRITATION. | |
| H335 | MAY CAUSE RESPIRATORY IRRITATION. | |
| H360 | MAY DAMAGE FERTILITY OR THE UNBORN CHILD. | |
| H370 | CAUSES DAMAGE TO: CENTRAL NERVOUS SYSTEM | |
| | AUDITORY SYSTEM | |
| H372 | CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR | |
| | REPEATED EXPOSURE: CENTRAL NERVOUS SYSTEM | |
| | AUDITORY SYSTEM | |

| | NOBITORI GIGIEM | | | |
|----------------------------|--|--|--|--|
| PRECAUTIONARY STATEMENT(S) | | | | |
| P201 | OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. | | | |
| P202 | DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE | | | |
| | BEEN READ AND UNDERSTOOD. | | | |
| P210 | KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT | | | |
| | SURFACES NO SMOKING. | | | |
| P233 | KEEP CONTAINER TIGHTLY CLOSED. | | | |
| P240 | GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. | | | |
| P241 | USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ | | | |
| | LIGHTING/ EQUIPMENT. | | | |
| P242 | USE ONLY NON-SPARKING TOOLS. | | | |
| P243 | TAKE PRECAUTIONARY MEASURES AGAINST STATIC | | | |
| | DISCHARGE. | | | |
| P260 | DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ | | | |
| | SPRAY. | | | |
| P264 | WASH SKIN THOROUGHLY AFTER HANDLING. | | | |
| P270 | DO NOT EAT, DRINK OR SMOKE WHEN USING THIS | | | |
| | PRODUCT. | | | |
| P271 | USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. | | | |
| P280 | WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE | | | |
| | PROTECTION/ FACE PROTECTION. | | | |
| P301 + P312 + P330 | IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU | | | |
| | FEEL UNWELL. RINSE MOUTH. | | | |
| P303 + P361 + P353 | IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL | | | |
| | CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ | | | |
| | SHOWER. | | | |
| P304 + P340 + P312 | IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP | | | |
| | COMFORTABLE FOR BREATHING. CALL A POISON | | | |
| | CENTER/DOCTOR IF YOU FEEL UNWELL. | | | |

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P307 + P311 IF EXPOSED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/

ATTENTION.

P403 + P233 STORE IN A WELL VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED BY

GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

NONE.

MF: $C_3H_5F_3O_2$

MW: 130.07

CAS-NO. 431-46-9

PURITY: \geq 88% (GC)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION | | |
|---|----------------|---------------|--|--|
| Trifluoroacetaldehyde methyl hemiacetal (contains ca. 10% Methanol) | | | | |
| | - | - | | |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A

POSITION COMFORTABLE FOR BREATHING. CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF SKIN CONTACT

REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND

WATER. CALL A POISON CENTER OR

DOCTOR/PHYSICIAN.

IN CASE OF EYE CONTACT

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CALL A POISON CENTER OR

DOCTOR/PHYSICIAN.

IF SWALLOWED CAL

CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE

MOUTH.

MOST IMPORTANT SYMPTOMS AND THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

EFFECTS, BOTH ACUTE

SECTION 2.2) AND/OR IN SECTION 11.

AND DELAYED

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE DRY CHEMICAL, FOAM, WATER IN LARGE AMOUNTS,

EXTINGUISHING MEDIA CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE NO DATA AVAILABLE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS IF

FIREFIGHTERS POSSIBLE.

FURTHER INFORMATION CLOSED CONTAINERS MAY EXPLODE FROM HEAT OF A

FIRE.

TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO

GENERATE POISONOUS FUME.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-PRECAUTIONS, CONTAINED BREATHING APPARATUS). KEEP PEOPLE

PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE

LEAKAGE AREA BY ROPING OFF, ETC.

ENVIRONMENTAL PRECAUTIONS

PREVENT PRODUCT FROM ENTERING DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF

SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF. IN ACCORDANCE WITH APPROPRIATE

LAWS AND REGULATIONS.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAME/HOT SURFACES. -NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND

FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR

AEROSOL WILL BE GENERATED.

AVOID ALL CONTACT!

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL,

DARK AND WELL-VENTILATED PLACE.

STORE UNDER INERT GAS. PROTECT FROM MOISTURE.

STORE LOCKED UP.

STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH

AS OXIDIZING AGENTS. MOISTURE-SENSITIVE

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

EXPOSURE LIMITS: (METHANOL)

> ACGIH TLV(TWA):200 PPM (SKIN) ACGIH TLV(STEL):250 PPM (SKIN)

OSHA PEL(TWA):200 PPM

EXPOSURE CONTROLS

FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY APPROPRIATE ENGINEERING PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL CONTROLS

A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL

SAFETY SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT

> FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

> PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS

PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION IMPERVIOUS CLOTHING, FLAME RETARDANT

> ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED

ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY HALF OR FULL FACEPIECE RESPIRATOR, SELF-

PROTECTION CONTAINED BREATHING APPARATUS(SCBA), SUPPLIED

AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND

FOLLOW LOCAL AND NATIONAL REGULATIONS.

CONTROL OF

ENVIRONMENTAL

EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to almost colorless clear liquid ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 98 °C

AND BOILING RANGE

FLASH POINT 39 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.35

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID SPARK, OPEN FLAME, STATIC DISCHARGE

INCOMPATIBLE OXIDIZING AGENTS MATERIALS

HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN

FLUORIDE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

CORROSION/IRRITATION

DAMAGE/EYE IRRITATION

SERIOUS EYE NO DATA AVAILABLE

RESPIRATORY OR SKIN **SENSITISATION**

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY

NO COMPONENT OF THIS PRODUCT PRESENT AT IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

CAUSES DAMAGE TO: CENTRAL NERVOUS SYSTEM

AUDITORY SYSTEM

MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

CAUSES DAMAGE TO ORGANS THROUGH

PROLONGED OR REPEATED EXPOSURE: CENTRAL

NERVOUS SYSTEM AUDITORY SYSTEM

ASPIRATION HAZARD NO DATA AVAILABLE ADDITIONAL **INFORMATION** RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. **ECOLOGICAL INFORMATION**

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB NO DATA AVAILABLE

ASSESSMENT

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

> A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO

DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde methyl

hemiacetal (contains ca. 10% Methanol))

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: III

IMDG

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde methyl

hemiacetal (contains ca. 10% Methanol))

UN NUMBER: 1993
CLASS: 3
PACKING GROUP: III
EMS-NO: F-E, S-E

IATA

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde methyl

hemiacetal (contains ca. 10% Methanol))

UN NUMBER: 1993 CLASS: 3 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Trifluoroacetaldehyde methyl

hemiacetal (contains ca. 10%

Methanol)

431-46-9

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Trifluoroacetaldehyde methyl 431-46-9

hemiacetal (contains ca. 10%

Methanol)

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H226 FLAMMABLE LIQUID AND VAPOUR.

H302 HARMFUL IF SWALLOWED.

H319 CAUSES SERIOUS EYE IRRITATION.H335 MAY CAUSE RESPIRATORY IRRITATION.

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

H370 CAUSES DAMAGE TO: CENTRAL NERVOUS SYSTEM AUDITORY

SYSTEM

H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE: CENTRAL NERVOUS SYSTEM AUDITORY

SYSTEM

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH

ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 10/12/2021