

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 45339

NAME: 3-Chloro-4-fluorobenzoyl chloride

SYNONYMS:

24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)
352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 4), H227

CORROSIVE TO METALS (CATEGORY 1), H290

SKIN CORROSION/IRRITATION (CATEGORY 1B), H314

EYE DAMAGE/IRRITATION (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H227 COMBUSTIBLE LIQUID.
H290 MAY BE CORROSIVE TO METALS.
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING.
P234 KEEP ONLY IN ORIGINAL CONTAINER.
P260 DO NOT BREATHE DUSTS OR MISTS
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P310 IMMEDIATELY CALL A POISON CENTER OR DOCTOR
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY CHEMICAL, DRY SAND OR FOAM TO EXTINGUISH.
P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405 STORE LOCKED UP.
P406 STORE IN CORROSIVE RESISTANT BOTTLE OR METAL CONTAINER WITH A RESISTANT INNER LINER.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED BY
GHS**

MAY DEVELOP PRESSURE.

MF: C₇H₃Cl₂FO
MW: 193.00
CAS-NO. 65055-17-6
PURITY: ≥ 98% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
3-Chloro-4-fluorobenzoyl chloride		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

IF INHALED REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF SKIN CONTACT REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF EYE CONTACT RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.CONTINUE RINSING.IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IF SWALLOWED IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE VOMITING.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED ACUTE: PAIN. REDNESS. THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL NO DATA AVAILABLE

**ATTENTION AND SPECIAL
TREATMENT NEEDED**

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

**SUITABLE
EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA:
DRY CHEMICAL, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA:
WATER

**SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE**

CARBON OXIDES HALOGENATED COMPOUNDS

**ADVICE FOR
FIREFIGHTERS**

WEAR SELF-CONTAINED BREATHING APPARATUS IF
POSSIBLE.

FURTHER INFORMATION

WARNING: HIGHLY TOXIC HCL GAS IS PRODUCED
DURING COMBUSTION.
WARNING: HIGHLY TOXIC HF GAS IS PRODUCED
DURING COMBUSTION.
TAKE CARE AS IT MAY DECOMPOSE UPON
COMBUSTION OR IN HIGH TEMPERATURES TO
GENERATE POISONOUS FUME.

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. KEEP PEOPLE
AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE
ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED
PERSONNEL SHOULD BE CONTROLLED AROUND THE
LEAKAGE AREA BY ROPING OFF, ETC.

**ENVIRONMENTAL
PRECAUTIONS**

PREVENT PRODUCT FROM ENTERING DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

ABSORB SPILLED MATERIAL IN A SUITABLE
ABSORBENT (E.G. RAG, DRY SAND, EARTH, SAW-DUST).
IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A
SPILL BY BUNDING. ADHERED OR COLLECTED
MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN
ACCORDANCE WITH APPROPRIATE LAWS AND
REGULATIONS.

REFERENCE TO OTHER SECTIONS FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM FLAMES AND HOT SURFACES. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING.
USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED.
AVOID CONTACT WITH SKIN, EYES AND CLOTHING. MAY DEVELOP PRESSURE. OPEN CAREFULLY. USE CORROSIVE RESISTANT EQUIPMENT.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DARK AND WELL-VENTILATED PLACE.
STORE UNDER INERT GAS. PROTECT FROM MOISTURE. STORE LOCKED UP.
STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH AS OXIDIZING AGENTS.
MOISTURE-SENSITIVE

Store at 2 - 8 °C

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS
CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	HALF OR FULL FACEPIECE RESPIRATOR, SELF-CONTAINED BREATHING APPARATUS (SCBA), SUPPLIED AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND NATIONAL REGULATIONS.
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to light yellow clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	222 °C
FLASH POINT	85 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE

RELATIVE DENSITY	1.46
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	DECOMPOSES IN CONTACT WITH WATER AND LIBERATES TOXIC GASES.
CONDITIONS TO AVOID	OPEN FLAME, MOISTURE
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS, BASES, WATER
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN FLUORIDE, HYDROGEN CHLORIDE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT NO DATA AVAILABLE

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (3-Chloro-4-fluorobenzoyl chloride)
UN NUMBER: 3265
CLASS: 8
PACKING GROUP: II

IMDG

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (3-Chloro-4-fluorobenzoyl chloride)
UN NUMBER: 3265
CLASS: 8
PACKING GROUP: II
EMS-NO: F-A, S-B

IATA

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (3-Chloro-4-fluorobenzoyl chloride)
UN NUMBER: 3265
CLASS: 8
PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
3-Chloro-4-fluorobenzoyl chloride	65055-17-6	

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
3-Chloro-4-fluorobenzoyl chloride	65055-17-6	

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H227	COMBUSTIBLE LIQUID.
H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE

LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2.

REVISION DATE: 10/20/2021