# Chem-Impex International Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com Web site: www.chemimpex.com

**Shipping and Correspondence: Manufacturing site:** 935 Dillon Drive 825 Dillon Drive

Wood Dale, IL 60191 USA Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 45629

NAME: 2,2,4'-Tetrafluoroacetophenone

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

#### SECTION 2. **HAZARDS IDENTIFICATION**

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE SOLIDS (CATEGORY 1), H228 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 



SIGNAL WORD

### HAZARD STATEMENT(S)

H228	FLAMMABLE SOLID.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)		
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO	
	SMOKING.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING	
	EQUIPMENT.	
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE	
	PROTECTION.	
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.	
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP	
	COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR	
	IF YOU FEEL UNWELL.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO	
	DO. CONTINUE RINSING.	
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.	
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.	
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.	
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-	
	RESISTANT FOAM TO EXTINGUISH.	
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY	
	CLOSED.	
P405	STORE LOCKED UP.	
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE	
	DISPOSAL PLANT.	

HAZARDS NOT NONE

**OTHERWISE** CLASSIFIED (HNOC) OR NOT **COVERED BY GHS** 

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

 $C_8H_4F_4O$ MF:

MW: 192.11

CAS-NO. 655-32-3

PURITY:  $\geq$  98% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION		
2,2,2,4'-Tetrafluoroacetophenone				
	FLAM. SOL. 1; SKIN IRRIT. 2;	<= 100 %		
	EYE IRRIT. 2A; STOT SE 3; H228,			
	H315, H319, H335			

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A

**CONTACT** PHYSICIAN.

IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

**CONTACT** LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

**IF SWALLOWED** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH

WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS

THE MOST

**SYMPTOMS AND** ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

**EFFECTS, BOTH ACUTE** AND/OR IN SECTION 11 **AND DELAYED** 

INDICATION OF ANY NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

**SUITABLE** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS** CARBON OXIDES, HYDROGEN FLUORIDE

ARISING FROM THE SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** PRECAUTIONS.

AND EMERGENCY

**PROCEDURES** 

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. PROTECTIVE EQUIPMENT ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL **PRECAUTIONS** 

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR **CONTAINMENT AND CLEANING UP** 

SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN

CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. CONTAIN SPILLAGE, PICK UP WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND TRANSFER TO A

CONTAINER FOR DISPOSAL ACCORDING TO LOCAL

REGULATIONS (SEE SECTION 13).

REFERENCE TO OTHER

FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER

PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING

OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.

FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE** STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-

VENTILATED PLACE.

Store at 2 - 8 °C

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION SECTION 8.**

#### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

**APPROPRIATE** 

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL ENGINEERING CONTROLS HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** 

SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT

STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC

PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS

SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White or colorless to light yellow powder to lump to clear liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING 26 °C

POINT/FREEZING POINT

BOILING POINT 152 °C FLASH POINT 32 °C

EVAPOURATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE SUBSTANCE OR MIXTURE IS A FLAMMABLE SOLID

GAS) WITH THE CATEGORY 1. UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE

PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

**AUTO-IGNITION** NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

#### OTHER SAFETY INFORMATION

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

**CHEMICAL STABILITY** STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF** 

**HAZARDOUS REACTIONS** 

NO DATA AVAILABLE

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

**INCOMPATIBLE** 

**MATERIALS** 

STRONG OXIDIZING AGENTS

**HAZARDOUS** DECOMPOSITION

FIRE CONDITIONS. - CARBON OXIDES, HYDROGEN

**PRODUCTS** FLUORIDE

OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER

IN THE EVENT OF FIRE: SEE SECTION 5

#### **SECTION 11.** TOXICOLOGICAL INFORMATION

### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO SENSITISATION

NO DATA AVAILABLE

**GERM CELL** NO DATA AVAILABLE **MUTAGENICITY** 

**CARCINOGENICITY** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

**EXPOSURE** 

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

**ADDITIONAL** RTECS: NOT AVAILABLE

INFORMATION

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,

PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

### SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL

SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

> A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS

MATERIAL IS HIGHLY FLAMMABLE. CONTACT A

LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO

DISPOSE OF THIS MATERIAL.

**CONTAMINATED** 

**PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

#### **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE SOLID, ORGANIC, N.O.S.

(DIMETHYLMETHYLENAMMONIUM CHLORIDE)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

REPORTABLE QUANTITY

(RO):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: FLAMMABLE SOLID, ORGANIC, N.O.S.

(DIMETHYLMETHYLENAMMONIUM CHLORIDE)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

EMS-NO: F-A, S-G **IATA** 

PROPER SHIPPING NAME: FLAMMABLE SOLID, ORGANIC, N.O.S.

(DIMETHYLMETHYLENAMMONIUM CHLORIDE)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

2,2,2,4'-Tetrafluoroacetophenone 655-32-3

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS NO. REVISION DATE

2,2,2,4'-Tetrafluoroacetophenone 655-32-3

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H228 FLAMMABLE SOLID.

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION. H335 MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND

MW: MOLECULAR WEIGHT
MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.2 REVISION DATE: 11/3/2021*