# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	45774
NAME:	1-Bromo-3,5-difluorobenzene
SYNONYMS:	
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)** FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315 SKIN SENSITISATION (CATEGORY 1), H317 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373

# SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S	
H226	FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR
	REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STAT	EMENT(S)
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES
	NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING
	EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC
	DISCHARGE.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPORS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P272	CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED
	OUT OF THE WORKPLACE.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL
	UNWELL. RINSE MOUTH.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
	CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P314	GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL.
P333 + P313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/
	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-
	RESISTANT FOAM TO EXTINGUISH.
P391	COLLECT SPILLAGE.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE
	DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$C_6H_3BrF_2$
MW:	192.99
CAS-NO.	461-96-1
PURITY:	$\geq$ 98% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
1-Bromo-3,5-difluoro	benzene	
	FLAM. LIQ. 3; ACUTE TOX. 4; SKIN IRRIT. 2; SKIN SENS. 1; STOT RE 2; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H226, H302, H315, H317, H373, H400,	<= 100%
	H410 M-FACTOR - AQUATIC ACUTE: 10	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. CALL IN PHYSICIAN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CONSULT A PHYSICIAN.

IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: IMMEDIATELY MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

# EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER
	UNSUITABLE EXTINGUISHING MEDIA FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES HYDROGEN BROMIDE GAS HYDROGEN FLUORIDE COMBUSTIBLE. VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD ALONG FLOORS. FORMS EXPLOSIVE MIXTURES WITH AIR AT ELEVATED TEMPERATURES. DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR VAPOURS POSSIBLE IN THE EVENT OF FIRE.
ADVICE FOR FIREFIGHTERS	STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.
FURTHER INFORMATION	REMOVE CONTAINER FROM DANGER ZONE AND COOL WITH WATER. SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS WITH A WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES, CONSULT AN EXPERT. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	DO NOT LET PRODUCT ENTER DRAINS. RISK OF EXPLOSION.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. AVOID GENERATION OF VAPOURS/AEROSOLS. KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION.TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL- VENTILATED PLACE. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.
	Store at 2 - 8 °C
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY
ENGINEERING CONTROLS	PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE
	AFTER WORKING WITH SUBSTANCE.

#### PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	USE EQUIPMENT FOR EYE PROTECTION TESTED AND
	APPROVED UNDER APPROPRIATE GOVERNMENT
	STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). SAFETY
	GLASSES

SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE<br/>(WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID<br/>SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF<br/>CONTAMINATED GLOVES AFTER USE IN ACCORDANCE<br/>WITH APPLICABLE LAWS AND GOOD LABORATORY<br/>PRACTICES. WASH AND DRY HANDS.

SPLASH CONTACT MATERIAL: FLUORINATED RUBBER MINIMUM LAYER THICKNESS: 0.7 MM BREAK THROUGH TIME: 30 MIN MATERIAL TESTED:VITOJECT (KCL 890, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING.

# RESPIRATORY PROTECTIONREQUIRED WHEN VAPOURS/AEROSOLS ARE GENERATED.<br/>OUR RECOMMENDATIONS ON FILTERING RESPIRATORY<br/>PROTECTION ARE BASED ON THE FOLLOWING<br/>STANDARDS: DIN EN 143, DIN 14387 AND OTHER<br/>ACCOMPANYING STANDARDS RELATING TO THE USED<br/>RESPIRATORY PROTECTION SYSTEM.CONTROL OFDO NOT LET PRODUCT ENTER DRAINS. RISK OF

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

ENVIRONMENTAL

EXPOSURE

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

EXPLOSION.

INFORMATION ON DASIC I	III SICALAND CHEWICALI KUI EKI IES
APPEARANCE	Colorless to light yellow to light orange clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	-27 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	140 °C
AND BOILING RANGE	
FLASH POINT	44 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.69
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

#### **OTHER SAFETY INFORMATION**

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	VAPOR/AIR-MIXTURES ARE EXPLOSIVE AT INTENSE WARMING.
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	VIOLENT REACTIONS POSSIBLE WITH: OXIDIZING AGENTS
CONDITIONS TO AVOID	HEATING.
INCOMPATIBLE MATERIALS	NO DATA AVAILABLE
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### **INFORMATION ON TOXICOLOGICAL EFFECTS**

ACUTE TOXICITY ACUTE TOXICITY ESTIMATE ORAL - 500.1 MG/KG (EXPERT JUDGMENT)

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN	CAUSES SKIN IRRITATION. CLASSIFIED ACCORDING TO
CORROSION/IRRITATION	REGULATION (EU) 1272/2008, ANNEX VI (TABLE 3.1/3.2)

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN	SENSITISATION TEST (MAGNUSSON AND KLIGMAN): -
SENSITISATION	GUINEA PIG
	RESULT: POSITIVE
	(OECD TEST GUIDELINE 406)
	CLASSIFIED ACCORDING TO REGULATION (EU) 1272/2008,
	ANNEX VI (TABLE 3.1/3.2)

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.REMARKS: CLASSIFIED ACCORDING TO REGULATION (EU) 1272/2008, ANNEX VI (TABLE 3.1/3.2)
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

# SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRAD</b> A BIODEGRADABILITY	ABILITY RESULT: 22 % - NOT READILY BIODEGRADABLE. (OECD TEST GUIDELINE 301D)
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**WASTE MATERIAL MUST BE DISPOSED OF IN<br/>ACCORDANCE WITH THE NATIONAL AND LOCAL<br/>REGULATIONS. LEAVE CHEMICALS IN ORIGINAL<br/>CONTAINERS. NO MIXING WITH OTHER WASTE.

CONTAMINATED	DISPOSE OF AS UNUSED PRODUCT.
PACKAGING	

SECTION 14. TRANSPORT INFORMATION

<b>DOT (US)</b> PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ):	FLAMMABLE LIQUID, N.O.S. (1-Bromo-3,5-difluorobenzene) 1993 3 III
POISON INHALATION HAZARD:	NO
IMDG	
PROPER SHIPPING NAME:	FLAMMABLE LIQUID, N.O.S. (1-Bromo-3,5-difluorobenzene)
UN NUMBER:	1993
CLASS:	3
PACKING GROUP:	III
EMS-NO:	F-E, S-E
MARINE POLLUTANT :	YES
IATA	
PROPER SHIPPING NAME:	FLAMMABLE LIQUID, N.O.S. (1-Bromo-3,5-difluorobenzene)
UN NUMBER:	1993
CLASS:	3
PACKING GROUP:	III

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS
	WITH A SECTION 302 EHS TPQ.

- **SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
- SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

#### MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO.

1-Bromo-3,5-difluorobenzene 461-96-1

REVISION DATE

#### NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. 1-Bromo-3,5-difluorobenzene 461-96-1 **REVISION DATE** 

#### SECTION 16. OTHER INFORMATION

FULL TEXT (	<b>DF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.</b>
H226	FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR
	REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMDODTANT.	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION : 3.2 REVISION DATE : 11/17/2021