# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

#### SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	45872
NAME:	3,5-Bis(trifluoromethyl)benzyl chloride
SYNONYMS:	1-(Chloromethyl)-3,5-bis(trifluoromethyl)benzene
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 4), H227 CORROSIVE TO METALS (CATEGORY 1), H290 SKIN CORROSION/IRRITATION (CATEGORY 1B), H314 EYE DAMAGE/IRRITATION (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM	
SIGNAL WORD	DANGER
HAZARD STATEMENT(S	,
H227	COMBUSTIBLE LIQUID.
H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
PRECAUTIONARY STAT	TEMENT(S)
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES. NO SMOKING.
P234	KEEP ONLY IN ORIGINAL CONTAINER.
P260	DO NOT BREATHE DUSTS OR MISTS
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
	CONTAMINATED CLOTHING. RINSE SKIN WITH
	WATER/SHOWER.
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A
D205 + D251 + D220 +	POISON CENTER/DOCTOR.
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A
<b>D210</b>	POISON CENTER/DOCTOR.
P310	IMMEDIATELY CALL A POISON CENTER OR DOCTOR
P363 P390	WASH CONTAMINATED CLOTHING BEFORE REUSE. ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.
P390 P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405 + P255	STORE IN A WELL-VENTILATED FLACE. REEF COOL. STORE LOCKED UP.
P406	STORE LOCKED OF. STORE IN CORROSIVE RESISTANT BOTTLE OR METAL
1400	CONTAINER WITH A RESISTANT INNER LINER.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
1 301	WASTE DISPOSAL PLANT.
	WASTE DISTOSALT LAIVI.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY	NONE.
GHS	

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MW:	262.58
CAS-NO.	75462-59-8
PURITY:	$\geq$ 97% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
3,5-Bis(trifluoromethyl)benzyl chloride		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.CONTINUE RINSING.IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
IF SWALLOWED	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE VOMITING.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	ACUTE: PAIN. REDNESS. THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

#### EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	DRY CHEMICAL, FOAM, WATER SPRAY, CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES HALOGENATED COMPOUNDS
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE.
FURTHER INFORMATION	WARNING: HIGHLY TOXIC HCL GAS IS PRODUCED DURING COMBUSTION. WARNING: HIGHLY TOXIC HF GAS IS PRODUCED DURING COMBUSTION. TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
ENVIRONMENTAL PRECAUTIONS	PREVENT PRODUCT FROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	ABSORB SPILLED MATERIAL IN A SUITABLE ABSORBENT (E.G. RAG, DRY SAND, EARTH, SAW-DUST). IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM FLAMES AND HOT SURFACES. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. USE CORROSIVE RESISTANT EQUIPMENT.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DARK AND WELL-VENTILATED PLACE. STORE UNDER INERT GAS. PROTECT FROM MOISTURE. STORE LOCKED UP. STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH AS OXIDIZING AGENTS. MOISTURE-SENSITIVE Store at 2 - 8 °C
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY
ENGINEERING	PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL
CONTROLS	A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL
	SAFETY SHOWER AND EYE BATH.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY</b> <b>PROTECTION</b>	HALF OR FULL FACEPIECE RESPIRATOR, SELF- CONTAINED BREATHING APPARATUS (SCBA), SUPPLIED AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND NATIONAL REGULATIONS.
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION	ON BASIC I	PHYSICAL AN	D CHEMICAL	PROPERTIES

INFORMATION ON BASIC	PHYSICAL AND CHEMICAL PROPER
APPEARANCE	White to almost white powder to crystal
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	84 °C/30 mmHg
AND BOILING RANGE	-
FLASH POINT	71 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	

DECOMPOSITIONNO DATA AVAILABLETEMPERATUREVISCOSITYVISCOSITYNO DATA AVAILABLEEXPLOSIVE PROPERTIESNO DATA AVAILABLEOXIDIZING PROPERTIESNO DATA AVAILABLE

**OTHER SAFETY INFORMATION** NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER PROPER CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO SPECIAL REACTIVITY HAS BEEN REPORTED.
CONDITIONS TO AVOID	OPEN FLAME
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS, BASES
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN FLUORIDE, HYDROGEN CHLORIDE

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

CORROSION/IRRITATION

SKIN

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

**RESPIRATORY OR SKIN** NO DATA AVAILABLE **SENSITISATION** 

GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

#### SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	NO DATA AVAILABLE

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO<br/>A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL<br/>INCINERATOR EQUIPPED WITH AN AFTERBURNER AND<br/>SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS<br/>THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A<br/>LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO<br/>DISPOSE OF THIS MATERIAL.

CONTAMINATED DISPOSE OF AS UNUSED PRODUCT. PACKAGING

#### SECTION 14. TRANSPORT INFORMATION

<b>DOT (US)</b> PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S ( 3,5- Bis(trifluoromethyl)benzyl chloride ) 3265 8 II
IMDG PROPER SHIPPING NAME:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S ( 3,5-Bis(trifluoromethyl)benzyl chloride )
UN NUMBER: CLASS:	3265 8
PACKING GROUP: EMS-NO:	II F-A, S-B
IATA	
PROPER SHIPPING NAME:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (3,5- Bis(trifluoromethyl)benzyl chloride )
UN NUMBER:	3265
CLASS:	8
PACKING GROUP:	II

#### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE
	REPORTING REQUIREMENTS OF SARA TITLE III, SECTION
	302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

#### **MASSACHUSETTS RIGHT TO KNOW COMPONENTS** NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. 3,5-Bis(trifluoromethyl)benzyl 75462-59chloride 8

**REVISION DATE** 

#### NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	<b>REVISION DATE</b>
3,5-Bis(trifluoromethyl)benzyl	75462-59-	
chloride	8	

#### SECTION 16. OTHER INFORMATION

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H227COMBUSTIBLE LIQUID.H290MAY BE CORROSIVE TO METALS.

H290	MAY BE CORROSIVE TO METALS.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH
	ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. VERSION: 3.2.