

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 45951
NAME: 3-Fluoroaniline
SYNONYMS:
24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)
352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS: (800) 869-9290
CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)
FLAMMABLE LIQUIDS (CATEGORY 4), H227
ACUTE TOXICITY, ORAL (CATEGORY 4), H302
SKIN IRRITATION (CATEGORY 2), H315

SERIOUS EYE DAMAGE (CATEGORY 1), H318
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),
RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H227 COMBUSTIBLE LIQUID.
H302 HARMFUL IF SWALLOWED.
H315 CAUSES SKIN IRRITATION.
H318 CAUSES SERIOUS EYE DAMAGE.
H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.
P301 + P312 IF SWALLOWED: CALL A POISON CENTER/ DOCTOR IF YOU FEEL UNWELL.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P310 IMMEDIATELY CALL A POISON CENTER/ DOCTOR.
P321 SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THIS LABEL).
P330 RINSE MOUTH.
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₆H₆FN
MW: 111.12
CAS-NO. 372-19-0
PURITY: ≥ 98% (GC)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|------------------------|--|---------------|
| 3-Fluoroaniline | | |
| | FLAM. LIQ. 4; ACUTE TOX. 4; SKIN IRRIT. 2; EYE DAM. 1; STOT SE 3; H227, H302, H315, H318, H335 | <= 100 % |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE CONTACT RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

| | |
|---|---|
| IF SWALLOWED | DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED | THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11 |
| INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED | NO DATA AVAILABLE |

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

| | |
|-------------------------------------|---|
| SUITABLE EXTINGUISHING MEDIA | SMALL (INCIPIENT) FIRES MUST BE EXTINGUISHED WITH ALCOHOL RESISTANT FOAM, DRY CHEMICAL POWDER OR CARBON DIOXIDE. LARGE AMOUNTS OF WATER ARE INEFFECTIVE. COOL CONTAINERS WITH LARGE AMOUNTS OF WATER. |
|-------------------------------------|---|

| | |
|--|---|
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN FLUORIDE |
|--|---|

| | |
|--------------------------------|---|
| ADVICE FOR FIREFIGHTERS | WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY. |
|--------------------------------|---|

| | |
|----------------------------|--|
| FURTHER INFORMATION | USE WATER SPRAY TO COOL UNOPENED CONTAINERS. |
|----------------------------|--|

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|--|--|
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8. |
|--|--|

| | |
|--|---|
| ENVIRONMENTAL PRECAUTIONS | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. |
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP | CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. |
| REFERENCE TO OTHER SECTIONS | FOR DISPOSAL SEE SECTION 13. |

SECTION 7. HANDLING AND STORAGE

| | |
|---|---|
| PRECAUTIONS FOR SAFE HANDLING | AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2. |
| CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES | KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. Store at 2 - 8 °C |
| SPECIFIC END USE(S) | APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

| | |
|-------------------------------|---|
| EYE/FACE PROTECTION | TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). |
| SKIN PROTECTION | <p>HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.</p> <p>FULL CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)</p> <p>SPLASH CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED: BUTOJECT (KCL 897, SIZE M)</p> <p>IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.</p> |
| BODY PROTECTION | COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE. |
| RESPIRATORY PROTECTION | WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). |

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| APPEARANCE | Colorless to yellow to green clear liquid |
| ODOUR | NO DATA AVAILABLE |
| ODOUR THRESHOLD | NO DATA AVAILABLE |
| PH | NO DATA AVAILABLE |
| MELTING POINT/FREEZING POINT | -2 °C |
| INITIAL BOILING POINT AND BOILING RANGE | 186 °C |
| FLASH POINT | 77 °C |
| EVAPORATION RATE | NO DATA AVAILABLE |
| FLAMMABILITY (SOLID, GAS) | NO DATA AVAILABLE |
| UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS | NO DATA AVAILABLE |
| VAPOUR PRESSURE | NO DATA AVAILABLE |
| VAPOUR DENSITY | NO DATA AVAILABLE |
| RELATIVE DENSITY | 1.16 |
| WATER SOLUBILITY | NO DATA AVAILABLE |
| PARTITION COEFFICIENT: N- OCTANOL/WATER | NO DATA AVAILABLE |
| AUTO-IGNITION TEMPERATURE | NO DATA AVAILABLE |
| DECOMPOSITION TEMPERATURE | NO DATA AVAILABLE |
| VISCOSITY | NO DATA AVAILABLE |
| EXPLOSIVE PROPERTIES | NO DATA AVAILABLE |
| OXIDIZING PROPERTIES | NO DATA AVAILABLE |
| OTHER SAFETY INFORMATION | NO DATA AVAILABLE |

SECTION 10. STABILITY AND REACTIVITY

| | |
|---------------------------|--|
| REACTIVITY | NO DATA AVAILABLE |
| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE CONDITIONS. |

| | |
|---|---|
| POSSIBILITY OF HAZARDOUS REACTIONS | NO DATA AVAILABLE |
| CONDITIONS TO AVOID | HEAT, FLAMES AND SPARKS. |
| INCOMPATIBLE MATERIALS | ACIDS, ACID CHLORIDES, ACID ANHYDRIDES, CHLOROFORMATES, STRONG OXIDIZING AGENTS |
| HAZARDOUS DECOMPOSITION PRODUCTS | HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN FLUORIDE OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5 |

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

| | |
|--|---|
| ACUTE TOXICITY | LD50 ORAL - RAT - 436.3 MG/KG INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE |
| SKIN CORROSION/IRRITATION | NO DATA AVAILABLE |
| SERIOUS EYE DAMAGE/EYE IRRITATION | NO DATA AVAILABLE |
| RESPIRATORY OR SKIN SENSITISATION | NO DATA AVAILABLE |
| GERM CELL MUTAGENICITY | NO DATA AVAILABLE |
| CARCINOGENICITY | |
| IARC: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. |
| ACGIH: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH. |

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: BY1400000

ABSORPTION INTO THE BODY LEADS TO THE FORMATION OF METHEMOGLOBIN WHICH IN SUFFICIENT CONCENTRATION CAUSES CYANOSIS. ONSET MAY BE DELAYED 2 TO 4 HOURS OR LONGER. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

| | |
|-------------------------------|---|
| PRODUCT | THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. |
| CONTAMINATED PACKAGING | DISPOSE OF AS UNUSED PRODUCT. |

SECTION 14. TRANSPORT INFORMATION

DOT (US)
PROPER SHIPPING NAME: FLUOROANILINES
UN NUMBER: 2941
CLASS: 6.1
PACKING GROUP: III
POISON INHALATION HAZARD: NO

IMDG
PROPER SHIPPING NAME: FLUOROANILINES
UN NUMBER: 2941
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A

IATA
PROPER SHIPPING NAME: FLUOROANILINES
UN NUMBER: 2941
CLASS: 6.1
PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

| | |
|----------------------------|---|
| SARA 302 COMPONENTS | NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302. |
|----------------------------|---|

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

| | CAS-NO. | REVISION DATE |
|-----------------|----------|---------------|
| 3-Fluoroaniline | 372-19-0 | |

NEW JERSEY RIGHT TO KNOW COMPONENTS

| | CAS-NO. | REVISION DATE |
|-----------------|----------|---------------|
| 3-Fluoroaniline | 372-19-0 | |

CALIFORNIA PROP. 65 COMPONENTS
THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH, OR ANY OTHER REPRODUCTIVE DEFECTS.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

| | |
|------|-----------------------------------|
| H227 | COMBUSTIBLE LIQUID. |
| H302 | HARMFUL IF SWALLOWED. |
| H315 | CAUSES SKIN IRRITATION. |
| H318 | CAUSES SERIOUS EYE DAMAGE. |
| H335 | MAY CAUSE RESPIRATORY IRRITATION. |

MSDS LEGEND

| | |
|--------|--|
| MW: | MOLECULAR WEIGHT |
| MF: | MOLECULAR FORMULA |
| VOC: | VOLATILE ORGANIC COMPOUNDS |
| ACGIH: | AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS |
| CAS: | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER |
| OSHA: | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION |
| PEL: | PERMISSIBLE EXPOSURE LIMIT (OSHA) |
| TLV: | THRESHOLD LIMIT VALUE (ACGIH) |

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR

DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 12/3/2021