Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	46009
NAME:	2,4,6-Trifluoroaniline
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE SOLIDS (CATEGORY 2), H228 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 SKIN IRRITATION (CATEGORY 2), H315 SERIOUS EYE DAMAGE (CATEGORY 1), H318 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

H228	FLAMMABLE SOLID.
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.
H335	MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

I KECAUTIONAKI SIATI	
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES NO SMOKING.
P240	GROUND/BOND CONTAINER AND RECEIVING
	EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
	LIGHTING EQUIPMENT.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPORS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/
	EYE PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU
	FEEL UNWELL. RINSE MOUTH.
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P302 + P352 + P312	IF ON SKIN: WASH WITH PLENTY OF WATER. CALL A
	POISON CENTER/DOCTOR IF YOU FEEL UNWELL.
P304 + P340 + P312	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT
	REST IN A POSITION COMFORTABLE FOR BREATHING.
	CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU
	FEEL UNWELL.
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR
P310	SEVERAL MINUTES. REMOVE CONTACT LENSES, IF
	PRESENT AND EASY TO DO. CONTINUE RINSING.
	IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
1002 1010	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH
	BEFORE REUSE.

P370 + P378 P403 + P233	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINCTION. STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
P405 P501	TIGHTLY CLOSED. STORE LOCKED UP. DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY	NONE

GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$C_6H_4F_3N$
MW:	147.10
CAS-NO.	363-81-5
PURITY:	\geq 98% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2,4,6-Trifluoroaniline		
	FLAM. SOL. 2; ACUTE TOX. 4;	<= 100 %
	SKIN IRRIT. 2; EYE DAM. 1;	
	STOT SE 3; H228, H302, H312,	
	H315, H318, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS	CARBON OXIDES
ARISING FROM THE	NITROGEN OXIDES (NOX)
SUBSTANCE OR MIXTURE	HYDROGEN FLUORIDE

ADVICE FORWEAR SELF CONTAINED BREATHING APPARATUS FOR**FIREFIGHTERS**FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
PRECAUTIONS,	DUST FORMATION. AVOID BREATHING VAPORS, MIST
PROTECTIVE	OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE
EQUIPMENT AND	ALL SOURCES OF IGNITION. EVACUATE PERSONNEL
EMERGENCY	TO SAFE AREAS. AVOID BREATHING DUST.
PROCEDURES	FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. CONTAIN SPILLAGE, PICK UP WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET- BRUSHING AND TRANSFER TO A CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

	PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.	
	SPECIFIC END USE(S)	Store at 2 - 8 °C APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR
PROTECTION	EYE PROTECTION TESTED AND APPROVED UNDER
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS
	NIOSH (US) OR EN 166(EU).

SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE
(WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO
AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN ACCORDANCE
WITH APPLICABLE LAWS AND GOOD LABORATORY
PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
RESPIRATORS ARE APPROPRIATE USE A FULLFACE
PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN
143) RESPIRATOR CARTRIDGES AS A BACKUP TO
ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE
SOLE MEANS OF PROTECTION, USE A FULL-FACE
SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND
COMPONENTS TESTED AND APPROVED UNDER
APPROPRIATE GOVERNMENT STANDARDS SUCH AS
NIOSH (US) OR CEN (EU).

CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TOENVIRONMENTALDO SO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREContent of the second se

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE	White or colorless to light yellow powder to lump to clear liquid		
ODOUR	NO DATA AVAILABLE		
ODOUR THRESHOLD	NO DATA AVAILABLE		
PH	NO DATA AVAILABLE		
MELTING	33 °C		
POINT/FREEZING POINT			
BOILING POINT			
FLASH POINT	57 °C		
EVAPOURATION RATE	NO DATA AVAILABLE		
FLAMMABILITY (SOLID,	THE SUBSTANCE OR MIXTURE IS A FLAMMABLE SOLID		
GAS)	WITH THE CATEGORY 2.		
UPPER/LOWER	NO DATA AVAILABLE		
FLAMMABILITY OR			
EXPLOSIVE LIMITS			
VAPOUR PRESSURE	NO DATA AVAILABLE		
VAPOUR DENSITY	NO DATA AVAILABLE		
RELATIVE DENSITY			
WATER SOLUBILITY	NO DATA AVAILABLE		
PARTITION COEFFICIENT:	LOG POW: 1.722		
N- OCTANOL/WATER			
AUTO-IGNITION	NO DATA AVAILABLE		
TEMPERATURE			
DECOMPOSITION	NO DATA AVAILABLE		
TEMPERATURE			
VISCOSITY	NO DATA AVAILABLE		
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE		
OXIDIZING PROPERTIES	NO DATA AVAILABLE		

OTHER SAFETY INFORMATION NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.
INCOMPATIBLE MATERIALS	ACIDS, ACID CHLORIDES, ACID ANHYDRIDES, CHLOROFORMATES, STRONG OXIDIZING AGENTS

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	ACUTE TOXICITY ESTIMATE ORAL - 500.01 MG/KG LD50 ORAL - 300.6 MG/KG
	INHALATION: NO DATA AVAILABLE
	ACUTE TOXICITY ESTIMATE DERMAL - 1,000.01 MG/KG LD50 DERMAL - 1,000.01 MG/KG
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED
OSHA:	CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	ABSORPTION INTO THE BODY LEADS TO THE
	FORMATION OF METHEMOGLOBIN WHICH IN
	SUFFICIENT CONCENTRATION CAUSES CYANOSIS.
	ONSET MAY BE DELAYED 2 TO 4 HOURS OR LONGER.
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,
	PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE
	NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE ANDNO DATA AVAILABLE**DEGRADABILITY**

BIOACCUMULATIVE NO DATA AVAILABLE **POTENTIAL**

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT ANDPBT/VPVB ASSESSMENT NOT AVAILABLE AS**VPVB ASSESSMENT**CHEMICAL SAFETY ASSESSMENT NOT
REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,4,6-
	Trifluoroaniline)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,4,6-
	Trifluoroaniline)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	III
EMS-NO:	F-A, S-G
ΙΑΤΑ	
PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,4,6-
	Trifluoroaniline)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.
2,4,6-Trifluoroaniline	363-81-5

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-No.
2,4,6-Trifluoroaniline	363-81-5

REVISION DATE

REVISION DATE

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH, OR ANY OTHER REPRODUCTIVE DEFECTS.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H228	FLAMMABLE SOLID.
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.
H335	MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE: 12/9/2021