Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 46088

NAME: 4-Fluorobenzonitrile

SYNONYMS:

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE SOLIDS (CATEGORY 1), H228 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332

ACUTE TOXICITY, DERMAL (CATEGORY 4), H312

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H228 FLAMMABLE SOLID.

H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT

SURFACES. - NO SMOKING.

P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.

P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/

LIGHTING/ EQUIPMENT.

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPORS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ ETE

PROTECTION/ FACE PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU

FEEL UNWELL. RINSE MOUTH.

P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF WATER.CALL A POISON

CENTER/ DOCTOR IF YOU FEEL UNWELL.

P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON CENTER/

DOCTOR IF YOU FEEL UNWELL.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C_7H_4FN

MW: 121.11

CAS-NO. 1194-02-1

PURITY: $\geq 99\%$ (GC)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|----------------------|-----------------------------|---------------|
| 4-Fluorobenzonitrile | | |
| | FLAM. SOL. 1; ACUTE TOX. 4; | <= 100 % |
| | H228, H302, H332, H312 | |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE SHOW THIS MATERIAL SAFETY DATA SHEET TO THE

DOCTOR IN ATTENDANCE.

IF INHALED FRESH AIR. IF BREATHING STOPS: MOUTH-TO-MOUTH

BREATHING OR ARTIFICIAL RESPIRATION. OXYGEN IF

NECESSARY. IMMEDIATELY CALL IN PHYSICIAN.

IN CASE OF SKIN TAKE OFF IMMEDIATELY ALL CONTAMINATED

CONTACT CLOTHING. RINSE SKIN WITH WATER/ SHOWER.

CONSULT A PHYSICIAN.

IN CASE OF EYE RINSE OUT WITH PLENTY OF WATER. REMOVE

CONTACT CONTACT LENSES.

IF SWALLOWED IMMEDIATELY MAKE VICTIM DRINK WATER (TWO

GLASSES AT MOST). CONSULT A PHYSICIAN.

MOST IMPORTANT THE MOST IMPORTANT KNOWN SYMPTOMS AND

SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

NO DATA AVAILABLE

EFFECTS, BOTH ACUTE SECTION 2.2) AND/OR IN SECTION 11

AND DELAYED

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

EXTINGUISHING MEDIA WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER

UNSUITABLE EXTINGUISHING MEDIA

FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF

EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS CARBON OXIDES

ARISING FROM THE NITROGEN OXIDES (NOX)
SUBSTANCE OR MIXTURE HYDROGEN FLUORIDE

COMBUSTIBLE.

VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD

ALONG FLOORS.

FORMS EXPLOSIVE MIXTURES WITH AIR ON INTENSE

HEATING.

DEVELOPMENT OF HAZARDOUS COMBUSTION GASES

OR VAPOURS POSSIBLE IN THE EVENT OF FIRE.

ADVICE FOR STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY

BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING

SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION REMOVE CONTAINER FROM DANGER ZONE AND

COOL WITH WATER. SUPPRESS (KNOCK DOWN)
GASES/VAPORS/MISTS WITH A WATER SPRAY JET.
PREVENT FIRE EXTINGUISHING WATER FROM

CONTAMINATING SURFACE WATER OR THE GROUND

WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALADVICE FOR NON-EMERGENCY PERSONNEL: AVOIDPRECAUTIONS,INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT.PROTECTIVEENSURE ADEQUATE VENTILATION. KEEP AWAY FROMEQUIPMENT ANDHEAT AND SOURCES OF IGNITION. EVACUATE THEEMERGENCYDANGER AREA, OBSERVE EMERGENCY PROCEDURES,

PROCEDURES CONSULT AN EXPERT.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL DO NOT LET PRODUCT ENTER DRAINS. RISK OF

PRECAUTIONS EXPLOSION.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP DRY. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA. AVOID

GENERATION OF DUSTS.

REFERENCE TO OTHER

SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

WORK UNDER HOOD. DO NOT INHALE

SUBSTANCE/MIXTURE.

KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND

SOURCES OF IGNITION. TAKE PRECAUTIONARY

MEASURES AGAINST STATIC DISCHARGE.

IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS

AND FACE AFTER WORKING WITH SUBSTANCE.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES TIGHTLY CLOSED. KEEP AWAY FROM HEAT AND

SOURCES OF IGNITION.

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

INGREDIENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATEIMMEDIATELY CHANGE CONTAMINATED CLOTHING.ENGINEERINGAPPLY PREVENTIVE SKIN PROTECTION. WASH HANDSCONTROLSAND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). SAFETY GLASSES

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING.

RESPIRATORY PROTECTION

REQUIRED WHEN DUSTS ARE GENERATED.
OUR RECOMMENDATIONS ON FILTERING RESPIRATORY
PROTECTION ARE BASED ON THE FOLLOWING
STANDARDS: DIN EN 143, DIN 14387 AND OTHER
ACCOMPANYING STANDARDS RELATING TO THE USED
RESPIRATORY PROTECTION SYSTEM.

CONTROL OF ENVIRONMENTAL EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS. RISK OF EXPLOSION.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to yellow to green clear liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING 34 °C

POINT/FREEZING POINT

INITIAL BOILING POINT 188 °C

AND BOILING RANGE

FLASH POINT 65 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY FORMS EXPLOSIVE MIXTURES WITH AIR ON INTENSE

HEATING.

A RANGE FROM APPROX. 15 KELVIN BELOW THE FLASH

POINT IS TO BE RATED AS CRITICAL.

THE FOLLOWING APPLIES IN GENERAL TO

FLAMMABLE ORGANIC SUBSTANCES AND MIXTURES: IN CORRESPONDINGLY FINE DISTRIBUTION, WHEN WHIRLED UP A DUST EXPLOSION POTENTIAL MAY

GENERALLY BE ASSUMED.

CHEMICAL STABILITY THE PRODUCT IS CHEMICALLY STABLE UNDER

STANDARD AMBIENT CONDITIONS (ROOM

TEMPERATURE).

POSSIBILITY OF

VIOLENT REACTIONS POSSIBLE WITH: STRONG

HAZARDOUS

OXIDIZING AGENTS

REACTIONS BASES

STRONG ACIDS

CONDITIONS TO AVOID

STRONG HEATING.

INCOMPATIBLE MATERIALS NO DATA AVAILABLE

HAZARDOUS

DECOMPOSITION

PRODUCTS

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - MOUSE - > 300 MG/KG

REMARKS: (RTECS)

ACUTE TOXICITY ESTIMATE INHALATION - 4 H - 1.6

MG/L

(EXPERT JUDGMENT)

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

NO DATA AVAILABLE

SERIOUS EYE

DAMAGE/EYE IRRITATION

NO DATA AVAILABLE

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: DI4368500

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND

DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT WASTE MATERIAL MUST BE DISPOSED OF IN

ACCORDANCE WITH THE NATIONAL AND LOCAL REGULATIONS. LEAVE CHEMICALS IN ORIGINAL CONTAINERS. NO MIXING WITH OTHER WASTE. HANDLE UNCLEANED CONTAINERS LIKE THE PRODUCT ITSELF. FOR PROCESSES REGARDING THE RETURN OF CHEMICALS AND CONTAINERS, OR CONTACT US THERE IF YOU HAVE FURTHER

QUESTIONS.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, ORGANIC, N.O.S. (4-

Fluorobenzonitrile)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, ORGANIC, N.O.S. (4-

Fluorobenzonitrile)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

EMS-NO: F-A, S-G

IATA

PROPER SHIPPING NAME: FLAMMABLE SOLIDS, ORGANIC, N.O.S. (4-

Fluorobenzonitrile)

UN NUMBER: 1325 CLASS: 4.1 PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY

COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

4-Fluorobenzonitrile 1194-02-1

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

4-Fluorobenzonitrile 1194-02-1

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H228 FLAMMABLE SOLID.

H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN

OR IF INHALED.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH

ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.