Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 46167

NAME: 2,4-Difluorophenyl isocyanate

SYNONYMS: Isocyanic acid 2,4-difluorophenyl ester

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 RESPIRATORY SENSITISATION (CATEGORY 1), H334

SKIN SENSITISATION (CATEGORY 1), H317

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM





SIGNAL WORD DANGER

HAZARD STATEMENT(S)

THE HE STITE (I)		
H226	FLAMMABLE LIQUID AND VAPOUR.	
H302 + H312 + H332	HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF	
	INHALED.	
H315	CAUSES SKIN IRRITATION.	
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.	
H319	CAUSES SERIOUS EYE IRRITATION	
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING	
	DIFFICULTIES IF INHALED.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	

PRECAUTIONARY STATEMENT(S)

PRECAUTIONARY STATEMENT(S)		
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES.	
	NO SMOKING.	
P233	KEEP CONTAINER TIGHTLY CLOSED.	
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.	
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING/	
	EQUIPMENT.	
P242	USE ONLY NON-SPARKING TOOLS.	
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC	
	DISCHARGE.	
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P272	CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED	
	OUT OF THE WORKPLACE.	
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE	
	PROTECTION.	
P285	IN CASE OF INADEQUATE VENTILATION WEAR RESPIRATORY	
	PROTECTION.	
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/ DOCTOR IF YOU FEEL	
	UNWELL. RINSE MOUTH.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL	
	CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.	
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP	
	COMFORTABLE FOR BREATHING. CALL A POISON CENTER/	
	DOCTOR IF YOU FEEL UNWELL.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO	

	DO. CONTINUE RINSING.
P333 + P313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/
	ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
	ATTENTION.
P342 + P311	IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON
	CENTER/DOCTOR.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-
	RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
	TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE
	DISPOSAL PLANT.
HAZARDS NOT	LACHRYMATOR.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_7H_3F_2NO$

MW: 155.10

OTHERWISE

BY GHS

CLASSIFIED (HNOC) OR NOT COVERED

CAS-NO. 59025-55-7

PURITY: $\geq 98\%$ (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION		
2,4-Difluorophenyl isocyanate				
	FLAM. LIQ. 3; ACUTE TOX. 4;	<= 100%		
	SKIN IRRIT. 2; EYE IRRIT. 2A;			
	RESP. SENS. 1; SKIN SENS. 1;			
	STOT SE 3; H226,			
	H302, H332, H312, H315,			
	H319, H334, H317, H335			

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE FIRST AIDERS NEED TO PROTECT THEMSELVES. SHOW

THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR

IN ATTENDANCE.

IF INHALED AFTER INHALATION: FRESH AIR. IMMEDIATELY CALL IN

> PHYSICIAN. IF BREATHING STOPS: IMMEDIATELY APPLY ARTIFICIAL RESPIRATION, IF NECESSARY ALSO

OXYGEN.

IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL IN CASE OF SKIN

CONTACT CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER. CONSULT A PHYSICIAN.

IN CASE OF EYE AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF

WATER. CALL IN OPHTHALMOLOGIST. REMOVE CONTACT CONTACT

LENSES.

AFTER SWALLOWING: IMMEDIATELY MAKE VICTIM DRINK IF SWALLOWED

WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL

TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

EXTINGUISHING MEDIA WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER

UNSUITABLE EXTINGUISHING MEDIA

FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF

EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS **CARBON OXIDES**

ARISING FROM THE NITROGEN OXIDES (NOX) SUBSTANCE OR MIXTURE HYDROGEN FLUORIDE

COMBUSTIBLE.

VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD ALONG

FLOORS.

FORMS EXPLOSIVE MIXTURES WITH AIR AT ELEVATED

TEMPERATURES.

DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR

VAPOURS POSSIBLE IN THE EVENT OF FIRE.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE

PROTECTIVE CLOTHING.

FURTHER INFORMATION

REMOVE CONTAINER FROM DANGER ZONE AND COOL

WITH WATER. SUPPRESS (KNOCK DOWN)

GASES/VAPORS/MISTS WITH A WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE EQUIPMENT
AND EMERGENCY
PROCEDURES

ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES,

CONSULT AN EXPERT.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

DO NOT LET PRODUCT ENTER DRAINS. RISK OF

EXPLOSION.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). DISPOSE OF PROPERLY. CLEAN UP

AFFECTED AREA.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. AVOID GENERATION OF

VAPOURS/AEROSOLS.

KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION.TAKE PRECAUTIONARY MEASURES

AGAINST STATIC DISCHARGE.

IMMEDIATELY CHANGE CONTAMINATED CLOTHING.

APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND

FACE AFTER WORKING WITH SUBSTANCE.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP AWAY FROM HEAT AND

SOURCES OF IGNITION. KEEP LOCKED UP OR IN AN AREA

ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED

PERSONS.

MOISTURE SENSITIVE. HANDLE AND STORE UNDER INERT

GAS.

Store at 2 - 8 °C

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE

AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND

APPROVED UNDER APPROPRIATE GOVERNMENT

STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). SAFETY

GLASSES

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE

WITH APPLICABLE LAWS AND GOOD LABORATORY

PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING.

RESPIRATORY REQUIRED WHEN VAPOURS/AEROSOLS ARE GENERATED.
PROTECTION OUR RECOMMENDATIONS ON FILTERING RESPIRATORY

PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER

ACCOMPANYING STANDARDS RELATING TO THE USED

RESPIRATORY PROTECTION SYSTEM.

CONTROL OF DO NOT LET PRODUCT ENTER DRAINS. RISK OF

EXPLOSION.

ENVIRONMENTAL

EXPOSURE

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless to almost colorless clear liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 50 °C/12 mmHg

AND BOILING RANGE

FLASH POINT 55 °C

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.33

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY VAPOR/AIR-MIXTURES ARE EXPLOSIVE AT INTENSE

WARMING.

CHEMICAL STABILITY THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD

AMBIENT CONDITIONS.

POSSIBILITY OF

HAZARDOUS REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID HEAT. AVOID MOISTURE.

HEATING.

INCOMPATIBLE

WATER, ALCOHOLS, STRONG BASES, AMINES, ACIDS, **MATERIALS**

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION

PRODUCTS

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY ACUTE TOXICITY ESTIMATE ORAL - EXPERT JUDGMENT -

500.1 MG/KG

ACUTE TOXICITY ESTIMATE INHALATION - EXPERT

JUDGMENT - 4 H - 11.1 MG/L

ACUTE TOXICITY ESTIMATE DERMAL - EXPERT

JUDGMENT - 1,100 MG/KG

NO DATA AVAILABLE

CAUSES SKIN IRRITATION. SKIN

CORROSION/IRRITATION

CAUSES SERIOUS EYE IRRITATION. SERIOUS EYE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN

MAY CAUSE ALLERGIC RESPIRATORY AND SKIN

REACTIONS

NO DATA AVAILABLE **GERM CELL**

MUTAGENICITY

SENSITISATION

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

PROLONGED OR REPEATED EXPOSURE CAN CAUSE: NAUSEA, DIZZINESS, HEADACHE, LUNG IRRITATION,

REPEATED EXPOSURE MAY CAUSE ASTHMA.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT

BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.

OTHER ADVERSE

NO DATA AVAILABLE

EFFECTS

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT WASTE MATERIAL MUST BE DISPOSED OF IN

ACCORDANCE WITH THE NATIONAL AND LOCAL REGULATIONS. LEAVE CHEMICALS IN ORIGINAL CONTAINERS. NO MIXING WITH OTHER WASTE.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. (2,4-

Difluorophenyl isocyanate)

UN NUMBER: 2478 CLASS: 3 (6.1) PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. (2,4-

Difluorophenyl isocyanate)

UN NUMBER: 2478
CLASS: 3 (6.1)
PACKING GROUP: III
EMS-NO: F-E, S-D

IATA

PROPER SHIPPING NAME: ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. (2,4-

Difluorophenyl isocyanate)

UN NUMBER: 2478 CLASS: 3 (6.1) PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS

WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

2,4-Difluorophenyl isocyanate 59025-55-7

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

2,4-Difluorophenyl isocyanate 59025-55-7

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H226 FLAMMABLE LIQUID AND VAPOUR.

H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED.

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H319 CAUSES SERIOUS EYE IRRITATION

H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

H335 MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2 REVISION DATE: 3/18/2022