

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112

E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: [www.chemimpex.com](http://www.chemimpex.com)

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	46246
NAME:	Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol)
SYNONYMS:	1-Ethoxy-2,2,2-trifluoroethanol (contains ca. 10% Ethanol) Perfluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol)
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**

FLAMMABLE LIQUIDS (CATEGORY 2), H225

ACUTE TOXICITY, ORAL (CATEGORY 4), H302  
EYE DAMAGE/IRRITATION (CATEGORY 2B), H320  
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), H335, H336  
GERM CELL MUTAGENICITY (CATEGORY 1B), H340  
REPRODUCTIVE TOXICITY (CATEGORY 1A), H360  
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 1), H372  
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.  
H302 HARMFUL IF SWALLOWED.  
H320 CAUSES EYE IRRITATION.  
H335 + H336 MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS  
H340 MAY CAUSE GENETIC DEFECTS.  
H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.  
H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: LIVER  
H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: NERVOUS SYSTEM

**PRECAUTIONARY STATEMENT(S)**

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.  
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING.  
P233 KEEP CONTAINER TIGHTLY CLOSED.  
P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.  
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING EQUIPMENT.  
P242 USE ONLY NON-SPARKING TOOLS.  
P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.  
P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.

P304 + P340 + P312 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:  $C_4H_7F_3O_2$

MW: 144.09

CAS-NO. 433-27-2

PURITY:  $\geq 80\%$  (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol)		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF

DANGEROUS AREA.

**IF INHALED**

REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GET MEDICAL ADVICE/ATTENTION.

**IN CASE OF SKIN CONTACT**

REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND WATER. GET MEDICAL ADVICE/ATTENTION.

**IN CASE OF EYE CONTACT**

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. GET MEDICAL ADVICE/ATTENTION.

**IF SWALLOWED**

GET MEDICAL ADVICE/ATTENTION.RINSE MOUTH.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

ACUTE: DIZZINESS. REDNESS. DROWSINESS.  
DELAYED: MAY CAUSE HERITABLE GENETIC DAMAGE IN HUMANS. MAY HAVE EFFECTS ON THE RESPIRATORY TRACT.  
THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA:  
DRY CHEMICAL, FOAM, WATER SPRAY, CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA:  
SOLID STREAMS OF WATER

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

CARBON OXIDES HALOGENATED COMPOUNDS

**ADVICE FOR FIREFIGHTERS**

WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE.

**FURTHER INFORMATION**

WARNING: HIGHLY TOXIC HF GAS IS PRODUCED DURING COMBUSTION.

TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-CONTAINED BREATHING APPARATUS). KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
<b>ENVIRONMENTAL PRECAUTIONS</b>	PREVENT PRODUCT FROM ENTERING DRAINS.
<b>METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP</b>	ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
<b>REFERENCE TO OTHER SECTIONS</b>	FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

<b>PRECAUTIONS FOR SAFE HANDLING</b>	HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAME/HOT SURFACES. -NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID ALL CONTACT!
<b>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES</b>	KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DARK AND WELL-VENTILATED PLACE. STORE UNDER INERT GAS. PROTECT FROM MOISTURE. STORE LOCKED UP. STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH

AS OXIDIZING AGENTS.  
MOISTURE-SENSITIVE

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

#### **COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

**EXPOSURE LIMITS:** (ETHANOL)  
ACGIH TLV(STEL):1000 PPM  
OSHA PEL(TWA):1000 PPM

**APPROPRIATE ENGINEERING CONTROLS** FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY SHOWER AND EYE BATH.

#### **PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**BODY PROTECTION** IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

<b>RESPIRATORY PROTECTION</b>	HALF OR FULL FACEPIECE RESPIRATOR, SELF-CONTAINED BREATHING APPARATUS(SCBA), SUPPLIED AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND NATIONAL REGULATIONS.
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to almost colorless clear liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	39 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.23
WATER SOLUBILITY	SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

### OTHER SAFETY INFORMATION

LOG POW:	(ETHANOL) -0.32
----------	-----------------

---

## SECTION 10. STABILITY AND REACTIVITY

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO SPECIAL REACTIVITY HAS BEEN REPORTED.
<b>CONDITIONS TO AVOID</b>	SPARK, OPEN FLAME, STATIC DISCHARGE
<b>INCOMPATIBLE MATERIALS</b>	OXIDIZING AGENTS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN FLUORIDE

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

### INFORMATION ON TOXICOLOGICAL EFFECTS

<b>ACUTE TOXICITY</b>	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	NO DATA AVAILABLE
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.



OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: LIVER MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: NERVOUS SYSTEM
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: NOT AVAILABLE  TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	NO DATA AVAILABLE
<b>OTHER ADVERSE EFFECTS</b>	NO DATA AVAILABLE

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

---

### **WASTE TREATMENT METHODS**

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

**CONTAMINATED PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

## SECTION 14. TRANSPORT INFORMATION

---

**DOT (US)**  
PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol))  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II

**IMDG**  
PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol))  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II  
EMS-NO: F-E, S-E

**IATA**  
PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, N.O.S (Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol))  
UN NUMBER: 1993  
CLASS: 3  
PACKING GROUP: II

---

## SECTION 15. REGULATORY INFORMATION

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS** NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol)	433-27-2	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Trifluoroacetaldehyde ethyl hemiacetal (contains ca. 10% Ethanol)	433-27-2	

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H225	HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H320	CAUSES EYE IRRITATION.
H335 + H336	MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS
H340	MAY CAUSE GENETIC DEFECTS.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H372	CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: LIVER
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: NERVOUS SYSTEM

**MSDS LEGEND**

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CI** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES,*

*HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

*VERSION: 3.2.*

*REVISION DATE: 3/23/2022*