Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	46421
NAME:	2,3-Difluorophenol
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD WAI

HAZARD STATEMENT(S)

H226	FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
	LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC
	DISCHARGE.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU
	FEEL UNWELL. RINSE MOUTH.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
	CONTAMINATED CLOTHING. RINSE SKIN WITH
	WATER/SHOWER.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON
	CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
	ATTENTION.

P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR
	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P391	COLLECT SPILLAGE.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
	TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOTNONEOTHERWISECLASSIFIED (HNOC)OR NOT COVEREDBY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C_{6}H_{4}F_{2}O}$
MW:	130.09
CAS-NO.	6418-38-8
PURITY:	\geq 98% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
2,3-Difluorophenol		
	FLAM. LIQ. 3; ACUTE TOX. 4; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; AQUATIC ACUTE 2; AQUATIC CHRONIC 2; H226, H302, H315, H319, H335, H401, H411	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA DRY POWDER DRY SAND
	UNSUITABLE EXTINGUISHING MEDIA DO NOT USE WATER JET.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, HYDROGEN FLUORIDE
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH NON- COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL
WORKPLACE CONTROL	EXPOSURE LIMIT VALUES.
PARAMETERS	

EXPOSURE CONTROLSAPPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIALENGINEERINGHYGIENE AND SAFETY PRACTICE. WASH HANDSCONTROLSBEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT
	FOR EYE PROTECTION TESTED AND APPROVED UNDER
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS
	NIOSH (US) OR EN 166(EU).

- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER
USE IN ACCORDANCE WITH APPLICABLE LAWS AND
GOOD LABORATORY PRACTICES. WASH AND DRY
HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS,
FLAME RETARDANT ANTISTATIC PROTECTIVE
CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT
MUST BE SELECTED ACCORDING TO THE
CONCENTRATION AND AMOUNT OF THE DANGEROUS
SUBSTANCE AT THE SPECIFIC WORKPLACE.
- RESPIRATORY
PROTECTIONWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING
RESPIRATORS ARE APPROPRIATE USE A FULLFACE
RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US)
OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS
A BACKUP TO ENGINEERING CONTROLS. IF THE
RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE
A FULL-FACE SUPPLIED AIR RESPIRATOR. USE
RESPIRATORS AND COMPONENTS TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT
STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
- CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TOENVIRONMENTALDO SO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREDISCHARGE INTO THE ENVIRONMENT MUST BE
AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	White or colorless to almost white or almost colorless powder to
	lump to cl
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
РН	NO DATA AVAILABLE
MELTING	37 - 41 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	54 °C/25 mmHg
AND BOILING RANGE	
FLASH POINT	56 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	THE SUBSTANCE OR MIXTURE IS A FLAMMABLE SOLID
GAS)	WITH THE CATEGORY 1.
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY INFORMATION	NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE
	CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

EACTIONS

CONDITIONS TO AVOID HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES, HYDROGEN FLUORIDE OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

SKIN

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE **SENSITISATION**

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

NO COMPONENT OF THIS PRODUCT PRESENT AT

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.	
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE	
ASPIRATION HAZARD	NO DATA AVAILABLE	
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE	
	DEPENDING ON THE INTENSITY AND DURATION OF EXPOSURE, EFFECTS MAY VARY FROM MILD IRRITATION TO SEVERE DESTRUCTION OF TISSUE. PROLONGED OR REPEATED EXPOSURE CAN CAUSE: DAMAGE TO THE EYES. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.	
	STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE	

SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. BURN IN A
CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. CONTACT A LICENSED PROFESSIONAL
WASTE DISPOSAL SERVICE TO DISPOSE OF THIS
MATERIAL.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,3-
	Difluorophenol)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	II
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,3-
I KOI EK SIIII I ING IVANIE.	Difluorophenol)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	T.I
EMS-NO:	F-A, S-G
LIND-IVO.	1- <i>n</i> , 5-6
IATA	
PROPER SHIPPING NAME:	FLAMMABLE SOLID, ORGANIC, N.O.S. (2,3-
	Difluorophenol)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MA THE REPORTING REQUIREM SECTION 302.	
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT (COMPONENTS WITH KNOW EXCEED THE THRESHOLD (I LEVELS ESTABLISHED BY S	N CAS NUMBERS THAT DEMINIMIS) REPORTING
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEAL HEALTH HAZARD	TH HAZARD, CHRONIC
MASSACHUSETTS RIGHT	NO COMPONENTS ARE SUBJ	IECT TO THE
TO KNOW COMPONENTS		
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
2,3-Difluorophenol	CAS-NO. 6418-38-8	REVISION DATE
NEW JERSEY RIGHT TO KNOW COMPONENTS		
2,3-Difluorophenol	CAS-NO. 6418-38-8	REVISION DATE

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.		
H226	FLAMMABLE LIQUID AND VAPOUR.	
H302	HARMFUL IF SWALLOWED.	
H315	CAUSES SKIN IRRITATION.	
H319	CAUSES SERIOUS EYE IRRITATION.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
MSDS LEGEND		
MW:	MOLECULAR WEIGHT	
MF:	MOLECULAR FORMULA	
VOC:	VOLATILE ORGANIC COMPOUNDS	
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL	
	HYGINISTS	
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER	
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION	
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)	
TLV:	THRESHOLD LIMIT VALUE (ACGIH)	
IMPORTANT:		
THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST		
	RENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF	
	OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT	
	TION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE.	
0.0000000000000000000000000000000000000	KE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY	
OF THE INFORMATI	ON FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE	

LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 3/29/2022