# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

1-Benzyl-3-p-tolyltriazene

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:

47423

NAME:

SYNONYMS: 3-p-Tolyl-1-benzyltriazene

24 HOUR EMERGENCY TELEPHONE:

TO REQUEST AN MSDS: (800) 869-9290

**CUSTOMER** SERVICE:

(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE SOLIDS (CATEGORY 1), H228 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD DANGER

## HAZARD STATEMENT(S)

H228	FLAMMABLE SOLID.
H302 + H312 + H332	HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF
	INHALED

## PRECAUTIONARY STATEMENT(S)

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE
	WASTE DISPOSAL PLANT.
P501	REUSE. DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
P362	DOCTOR. TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
P304 + P340 + P311	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/ DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.
F 200	PROTECTION/ FACE PROTECTION.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
P271	PRODUCT. USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P261	LIGHTING EQUIPMENT. AVOID BREATHING DUST, FUME, MIST, VAPORS OR SPRAY.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
	SURFACES. NO SMOKING.
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

 $\mathrm{C}_{14}\mathrm{H}_{15}\mathrm{N}_{3}$ 

MW: 225.30

CAS-NO. 17683-09-9

PURITY:  $\geq$ 

 $\geq$  98% (Assay by titration)

### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
1-Benzyl-3-p-tolyltriazene		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL.
IN CASE OF SKIN CONTACT	REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
IN CASE OF EYE CONTACT	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
IF SWALLOWED	CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

## SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	DRY CHEMICAL, FOAM, WATER SPRAY, CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE	CARBON OXIDES NITROGEN OXIDES

## SUBSTANCE OR MIXTURE

ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE. COMBAT FIRE FROM A SHELTERED POSITION.
FURTHER INFORMATION	EXPLOSION RISK IN CASE OF FIRE. FIGHT FIRE REMOTELY DUE TO THE RISK OF EXPLOSION. TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME. CLOSED CONTAINERS MAY EXPLODE FROM HEAT OF A FIRE.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
ENVIRONMENTAL PRECAUTIONS	PREVENT PRODUCT FROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SWEEP DUST TO COLLECT IT INTO AN AIRTIGHT CONTAINER, TAKING CARE NOT TO DISPERSE IT. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

## SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	HANDLING IS PERFORMED IN A WELL VENTILATED
HANDLING	PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT.
	PREVENT DISPERSION OF DUST. KEEP AWAY FROM
	HEAT/SPARKS/OPEN FLAME/HOT SURFACESNO
	SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP
	OF ELECTROSTATIC CHARGE. WASH HANDS AND FACE
	THOROUGHLY AFTER HANDLING.
	USE A LOCAL EXHAUST IF DUST OR AEROSOL WILL BE
	GENERATED.
	AVOID CONTACT WITH SKIN, EYES AND CLOTHING.

<b>STORAGE, INCLUDING</b>	KEEP CONTAINER TIGHTLY CLOSED. STORE IN AN
<b>ANY INCOMPATIBILITIES</b>	EXPLOSION-POOF REFREGERATOR.
EXPLOSION-POOF REFREGER	BE SURE NOT TO GIVE THE CONTAINER UNEXPECTED
BE SURE NOT TO GIVE THE C	IMPACTS, SUCH AS FALLING DOWN OR FALLING OFF.
IMPACTS, SUCH AS FALLING	STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH
	STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH AS OXIDIZING AGENTS. HEAT-SENSITIVE

Store at 2 - 8 °C

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY
ENGINEERING	PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL
CONTROLS	A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL
	SAFETY SHOWER AND EYE BATH.

#### PERSONAL PROTECTIVE EQUIPMENT

- **EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTIONIMPERVIOUS CLOTHING, FLAME RETARDANT<br/>ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF<br/>PROTECTIVE EQUIPMENT MUST BE SELECTED<br/>ACCORDING TO THE CONCENTRATION AND AMOUNT OF<br/>THE DANGEROUS SUBSTANCE AT THE SPECIFIC<br/>WORKPLACE.
- **RESPIRATORY**DUST RESPIRATOR. FOLLOW LOCAL AND NATIONAL**PROTECTION**REGULATIONS.

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON DASIC I	III SICALAND CHEMICALI N
APPEARANCE	White to yellow to orange powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	75 - 79 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

#### **OTHER SAFETY INFORMATION**

OTHER SOLVENTS SOLUBLE: ETHER

#### SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	MAY EXPLOSIVELY DECOMPOSE ON HEATING, SHOCK, FRICTION, ETC.

CONDITIONS TO AVOID	HEAT, SPARK, OPEN FLAME, STATIC DISCHARGE, SHOCK, FRICTION
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES (NOX)

## SECTION 11. TOXICOLOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
INFORMATION	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	NO DATA AVAILABLE
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO<br/>A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL<br/>INCINERATOR EQUIPPED WITH AN AFTERBURNER AND<br/>SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS<br/>THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A<br/>LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO<br/>DISPOSE OF THIS MATERIAL.

## SECTION 14. TRANSPORT INFORMATION

<b>DOT (US)</b>	FLAMMABLE SOLID, ORGANIC, N.O.S (1-Benzyl-3- <i>p</i> -
PROPER SHIPPING NAME:	tolyltriazene)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	II
IMDG	FLAMMABLE SOLID, ORGANIC, N.O.S (1-Benzyl-3- <i>p</i> -
PROPER SHIPPING NAME:	tolyltriazene)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	II
EMS-NO:	F-A, S-G
IATA	FLAMMABLE SOLID, ORGANIC, N.O.S (1-Benzyl-3- <i>p</i> -
PROPER SHIPPING NAME:	tolyltriazene)
UN NUMBER:	1325
CLASS:	4.1
PACKING GROUP:	II

## SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.	

## PENNSYLVANIA RIGHT TO KNOW COMPONENTS

1-Benzyl-3-p-tolyltriazene	
----------------------------	--

CAS-NO. 17683-09-9 **REVISION DATE** 

### **NEW JERSEY RIGHT TO KNOW COMPONENTS** CAS-NO.

**REVISION DATE** 

9

## SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H228	FLAMMABLE SOLID.
H302 + H312 + H332	HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR
	IF INHALED

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL
	INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH
	ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2.

REVISION DATE: 03/09/2023