

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 47425

NAME: 3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol)

SYNONYMS: m-TFPTAH (5% in methanol)
Trimethyl-3-trifluoromethylphenylammonium hydroxide (5% in methanol)

24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)
352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225

SKIN CORROSION/IRRITATION (CATEGORY 1B), H314

EYE DAMAGE/IRRITATION (CATEGORY 1), H318

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), H335, H336

REPRODUCTIVE TOXICITY (CATEGORY 1B), H360

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 1), H370

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 1), H372

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H225	HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H336	MAY CAUSE DROWSINESS OR DIZZINESS.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H370	CAUSES DAMAGE TO: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM
H372	CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM

PRECAUTIONARY STATEMENT(S)

P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING/ EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P330 + P331 + P310	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338 + P310	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.

P307 + P311 IF EXPOSED: CALL A POISON CENTER OR DOCTOR/
PHYSICIAN.
P403 + P233 STORE IN A WELL VENTILATED PLACE. KEEP CONTAINER
TIGHTLY CLOSED.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED BY
GHS** MAY BE HARMFUL IF SWALLOWED.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_{10}H_{14}F_3NO$
MW: 221.22
CAS-NO. 68254-41-1
PURITY: Concentration = 5.0 - 5.5% in methanol

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol)		
	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

IF INHALED REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL APOISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF SKIN CONTACT REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GENTLY WASH WITH PLENTY OF SOAP AND

WATER. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IN CASE OF EYE CONTACT

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

IF SWALLOWED

IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH. DO NOT INDUCE VOMITING.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

ACUTE: DIZZINESS. PAIN. REDNESS. DROWSINESS. DELAYED: MAY HAVE EFFECTS ON THE RESPIRATORY TRACT. THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

DRY CHEMICAL, FOAM, WATER IN LARGE AMOUNTS, CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

CARBON OXIDES NITROGEN OXIDES HALOGENATED COMPOUNDS

ADVICE FOR FIREFIGHTERS

WEAR SELF-CONTAINED BREATHING APPARATUS IF POSSIBLE.

FURTHER INFORMATION

TAKE CARE AS IT MAY DECOMPOSE UPON COMBUSTION OR IN HIGH TEMPERATURES TO GENERATE POISONOUS FUME.
WARNING: HIGHLY TOXIC HF GAS IS PRODUCED DURING COMBUSTION.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,

USE EXTRA PERSONAL PROTECTIVE EQUIPMENT (SELF-CONTAINED BREATHING APPARATUS). KEEP PEOPLE

PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	AWAY FROM AND UPWIND OF SPILL/LEAK. ENSURE ADEQUATE VENTILATION. ENTRY TO NON-INVOLVED PERSONNEL SHOULD BE CONTROLLED AROUND THE LEAKAGE AREA BY ROPING OFF, ETC.
ENVIRONMENTAL PRECAUTIONS	PREVENT PRODUCT FROM ENTERING DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	ABSORB SPILLED MATERIAL IN DRY SAND OR INERT ABSORBENT BEFORE RECOVERING IT INTO AN AIRTIGHT CONTAINER. IN CASE OF LARGE AMOUNT OF SPILLAGE, CONTAIN A SPILL BY BUNDING. ADHERED OR COLLECTED MATERIAL SHOULD BE PROMPTLY DISPOSED OF, IN ACCORDANCE WITH APPROPRIATE LAWS AND REGULATIONS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	HANDLING IS PERFORMED IN A WELL VENTILATED PLACE. WEAR SUITABLE PROTECTIVE EQUIPMENT. PREVENT GENERATION OF VAPOUR OR MIST. KEEP AWAY FROM HEAT/SPARKS/OPEN FLAME/HOT SURFACES. -NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. USE EXPLOSION-PROOF EQUIPMENT. WASH HANDS AND FACE THOROUGHLY AFTER HANDLING. USE A CLOSED SYSTEM IF POSSIBLE. USE A VENTILATION, LOCAL EXHAUST IF VAPOUR OR AEROSOL WILL BE GENERATED. AVOID ALL CONTACT!
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED. STORE IN AN EXPLOSION-POOF FREEZER. STORE LOCKED UP. STORE AWAY FROM INCOMPATIBLE MATERIALS SUCH AS OXIDIZING AGENTS. HEAT-SENSITIVE Store at 2 - 8 °C
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

EXPOSURE LIMITS: (METHANOL)
ACGIH TLV(TWA):200 PPM (SKIN)
ACGIH TLV(STEL):250 PPM (SKIN)
OSHA PEL(TWA):200 PPM

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS FOLLOW SAFE INDUSTRIAL ENGINEERING/LABORATORY PRACTICES WHEN HANDLING ANY CHEMICAL. INSTALL A CLOSED SYSTEM OR LOCAL EXHAUST. ALSO INSTALL SAFETY SHOWER AND EYE BATH.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION HALF OR FULL FACEPIECE RESPIRATOR, SELF-CONTAINED BREATHING APPARATUS(SCBA), SUPPLIED AIR RESPIRATOR, ETC. USE RESPIRATORS APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS AND FOLLOW LOCAL AND NATIONAL REGULATIONS.

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear, colorless liquid
ODOUR NO DATA AVAILABLE

ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

LOG POW: (METHANOL) -0.82/-0.66

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER PROPER CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	SPARK, OPEN FLAME, STATIC DISCHARGE
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES (NOX), HYDROGEN FLUORIDE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	CYT-GRH-PAR 3000 PPM MMO-SMC 12 PPH (-S9) DNR-ESC 20 MG/WELL
CARCINOGENICITY	NO DATA AVAILABLE
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	CAUSES DAMAGE TO: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	NO DATA AVAILABLE
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME:	FLAMMABLE LIQUID, CORROSIVE, N.O.S (3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol))
UN NUMBER:	2924
CLASS:	3 (8)
PACKING GROUP:	II

IMDG

PROPER SHIPPING NAME:	FLAMMABLE LIQUID, CORROSIVE, N.O.S (3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol))
UN NUMBER:	2924
CLASS:	3 (8)
PACKING GROUP:	II
EMS-NO:	F-E, S-C

IATA

PROPER SHIPPING NAME: FLAMMABLE LIQUID, CORROSIVE, N.O.S (3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol))

UN NUMBER: 2924

CLASS: 3 (8)

PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol)	68254-41-1	

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
3-(Trifluoromethyl)phenyltrimethylammonium hydroxide (5% in methanol)	68254-41-1	

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H335 MAY CAUSE RESPIRATORY IRRITATION.

H336 MAY CAUSE DROWSINESS OR DIZZINESS.

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

H370 CAUSES DAMAGE TO: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM

H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE: VISUAL SYSTEM CENTRAL NERVOUS SYSTEM

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2.

REVISION DATE: 03/10/2023